



ANSI Z21.15a-2012
(reaffirmed 2019) •
CSA 9.1a-2012
(reaffirmed 2019)

**Addenda to the Second Edition of
ANSI Z21.15-2009/CSA 9.1-2009
American National Standard/CSA Standard for
Manually Operated Gas Valves For Appliances,
Appliance Connector Valves And Hose End Valves**



Standards Update Service

ANSI Z21.15a-2012 • CSA 9.1a-2012 February 2012

Title: *Addenda to the Second Edition of ANSI Z21.15-2009/CSA 9.1-2009 American National Standard/ CSA Standard for Manually Operated Gas Valves For Appliances, Appliance Connector Valves And Hose End Valves*

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **2421863**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Preface

The standards set forth herein apply to the second edition of the Standard for Manually Operated Gas Valves for Appliances, Appliance Connector Valves and Hose End Valves, ANSI Z21.15-2009 • CSA 9.1-2009, and supersede corresponding standards therein. Following their preparation by the supervising Technical Advisory Group, they were accepted by the American National Standards Institute (ANSI) and the Interprovincial Gas Advisory Council (IGAC), and subsequently approved.

NOTE: Changes, other than editorial, are denoted by a vertical line in the margin.

APPROVED



February 23, 2012
American National Standards Institute, Inc.

IGAC

December 29, 2011
Interprovincial Advisory Council
Effective in Canada August 1, 2013

Standards Developer

CSA AMERICA INC.
8501 East Pleasant Valley Road
Cleveland, Ohio 44131

CANADIAN STANDARDS ASSOCIATION
5060 Spectrum Way, Suite 100
Mississauga, Ontario, Canada L4W 5N6

Published - February 2012

Copyright © 2012
Canadian Standards Association

Permission is granted to republish material herein in laws or ordinances, and in regulations, administrative orders, or similar documents issued by public authorities. Those desiring permission for other republication should consult Canadian Standards Association, 5060 Spectrum Way, Suite 100, Mississauga, Ontario, Canada L4W 5N6.

Copyright © 2012
CSA America, Inc.

Permission is granted to republish material herein in laws or ordinances, and in regulations, administrative orders, or similar documents issued by public authorities. Those desiring permission for other republication should consult CSA America, Inc., 8501 East Pleasant Valley Road, Cleveland, Ohio 44131.

Addenda to American National Standard/CSA Standard For Manually Operated Gas Valves For Appliances, Appliance Connector Valves And Hose End Valves

Part I: Construction

1.2 General

1.2.2

The manufacturer shall specify the following information:

- a. Type of valve or device (see Part IV, Definitions);
- b. Maximum and minimum ambient temperature;
- c. Capacity (separate capacities may be furnished for both settings of a universal gas burner valve);
- d. Low-setting throughput(s), if applicable (separate throughputs may be furnished for both settings of a universal gas burner valve); and
- e. Whether or not the valve has a non-displaceable member.

1.6 Valve Stop And Latches

1.6.3

A valve having an intermediate "off" position between two "on" positions shall be so constructed that it will become latched in the "off" position. A universal gas burner valve shall have integral provisions to show that only one "off" position exists when the valve is adjusted for each of the selected gas settings.

1.6.4

Latching type valves shall be capable of withstanding the following torques applied against the latching means without damage, which could result in the unseating of the valve member, and on a universal gas burner valve, resulting in a change in gas setting.