



CSA C22.2 No. 24:15
(reaffirmed 2019)

Temperature-indicating and -regulating equipment



Legal Notice for Standards

Canadian Standards Association (operating as "CSA Group") develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group's and/or others' intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

CSA C22.2 No. 24:15 January 2015

Title: *Temperature-indicating and -regulating equipment*

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **2423215**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

CSA C22.2 No. 24:15
***Temperature-indicating and
-regulating equipment***



®A trademark of the Canadian Standards Association, operating as "CSA Group"

*Published in January 2015 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at store.csagroup.org
or call toll-free 1-800-463-6727 or 416-747-4044.*

ISBN 978-1-77139-643-1

*© 2015 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on Consumer and Commercial Products	5
Subcommittee on Automatic Controls for Household Use	7
Working Group on C22.2 No. 24	9
Preface	10
1 Scope	12
2 Reference publications	12
3 Definitions	16
4 General requirements	18
4.1 General	18
4.2 Controls for specific applications	18
5 Construction	18
5.1 General	18
5.2 Frame and enclosure	19
5.2.1 General	19
5.2.2 Enclosures for transformers	20
5.2.3 Thickness of sheet metal enclosures	20
5.2.4 Thickness of enclosures made of insulating material	21
5.2.5 Enclosure doors and covers	21
5.2.6 Openings in enclosures	22
5.2.7 Weatherproof enclosures	23
5.2.8 Protection against rusting	23
5.3 Mounting	23
5.4 Parts containing liquid metal	24
5.5 Operating mechanism and controls involving electronics	24
5.5.1 Operating mechanisms	24
5.5.2 Thermostat with marked OFF position	24
5.5.3 Electronic controls	25
5.5.4 Evaluation of safety controls	25
5.5.5 Safety control classification	25
5.5.6 Circuit interfacing with safety controls	26
5.6 Supply connections	26
5.6.1 Permanently connected equipment	26
5.6.2 Cord-connected equipment	27
5.6.3 Bushings for cords	28
5.7 Terminal parts and leads	28
5.8 Electrical insulation	29
5.9 Current-carrying parts	30
5.10 Wiring	30
5.11 Transformers	32

5.12	Capacitors	32
5.13	Suppressors and isolators	32
5.13.1	Surge suppressors	32
5.13.2	Optical devices	33
5.14	Switches	33
5.15	Fuses and fuseholder assemblies	33
5.16	Coil windings	33
5.17	Spacings	34
5.17.1	General	34
5.17.2	Low-voltage circuits	34
5.17.3	Class 2 circuits	35
5.17.4	Spacing on printed circuit boards	36
5.17.5	Creepages — Materials with a known comparative track index	36
5.17.6	Through-air spacings — Dielectric voltage-withstand test	36
5.17.7	Surge-controlled circuits	37
5.18	Separation of circuits	37
5.18.3	Barriers for separation of circuits	38
5.18.4	Grouping of conductors	38
5.18.5	Grounded shielding	38
5.19	Assemblies secured by adhesives	39
5.20	Means for factory calibration of safety controls	39
5.21	Grounding and bonding	39
5.22	Power supplies	40
5.23	Motors	40
5.24	Telecommunication network equipment	40
5.25	Communication applications	40
5.26	Temperature controls provided with a ground fault circuit interrupter	40
5.27	Electronic gas/air ratio controls	41
5.28	Thermal cut-offs	41
5.29	Thermistors	41
5.30	Room thermostats	41
5.31	Solar domestic hot water applications	41
6	Marking	41
7	Tests	44
7.1	Sequence of tests	44
7.2	Rated conditions	44
7.3	Rating	45
7.3.1	Open-circuit voltage	45
7.3.2	Input and output	45
7.4	Temperature	45
7.5	Operation	47
7.5.1	Electromagnets	47
7.5.2	Combination gravity-type tip switches and temperature-limiting thermostats	47
7.6	Calibration	47
7.7	Overload	48
7.8	Conditioning of safety controls	51
7.9	Endurance	51

7.10	Dielectric strength	53
7.11	Short-circuit	54
7.12	Snap-on covers	56
7.13	Impact	56
7.14	Flame Test	57
7.15	Negative bias capillary controls	57
7.16	Damper motors	57
7.17	Evaluation of coatings on printed circuit wiring boards	57
7.17.1	General	57
7.17.2	Dielectric strength on printed wiring boards	57
7.17.3	Dielectric strength after temperature conditioning	58
7.17.4	Dielectric strength after humidity conditioning	58
7.17.5	Adhesion	58
7.18	Assemblies secured by adhesives	58
7.19	Strength of fluid-containing parts	59
7.20	Fluid leakage	59
7.21	Parts containing liquid metal	60
7.22	Strain relief	60
7.23	Additional requirements for manual reset temperature-limiting controls	61
7.24	Dielectric voltage-withstand test in lieu of measuring spacings	61
7.25	Surge immunity test	62
7.26	Electrical fast transient/burst immunity test	62
7.27	Abnormal testing	62
7.28	Push/pull-and-turn controls	63
7.29	Leakage current	63
8	Requirements for extra-low-voltage thermostats with heat anticipators	64
8.1	Scope	64
8.2	Enclosures	64
8.3	Burnout	65
8.3.1	Test criteria	65
8.3.2	Test conditions	65
8.3.3	Test procedure	65
8.4	Marking	66
9	Supplementary requirements for thermally activated relays and sequencers for use in electric central warm air furnaces	66
9.1	Scope	66
9.2	General	66
9.3	Initial calibration	67
9.4	Operation at minimum normal voltage and temperature	67
9.5	Positive off and extreme temperature	67
9.6	Operation at maximum normal temperature and overvoltage	68
9.7	Overload and endurance	68
9.8	Number of endurance operations	68
9.9	Recalibration	68
9.10	Marking	68
10	Fluorescent lamp ballast protectors	69

10.1	Scope	69
10.2	General	69
10.3	Calibration	69
10.4	Endurance	69
10.5	Spacings	70
10.6	Limited short-circuit	70
10.7	Marking	70

11 Tests for single-operation devices 70

11.1	General	70
11.2	Reset mechanism	70
11.3	Calibration test	71
11.4	Refunctioning temperature test	71
11.5	Conditioning test	71
11.6	Refunctioning temperature test below 0 °C but not below -35 °C	71
11.7	Refunctioning temperature test below -35 °C	72
11.8	Overload test	72
11.9	Dielectric strength	73

Annex A (normative) — Electronic gas/air ratio controls (see Clause [5.27](#)) 101

Annex B (informative) — Marking translations 109

Technical Committee on Consumer and Commercial Products

A. Milne	21st Olympiad Sales, Burlington, Ontario <i>Category: General Interest</i>	<i>Chair</i>
D. Mascarenhas	Brampton, Ontario <i>Category: General Interest</i>	<i>Vice-Chair</i>
D.P. Badry	Government of Yukon, Whitehorse, Yukon <i>Category: Regulatory Authority</i>	
G. Benjamin	Thomas & Betts Limited, Dorval, Québec <i>Category: Producer Interest</i>	
W.J. Burr	Burr and Associates, Campbell River, British Columbia <i>Category: General Interest</i>	
J.E. Evans	Evans Regulatory Certification Consulting, Jasper, Ontario	<i>Associate</i>
W. Hansen	Trane Ingersoll Rand, La Crosse, Wisconsin, USA <i>Category: Producer Interest</i>	
R.L. Hicks	Mississauga, Ontario <i>Category: General Interest</i>	
F. LaRiccia	Health Canada The Risk Assessment Bureau, Ottawa, Ontario <i>Category: Regulatory Authority</i>	
S. Lawrence	Cisco Systems Canada Co., Scarborough, Ontario <i>Category: Producer Interest</i>	
G. Lundy	IBM Canada Limited, Markham, Ontario <i>Category: Producer Interest</i>	

R. Martel	Electro-Federation Canada, Toronto, Ontario <i>Category: Producer Interest</i>	
W. Morris	Association of Home Appliance Manufacturers (AHAM), Washington, , USA	<i>Associate</i>
T. Olechna	Electrical Safety Authority, Mississauga, Ontario <i>Category: Regulatory Authority</i>	
B.L. Rebel	Association of Home Appliance Manufacturers Canada (AHAM), Ottawa, Ontario	<i>Associate</i>
C.S. Seaby	Burlington, Ontario	<i>Associate</i>
M. Staples	City of Victoria, Victoria, British Columbia <i>Category: Regulatory Authority</i>	
M.K. Timmings	Studio Four Technical Lighting Services, Oakville, Ontario <i>Category: General Interest</i>	
A.Z. Tsisserev	Applied Engineering Solutions Ltd., Vancouver, British Columbia <i>Category: General Interest</i>	
P. Glowacki	CSA Group, Mississauga, Ontario	<i>Project Manager</i>

Subcommittee on Automatic Controls for Household Use

B. Morrison	Toronto, Ontario	<i>Chair</i>
A. Bal	Toronto, Ontario	
P. Barhydt	Arctic Combustion Limited, Milton, Ontario	
D. Berlin	Intermatic Incorporated, Spring Grove, Illinois, USA	
S. Carron	Combustion Solutions Inc., Calgary, Alberta	
F. Dabiet	Allanson International Inc., Toronto, Ontario	
A. Daher	Honeywell, Saint-Jean-sur-Richelieu, Québec	
D. Farchione	Broan-NuTone LLC, Hartford, Wisconsin, USA	
E. Fernando	CSA Group, Toronto, Ontario	
E. Grzesik	Mississauga, Ontario	
D. Johnson	Invensys Controls, Carol Stream, Illinois, USA	
S. Kozma	Spectral Design Ltd., Airdrie, Alberta	
J. Lemire	Synapse Electronique, Grand-Mère, Québec	
T. Nguyen	Therm-O-Disc Incorporated, Mansfield, Ohio, USA	

J. Pallas	Toronto, Ontario	
D. Schill	Sask Power, Yorkton, Saskatchewan	
B. Shah	Tork Division of NSi Industries LLC, Mount Vernon, New York, USA	
A. Smith	France, A Scott Fetzer Company, Fairview, Tennessee, USA	
P. Tervit	Brampton, Ontario	
D. Tousignant	Honeywell, Saint-Jean-sur-Richelieu, Québec	
W. Travis	Littelfuse, Inc, Chicago, Illinois, USA	
A.Z. Tsisserev	Applied Engineering Solutions Ltd., Vancouver, British Columbia	
R. Vandermeer	Weyerhaeuser, Grande Prairie, Ontario	
W. Wolbrink	D W Wolbrink LLC, Slinger, Wisconsin, USA	
P. Glowacki	CSA Group, Mississauga, Ontario	<i>Project Manager</i>

Working Group on C22.2 No. 24

A. Bal	Toronto, Ontario	
K. Carlisle	Karl Dungs Inc., Blaine, Minnesota, USA	
E. Fernando	CSA Group, Toronto, Ontario	
D. Hird	Sask Power, Regina, Saskatchewan	
D. Johnson	Invensys Controls, Carol Stream, Illinois, USA	
S. Kozma	Spectral Design Ltd., Airdrie, Alberta	
D. Tousignant	Honeywell, Saint-Jean-sur-Richelieu, Québec	
P. Voldner	CSA Group, Toronto, Ontario	
P. Glowacki	CSA Group, Mississauga, Ontario	<i>Project Manager</i>

Preface

This is the ninth edition of CSA C22.2 No. 24, *Temperature-indicating and -regulating equipment*. It is part of a series of Standards issued by CSA Group under Part II of the *Canadian Electrical Code*. It supersedes the previous editions, published in 1993, 1987, 1981, 1972, 1965, 1963, 1955, and 1935.

The following revisions have been made in this edition (clause numbers refer to this edition of the Standard unless otherwise noted):

- clarification of Clauses [1.2](#) and [1.3](#) of the Scope;
- reference publications list in Clause [2](#) expanded and updated;
- definitions added to Clause [3](#);
- construction provisions clarified in Clauses [5.1.8](#) and [5.1.9](#);
- Clauses [5.2.6.11](#) and [5.2.6.12](#) expanded to clarify investigation;
- provisions applicable to mercury removed from Clause [5.4](#);
- Clause [5.5](#) revised and expanded;
- Clause [5.10.15](#) added;
- Clause [5.11](#) expanded to include additional provisions for transformers;
- Clause [5.12.5](#) added to clarify capacitors used in applications that require X and Y classifications;
- Clause [5.13](#) rewritten to define surge suppressors and optical devices;
- provisions applicable to mercury switches (Clauses 4.14.3 and 4.14.4 in the previous edition) deleted because mercury switches are no longer acceptable;
- new clauses added to the construction provisions in Clause [5](#) as follows:
 - i) Clause [5.22](#), Power supplies;
 - ii) Clause [5.23](#), Motors;
 - iii) Clause [5.24](#), Telecommunication network equipment;
 - iv) Clause [5.25](#), Communication applications;
 - v) Clause [5.26](#), Temperature controls provided with a ground fault circuit interrupter;
 - vi) Clause [5.27](#), Electronic gas/air ratio controls;
 - vii) Clause [5.28](#), Thermal cut-offs;
 - viii) Clause [5.29](#), Thermistors; and
 - ix) Clause [5.30](#), Room thermostats;
- Clause [6.1\(m\)](#) added;
- Clause [7.6.1](#) clarified;
- Clause [7.7.21](#) added for controls provided with manual actions;
- Clauses [7.9.2.1](#), [7.9.2.2](#), and [7.9.2.3](#) added for clarity;
- Clause [7.9.9](#) added for clarity;
- Clause [7.10.10](#) added for clarity;
- Clause [7.11.6](#) revised;
- Clause [7.16.4](#) added to address damp actuators;
- Clauses [7.21](#) revised to remove references to mercury;
- Clause [7.25](#) updated and title changed from “Transient-voltage surge suppression” to “Surge immunity test”;
- Clauses [7.26](#) to [7.29](#) added;
- Clause [11](#) added;
- Table [4](#) updated with additional tests: surge immunity, short-circuit, and abnormal;
- Table [6](#) updated (Items 3, 4, and 7 to 9);
- Table [10](#) updated [Items 3, 4, and 6 to 9 and Notes † and ‡];
- Figure [5](#) corrected;

- Figures 7 and 8 added;
- Annex A (normative) added; and
- Annex A from the previous edition renamed Annex B.

Permission to use extracts from ISO 23552-1:2007, *Safety and control devices for gas and/or oil burners and gas and/or oil appliances — Particular requirements — Part 1: Fuel/air ratio controls, electronic type*, was provided by the Standards Council of Canada in cooperation with IHS Canada. No further reproduction of this material is permitted without prior written approval from the Standards Council of Canada.

This Standard is considered suitable for use for conformity assessment within the stated scope of the Standard.

This Standard was prepared by the Working Group on C22.2 No. 24 and the Subcommittee on Automatic Controls for Household Use, under the jurisdiction of the Technical Committee on Consumer and Commercial Products and the Strategic Steering Committee on Requirements for Electrical Safety, and has been formally approved by the Technical Committee.

Interpretations: The Strategic Steering Committee on Requirements for Electrical Safety has provided the following direction for the interpretation of standards under its jurisdiction: “The literal text shall be used in judging compliance of products with the safety requirements of this Standard. When the literal text cannot be applied to the product, such as for new materials or construction, and when a relevant committee interpretation has not already been published, CSA Group’s procedures for interpretation shall be followed to determine the intended safety principle.”

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*
 - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.
- 5) *This Standard is subject to review five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
 - a) *Standard designation (number);*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*
 - d) *rationale for the change.*

CSA C22.2 No. 24:15

Temperature-indicating and -regulating equipment

1 Scope

1.1

This Standard applies to temperature-indicating and -regulating equipment* for voltages up to and including 600 V between conductors and intended for general household and industrial use in nonhazardous locations, in accordance with the Rules of the *Canadian Electrical Code, Part I (CEC, Part I)*.

* For convenience, the shorter term "equipment" is sometimes used in this Standard.

1.2

This Standard applies to electrical control equipment for air conditioning, heating, lighting, cooling, refrigeration, cooking appliances, safety controls, and other similar appliance controls.

1.3

This Standard does not apply to dimmers and extra-low-voltage equipment other than safety controls and room thermostats with heat anticipators.

1.4

In this Standard, "shall" is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; "should" is used to express a recommendation or that which is advised but not required; and "may" is used to express an option or that which is permissible within the limits of the standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.

Annexes are designated normative (mandatory) or informative (non-mandatory) to define their application.

2 Reference publications

This Standard refers to the following publications, and where such reference is made, it shall be to the edition listed below:

CSA Group

B149.3-10

Code for the field approval of fuel-related components on appliances and equipment