



Motors and generators



REVISED APRIL-2017

Legal Notice for Standards

Canadian Standards Association (operating as "CSA Group") develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group's and/or others' intellectual property and may give rise to a right in CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- · load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Revision History

CSA C22.2 No. 100:14, Motors and generators

Update No. 1 — April 2017	Revision symbol (in margin)
Clauses 2, 4.6, 6.1, 7.2.8.2, 12.3.1, and 12.4.2.2 Annex D	1

Standards Update Service

CSA C22.2 No. 100:14 July 2014

Title: *Motors and generators*

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on CSA Update Service

The List ID that you will need to register for updates to this publication is 2423226.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at **www.csagroup.org/legal** to find out how we protect your personal information.

CSA C22.2 No. 100:14 Motors and generators



*A trademark of the Canadian Standards Association, operating as "CSA Group"

Published in July 2014 by CSA Group A not-for-profit private sector organization 178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3

To purchase standards and related publications, visit our Online Store at **store.csagroup.org** or call toll-free 1-800-463-6727 or 416-747-4044.

ISBN 978-1-77139-654-7

© 2014 Canadian Standards Association All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

CSA CZZ.Z NO. 100:14

Contents

Technical Committee on Industrial Products 5 Subcommittee on Motors and Generators 8 Preface 10 1 Scope 12 **Reference publications** 2 13 **3** Definitions 14 General requirements 18 4 Construction 19 5 5.1 General 19 5.2 Enclosure 19 Guarded machines 5.2.1 19 Totally enclosed machines 5.2.2 20 5.2.3 Drip-proof and weather-proof enclosures 20 5.3 Non-metallic enclosure materials 20 5.4 Terminal boxes (750 V and less) 20 5.5 Conduit hubs and equivalent threaded openings 5.6 Flexible cords 22 5.7 Leads 23 5.7.1 Lead type and size 23 5.7.2 Lead insulation 23 5.7.3 Lead protection 23 5.8 Spacings (low voltage) 24 Capacitors 5.9 25 5.10 Suppressors 25 5.11 Grounding and bonding 25 Brush holders and terminals 5.12 26 5.13 Receptacles 27 5.14 Inverters integral with a variable-speed machine Marking 6 27 7 Tests 29 7.1 General 29 7.2 Temperature test 30 7.3 Rating 31 7.4 Dielectric strength test 32 7.5 Threaded conduit openings 33 7.6 Strain relief 33

- 7.7 Guarded machine test 33
- 7.8 Water tests 33

22

27

CSA CZZ.Z NO. 100:14

- 7.9 Flame tests 35
- 7.10 Impact test 35
- 7.11 Physical abuse (terminal boxes) 35
- 7.12 Integral insulation *36*

8 DC machines and AC machines (including universal motors) in IEC frame size 80 and smaller 37

- 8.1 Scope 37
- 8.2 Construction *37*
- 8.2.1 General 37
- 8.2.2 Terminal boxes 37
- 8.2.3 Spacings 37
- 8.2.4 Leads (30 V rms and less) 37
- 8.2.5 Soldered connections *37*
- 8.2.6 Hobby motors 38
- 8.2.7 Insulation systems 38
- 8.3 Marking 39
- 8.4 Tests *39*
- 8.4.1 General *39*
- 8.4.2 Rating AC motors 39
- 8.4.3 Rating DC motors 39
- 8.4.4 Temperature test *39*
- 8.4.5 Starting of hobby motors 40
- 8.4.6 Overspeed (AC series and universal motors) 40
- 8.4.7 Moisture absorption 40
- 9 AC machines (including universal motors) in IEC frame sizes 90 to 280 and rated 750 V ac and
- less 41
- 9.1 Scope 41
- 9.2 Construction 41
- 9.2.1 General 41
- 9.2.2 Leads to embedded detectors 41
- 9.2.3 Insulation systems 41
- 9.3 Markings 41
- 9.4 Tests 41
- 9.4.1 General 41
- 9.4.2 Embedded detectors 42
- 9.4.3 Moisture absorption 42

10 AC machines rated over 750 V ac or in IEC frame size 315 and larger 42

- 10.1 Scope 42
- 10.2 Construction 42
- 10.2.1 General 42
- 10.2.2 Enclosures 42
- 10.2.3 Terminal boxes 43
- 10.2.4 Mechanical strength 43
- 10.2.5 Insulation (for parts over 750 V) 43
- 10.2.6 Internal wiring (over 750 V) 44
- 10.2.7 Internal wiring (750 V ac and less and 500 V dc and less) 44
- 10.2.8 Terminal box spacings 44

Insulation systems 45 10.2.9 Marking (see Annex B) 10.3 45 10.4 Tests 45 10.4.1 Test voltage 45 10.4.2 Rating 46 10.4.3 Temperature 46 10.4.4 Dielectric strength 46 10.4.5 Water tests 47 11 DC machines in IEC frame size 90 and larger 48 11.1 Scope 48 11.2 Construction 48 11.2.1 General 48 11.2.2 Enclosures 48 11.2.3 Mechanical safe speed 48 Terminal boxes 11.2.4 48 11.2.5 Insulation systems 48 Insulation (for parts over 750 V) 11.2.6 49 11.2.7 Spacings 49 Lifting supports 11.2.8 50 11.3 Marking 50 11.4 Tests 50 11.4.1 General 50 11.4.2 Temperature 50 11.4.3 Motor-rated load current 51 11.4.4 Dielectric strength 51 11.4.5 Overspeed 51 11.4.6 Water tests 51 **12** Portable and standby generators 52 12.1 Scope 52 12.2 Construction 52 12.2.1 General 52 12.2.2 Enclosure or panels 52 12.2.3 Terminal boxes (750 V and less) 52 12.2.4 Leads 53 12.2.5 Grounding and bonding 54 12.2.6 Brush holders and terminals 55 12.2.7 Battery chargers 55 12.2.8 Protection and control of generators 55 12.2.9 Inverters integral with portable generators 56 12.2.10 Portable generator output circuits 56 12.3 Marking 57 12.4 Tests 59 12.4.1 Temperature 59 12.4.2 Terminal panel 59 12.4.3 Rating 59 12.4.4 Dielectric strength test 60 Generator probe test 12.4.5 60

CSA CZZ.Z NO. 100:14

12.4.6 Flame tests 60 12.4.7 Impact test 61 Physical abuse (terminal boxes) 61 12.4.8 12.4.9 Integral insulation 61 **13** Inverter-duty AC machines 62 13.1 Scope 62 13.2 Construction 62 13.3 Tests 62 13.3.1 General 62 13.3.2 Power supply 62 Rating 62 13.3.3 Test requirements 13.3.4 63 13.3.5 Dielectric strength 63 13.4 Marking 63

Annex A (informative) — Drip test 80
Annex B (informative) — Marking translations 81
Annex C (informative) — Acceptable labels 84
Annex D (normative) — Installation of engine-driven electric generators for use in recreational vehicles 85

Technical Committee on Industrial Products

R.M. Bartholomew	Electric Power Equipment Ltd., Vancouver, British Columbia Category: Producer Interest	Chair
R.P. de Lhorbe	Schneider Electric Canada, Inc., Richmond, British Columbia Category: Producer Interest	Vice-Chair
D.P. Badry	Government of Yukon, Whitehorse, Yukon Category: Government and/or Regulatory Authority	
B.M. Baldwin	Startco Engineering ULC, Saskatoon, Saskatchewan Category: Producer Interest	
W.J. Bryans	Electro-Federation Canada, Toronto, Ontario	Associate
R.B. Buckler	ASCO Power Technologies Canada, Brantford, Ontario	Associate
W.J. Burr	Burr and Associates, Campbell River, British Columbia	Associate
F. Chan	Schneider Electric Canada, Inc., Mississauga, Ontario	Associate
P.D. den Bakker	Shell Global Solutions Canada, Calgary, Alberta	Associate
S.W. Douglas	International Association of Electrical Inspectors, Toronto, Ontario	Associate
J.H. Dymond	Peterborough, Ontario	Associate
V.V. Gagachev	Eaton, Burlington, Ontario Category: Producer Interest	

LSA LZZ.Z NO. 100:14		motors una generators
R.J. Kelly	Government of Nunavut-Dept of Community & Government Services, Iqaluit, Nunavut	Associate
A. Leslie	Curtiss Wright Controls, Integrated Sensing, Stratfrod, Ontario	Associate
D.R. MacLeod	Department of Labour and Advanced Education, Halifax, Nova Scotia Category: Government and/or Regulatory Authority	
N. Mancini	Mississauga, Ontario Category: General Interest	
D. Mascarenhas	Independent, Brampton, Ontario Category: General Interest	
A. Milne	21st Olympiad Sales, Burlington, Ontario	Associate
D.G. Morlidge	Fluor Canada Ltd., Calgary, Alberta Category: General Interest	
T. Olechna	Electrical Safety Authority, Mississauga, Ontario Category: Government and/or Regulatory Authority	
R. Pack	SaskPower, Saskatoon, Saskatchewan Category: Government and/or Regulatory Authority	
V. Rowe	Marex Canada Limited, Nanaimo, British Columbia	Associate
M. Smith	Rockwell Automation Canada Inc. Control Systems, Cambridge, Ontario Category: Producer Interest	
C. Thwaites	Mersen Canada Toronto Inc., Mississauga, Ontario	Associate

CSA CZZ.Z NO. 100:14

A.Z. Tsisserev

Applied Engineering Solutions Ltd., Vancouver, British Columbia Category: General Interest

P. Glowacki CSA Group, Mississauga, Ontario Category: General Interest

Subcommittee on Motors and Generators

B. Mistry	General Electric Canada, Peterborough, Ontario	Chair
K.F. Anderson	Underwriters Laboratories Inc., Northbrook, Illinois, USA	Associate
J.S. Barth	A.O. Smith Corporation Electrical Products Company, Tipp City, Ohio, USA	
I. Culbert	Iris Power LP, Mississauga, Ontario	
D.E. Delaney	RBC Manufacturing Corporation, Fort Wayne, Indiana, USA	
J.H. Dymond	Peterborough, Ontario	
M. Gonzalez	GE Power Conversion, Shelbyville, Kentucky, USA	
R. Hopkins	Infrastructure Health and Safety Association, Mississauga, Ontario	
G. Kang	TECO-Westinghouse Motors (Canada) Inc., Cambridge, Ontario	
G.J. Marchand	Briggs & Stratton Power Products Group, LLC, Wauwatosa, Wisconsin, USA	
E. Massey	Baldor Electric Company, Greenville, South Carolina, USA	
D.J. Murray	Burlington, Ontario	
L. Murray	Nidec Motor Corporation, St. Louis, Missouri, USA	
P.R. Quintaes	WEG Equipamentos Eletricos S.A., Jaragua Do Sul, , Brazil	

тосого ини успегасого

CSA CZZ.Z NO. 100:14

B. Robinson	Honda Canada Inc, Markham, Ontario	
J. Rydeski	Marathon Electric Manufacturing Corporation, Wausau, Wisconsin, USA	
S. Sappington	Caterpillar Inc., Griffin, Georgia, USA	
H. Sedding	Kinectrics Inc., Toronto, Ontario	Associate
R. Steffen	GE Commercial Motors by Regal-Beloit, Fort Wayne, Indiana, USA	
M. Stranges	GE Infrastructure - Energy, Peterborough, Ontario	Associate
N. Stranges	General Electric Canada, Peterborough, Ontario	
A. Tétreault	Vibrosystm Inc., Longueuil, Québec	
T.N. Young	RBC Manufacturing Corporation, Fort Wayne, Indiana, USA	
P. Glowacki	CSA Group, Mississauga, Ontario Category: General Interest	

Preface

This is the seventh edition of CSA C22.2 No. 100, *Motors and generators*, one of a series of Standards issued by the Canadian Standards Association under Part II of the *Canadian Electrical Code*. It supersedes the previous editions published in 2004, 1995, 1992, 1985, 1982, and 1974.

This Standard is considered suitable for use for conformity assessment within the stated scope of the Standard.

Significant changes from the previous edition are as follows:

- a) Updates 1, 2, and 3 from the previous edition incorporated;
- b) Clause 3: Definitions added "Stabilization temperature";
- c) Clause 4.5 added;
- d) Clause 7.2.1c) added;
- e) Clause 7.4.7 added;
- f) Clause 10.4.3.2 second paragraph added to clarify temperature;
- g) Requirements for protection and control of generators removed from Clause 12.2.7and added to new Clause 12.2.8;
- h) Clause 12.2.9 added: Inverters integral with portable generators;
- i) Clause 12.2.10 added: Portable generator output circuits;
- j) Clause 13.2.2 rewritten for clarity;
- k) Note added to Clause 13.3.2 for clarity;
- I) Notes 1 and 2 added to Clause for clarity;
- m) Table 3: second note added;
- n) Table 4: Note 3 updated for clarity;
- o) Table 10: Note 4 added;
- p) Table 11: Note 4 added;
- q) Table 11: Note 3 added; and
- r) Figures 5, 6, and 7 updated for clarity.

For general information on the standards of the *Canadian Electrical Code, Part II*, see the Preface of CAN/CSA-C22.2 No. 0.

This Standard was prepared by the Subcommittee on Motors and Generators, under the jurisdiction of the Technical Committee on Industrial Products and the Strategic Steering Committee on Requirements for Electrical Safety, and has been formally approved by the Technical Committee.

<u>Interpretations</u>: The Strategic Steering Committee on Requirements for Electrical Safety has provided the following direction for the interpretation of standards under its jurisdiction: "The literal text shall be used in judging compliance of products with the safety requirements of this Standard. When the literal text cannot be applied to the product, such as for new materials or construction, and when a relevant committee interpretation has not already been published, CSA's procedures for interpretation shall be followed to determine the intended safety principle".

Notes:

- 1) Use of the singular does not exclude the plural (and vice versa) when the sense allows.
- 2) Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.
- 3) This Standard was developed by consensus, which is defined by CSA Policy governing standardization Code of good practice for standardization as "substantial agreement. Consensus implies much more than a simple

notors and generators

majority, but not necessarily unanimity". It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.

- 4) To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include "Request for interpretation" in the subject line:
 - a) define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;
 - b) provide an explanation of circumstances surrounding the actual field condition; and
 - c) where possible, phrase the request in such a way that a specific "yes" or "no" answer will address the issue.

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at **standardsactivities.csa.ca**.

- 5) This Standard is subject to review five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include "Proposal for change" in the subject line:
 - a) Standard designation (number);
 - b) relevant clause, table, and/or figure number;
 - c) wording of the proposed change; and
 - d) rationale for the change.

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are published in CSA's periodical Info Update, which is available on the CSA Web site at www.csa.ca.

тосого ини успетисого

CSA C22.2 No. 100:14 Motors and generators

1 Scope

1.1

This Standard applies to electric motors and generators for installation and use, in accordance with the Rules of the *Canadian Electrical Code, Part I*, in non-hazardous locations.

Note: The term "machine" throughout this Standard should be assumed to mean "motor" and "generator".

1.2

Clauses 2 to 7 are general in nature and apply, unless otherwise noted, to the motors and generators covered by Clauses 8 to 13 as follows:

- a) Clause 8 DC machines and AC machines (including universal motors) in IEC frame size 80 and smaller;
- b) Clause 9 AC machines (including universal motors) in IEC frame sizes 90 to 280 and rated 750 V ac and less;
- c) Clause 10 AC machines rated over 750 V ac or in IEC frame size 315 and larger;
- d) Clause 11 DC machines in IEC frame size 90 and larger;
- e) Clause 12 portable and standby generators; and
- f) Clause 13 inverter-duty AC machines.

1.3

This Standard provides basic requirements for machines and does not exclude any additional requirements given in other Standards of the *Canadian Electrical Code, Part II*.

1.4

This Standard does not apply to

- a) sealed- (hermetic-) type motors such as those used in refrigerant compressors; or
- b) electric machines for use in aircraft, marine service installations, drives for land transportation equipment, or machines used in underground mining.

1.5

In this Standard, "shall" is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; "should" is used to express a recommendation or that which is advised but not required; and "may" is used to express an option or that which is permissible within the limits of the standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.

Annexes are designated normative (mandatory) or informative (nonmandatory) to define their application.