



Safety standard for lift trucks



Legal Notice for Standards

Canadian Standards Association (operating as "CSA Group") develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group's and/or others' intellectual property and may give rise to a right in CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- · load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

B335-15 January 2015

Title: Safety standard for lift trucks

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on Product Updates

The List ID that you will need to register for updates to this publication is 2423407.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at <u>www.csagroup.org/legal</u> to find out how we protect your personal information.

B335-15 Safety standard for lift trucks



"A trademark of the Canadian Standards Association, operating as "CSA Group"

Published in January 2015 by CSA Group A not-for-profit private sector organization 178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3

To purchase standards and related publications, visit our Online Store at <u>store.csagroup.org</u> or call toll-free 1-800-463-6727 or 416-747-4044.

ISBN 978-1-77139-823-7

© 2015 Canadian Standards Association All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

0333-13

Contents

Technical Committee on Industrial Lift Trucks 4 Preface 8 1 Scope 10 **Reference publications** 2 11 Definitions 3 13 4 **General requirements** 18 4.1 Introduction 18 4.2 Legislative requirements 18 4.3 Safety program 18 4.4 Hazard identification 19 4.5 Operating environment 19 4.5.1 Hazardous locations 19 4.5.2 Ventilation 20 4.5.3 Lighting 20 4.5.4 Noise 20 4.5.5 Facility design and traffic management 20 4.5.6 Aisles and obstructions 21 4.5.7 General ergonomic principles 22 4.6 Lift truck selection criteria 22 4.6.1 General 22 4.6.2 Use of lifting equipment to handle lift trucks 4.7 Pre-use of a lift truck in a workplace 23 4.8 General safety practices 23 4.8.1 Introduction 23 4.8.2 General safety practices for lift-truck users 23 4.8.3 General safety practices for operators 23 4.8.4 Safety guards 24 4.8.5 Warning devices 25 4.8.6 Stability 25 4.8.7 Modifications, nameplates, markings, and capacity 4.8.8 Stopping distance (descending grades) 27 4.9 Safe operating procedures 28 4.9.1 Preoperation inspection 28 4.9.2 Start-up 28 4.9.3 Travelling 29 4.9.4 Pedestrians 31 4.9.5 Load handling 31 4.9.6 Dockboards (bridge plates) 32 4.9.7 Trucks, shipping containers, and railroad cars 4.9.8 Ramps and grades 34 4.9.9 Elevating personnel 34

33

23

26

Sujety standard jor nje tracks

5333-13

4.9.10 4.9.11 4.9.12 4.9.13 4.9.14 4.10	Elevators 36 Shutdown procedures 36 Leaving the operator's position 37 Fuel handling and storage 37 Changing and charging storage batteries for electric trucks 38 Lift truck operator medical and physical requirements 39
5 Desi	ign and construction 39
5.1	Low lift and high lift powered lift trucks 39
5.2	Rough terrain forklift trucks 39
5.3	Ergonomic design considerations 39
6 Ope	erator training requirements 39
6.1	General 39
6.2	Legislation 41
6.3	Company policies and procedures 41
6.4	Operating manual 41
6.5	Lift truck features and safety equipment 41
6.6	Stability 42
6.7	Capacity plate and location 42
6.8	Preoperational inspection 42
6.9	Start-up 43
6.10	Travelling with and without a load 43
6.11	Safe operation around pedestrians 43
6.12	Load handling 44
6.12.1	Load selection, security, and integrity 44
6.12.2	Load pickup and placement 44
6.12.3	Stacking/destacking 44
6.12.4	Docks, trucks, shipping containers, and rail cars 45
6.13	Ramps and grades 45
6.14	Personnel lifting, lowering, and supporting 45
6.15	Elevators 46
6.16	Workplace-specific hazards 46
6.17	Procedures for shutdown/leaving the operator's position 46
6.17.1	Shutdown 46
6.17.2	Leaving the operator's position 46
6.18	Refuelling/recharging 46
6.18.1	General 47
6.18.2	Propane cylinder exchange 47 Refuelling other hydrogenbane (discell geseling, natural ges, and propane) 47
6.18.3 6.18.4	Refuelling other hydrocarbons (diesel, gasoline, natural gas, and propane) 47 Battery recharging/exchange 47
6.19	Practical skills training 47
6.20	Evaluations 48
6.20.1	General 48
6.20.2	Knowledge verification 48
6.20.3	Practical skills evaluation 48
6.21	Retraining and upgrade training 48
6.21.1	Retraining 48

- 6.21.1 Retraining 48
- 6.21.2 Upgrade training 49

Sujety standard jor lift tracks

Sujety standard for lift tracks

6.22	Operator qualification	49
------	------------------------	----

7 Qualifications of the lift truck trainer 49

- 7.1 General *49*
- 7.2 Qualifications 49
- 7.3 Knowledge 50
- 7.4 Operating skills 50
- 7.5 Instructional skills and abilities 50

8 Maintenance and repair practices 51

- 8.1 General 51
- 8.2 Inspections 51
- 8.2.1 Types of inspection 51
- 8.2.2 Preoperation inspection 51
- 8.2.3 Service report inspections 52
- 8.3 Precautions before starting inspections 52
- 8.4 Inspection and repair of forks in service on lift trucks 53
- 8.4.1 General 53
- 8.4.2 Inspection 54
- 8.4.3 Repair and testing 54
- 8.5 Additional maintenance and repair precautions 55

9 Competence of maintenance technicians 56

- 9.1 General 56
- 9.2 Qualifications to perform general maintenance 56
- 9.3 Qualifications to determine load handling capacity 57

Annex A (informative) — Sample inspection checklists 58

Annex B (informative) — Illustrations of lift truck types 65

- Annex C (informative) Ergonomic design considerations 70
- Annex D (informative) Batteries and battery charging 72
- Annex E (informative) Suggested times for classroom and practical sessions 74
- Annex F (informative) Example operator evaluation form 75

Technical Committee on Industrial Lift Trucks

G.F. Mansour	Mississauga, Ontario Category: General Interest	Chair
C. Benedetti	Waubaushene, Ontario Category: General Interest	Vice-Chair
T. Balazs	Workplace Safety and Prevention Services (WSPS), Mississauga, Ontario	Associate
J. Beaudry	Unifor, Toronto, Ontario <i>Category: User Labour</i>	
A. Bennett	All-Lift Ltd., Brampton, Ontario	Associate
H. Bernard	Commission de la santé et de la sécurité du travail du Québec, Montréal, Québec <i>Category: Regulatory Authority</i>	
M.D. Billingsley	Hewitt Material Handling Inc. Subs. of Hewitt Equipment Ltd., Concord, Ontario	Associate
D. Brind	Capworks Development Inc, Richmond, British Columbia	Associate
F. Butler	Workers Health & Safety Centre, Toronto, Ontario Category: User Labour	
M. Chianelli	Fork Truck Training Ltd., Scarborough, Ontario Category: Training/Education	
J. Clarke	Workers' Safety & Compensation Commission, Iqaluit, Nunavut Category: Regulatory Authority	

зијесу зсипиити јот пје стискз

 		cty standard for tift tracks
<u> </u>	049	
D. Cooper	Komatsu Canada Limited Komatsu Rents Division, Mississauga, Ontario Category: Producer Interest	
B.C. Dickinson	Cascade Canada Ltd, Guelph, Ontario Category: Producer Interest	
O. Dragasanu	Mississauga, Ontario Category: General Interest	
G. Dueck	Toromont CAT, Winnipeg, Manitoba Category: Producer Interest	
G. Earl	Elite Training Company, Brampton, Ontario Category: Training/Education	
B. Ellis	Wills Transfer Limited, Brockville, Ontario	Associate
J. Ferrari	Konstant Inc, Oakville, Ontario	Associate
M. Glazier	General Motors Canada Ltd Oshawa Assembly Plant, Oshawa, Ontario Category: User Management	
D.M. Graham	Ford Motor Company, Dearborn, Michigan, USA Category: User Management	
G. Griffin	Liftow Limited, Mississauga, Ontario	Associate
J.T. Gryffyn	Ontario Ministry of Municipal Affairs and Housing, Toronto, Ontario	Associate
F. Khan	Ontario Ministry of Labour, Toronto, Ontario	Associate
R.H. LeChien	DBL Consulting, Toronto, Ontario Category: User Management	

B333-13		Sujety standard for lift trac
C.A. Leon	Workplace Safety and Prevention Services (W Mississauga, Ontario Category: General Interest	/SPS),
D. Leroux	Dalcet Services, Mount Albert, Ontario Category: Training/Education	
B. Lowe	WorkSafe BC, Vancouver, British Columbia Category: Regulatory Authority	
D. MacDonald	GTA Service Centre, LCBO, Mississauga, Ontario Category: User Management	
C. Matikainen	Ontario Ministry of Labour, Sudbury, Ontario	Associate
S. McDermitt	Crown Equipment Corporation, New Bremen, Ohio, USA Category: Producer Interest	
T. Metwalli	Johnston Equipment Co, Mississauga, Ontario	Associate
R. Mezzone	Liftow Ltd., Mississauga, Ontario	Associate
K. Mitchell	Georgetown, Ontario	Associate
T. Mulholland	Rack-Net-Works, Mississauga, Ontario	Associate
M. Novak	J H Ryder Machinery Ltd, Mississauga, Ontario	Associate
M.J. Palladino	Provincial Training Centre, Mississauga, Ontario Category: Training/Education	
P.M. Pires	Mississauga, Ontario	Associate

<u> </u>		Sujety Standard for lift tr
J. Redshaw	International Union of Operating Engineers, Local 793, Oakville, Ontario Category: User Labour	
K. Reid	Sobeys Inc, Mississauga, Ontario Category: User Management	
R. Reinders	Toyota Canada Inc., Scarborough, Ontario	Associate
M. Rice	Ministry of Jobs, Skills, Training and Labour, Edmonton, Alberta Category: Regulatory Authority	
M.B. Tepen	Ford Motor Company, Dearborn, Michigan, USA	Associate
M. Toughlajian	Pickering, Ontario Category: User Labour	
M. Trace	Infrastructure Health and Safety Association, Mississauga, Ontario Category: General Interest	
D. Weatherseed	Redi Rack A Div of Warehouse Systems, Toronto, Ontario Category: Producer Interest	
R.A. Woodworth	Department of Labour and Advanced Education, Lower Sackville, Nova Scotia Category: Regulatory Authority	
P.R. Zinn	Arpac Storage Systems Corporation, Delta, British Columbia	Associate

D. Shanahan CSA Group, Project Manager Mississauga, Ontario

8332-13

зијесу зсиниити јот пје стиекз

Preface

This is the third edition of CSA B335, *Safety standard for lift trucks*. It supersedes the previous editionspublished in 2004 and 1994. This Standard specifies the key elements of a lift truck safety program and also provides recommended qualifications for lift truck trainers and maintenance technicians and personnel.

This edition of CSA B335 has been updated and harmonized with design, classification, and maintenance requirements of ANSI/ITSDF B56.1 and ANSI/ITSDF B56.6. The following significant changes and additions have been made over the requirements and guidance in the 2nd edition:

- a) new references to CSA OHS management standards (Z1000 series), CSA A344.1 *Guide on Use of Steel Storage Racks*, CSA Z460 *Standard on Hazardous Energy Control*, and CSA Z462 *Standard on Workplace Electrical Safety*;
- b) expanded requirements for facility design (Clause <u>4.5.5.1</u>);
- c) enhanced requirements for aisleways and management of obstructions (Clause <u>4.5.6</u>);
- d) further direction on the selection of lift trucks for the intended application (Clause <u>4.6.1</u>);
- e) enhanced requirements for operator compartment guards (Clause <u>4.8.4.3</u>);
- f) more explicit requirements for pre-operation inspections (Clause <u>4.9.1</u> and Annex <u>A</u>);
- g) guidance on conducting risk assessments (based on CSA Z1002);
- h) modified requirements for load handling (Clause <u>4.9.5</u>);
- i) new requirements for supporting of trailers entered by lift trucks (Clause <u>4.9.7.3</u>);
- j) expanded requirements for use of a lift truck to elevate personnel (Clause <u>4.9.9</u>);
- k) more explicit requirements for "leaving the operator's position" (Clause <u>4.9.12</u>);
- I) simplified requirements for medical and physical fitness of operators (Clause <u>4.10</u>);
- m) ergonomic design considerations (Clause 5.3 and Annex C) now reference CSA Z1004;
- n) operator training requirements (Clause <u>6</u>) now reference CSA Z1001;
- numerous modifications have been made to the training requirements to correspond with changes made to the operation, safety, inspection, and maintenance requirements throughout the Standard;
- p) changes have been made to the retraining requirements (Clause <u>6.21</u>);
- q) additions have been made to basic operator qualifications (Clause <u>6.22</u>);
- r) hazard energy control requirements for maintenance work now reference CSA Z460 (Clause <u>8.1.6</u>);
- s) enhancements have been made to requirements for pre-operation inspections and service report inspections (Clause <u>8.2</u>);
- t) new guidance on battery charging (Annex D); and
- u) new example Operator Evaluation Forms (Annex <u>F</u>).

This Standard reprints portions of ANSI/ITSDF B56.1, *Safety Standard for High Lift and Low Lift Trucks,* and ANSI/ITSDF B56.6, *Safety Standard for Rough Terrain Lift Trucks,* and refers to these Standards with respect to design and construction requirements.

Portions reprinted from ANSI/ITSDF B56.1-2012 and B56.6-2010 are reprinted in this Standard by permission of the ITSDF. All rights reserved.

CSA Group gratefully acknowledges the financial and in-kind support from the Canadian government departments responsible for occupational health and safety for the development of this edition

бијету зтаниата јот пје стаекз

This Standard was prepared by the Technical Committee on Lift Trucks, under the jurisdiction of the Strategic Steering Committee on Occupational Health and Safety, and has been formally approved by the Technical Committee.

Notes:

- 1) Use of the singular does not exclude the plural (and vice versa) when the sense allows.
- 2) Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.
- 3) This Standard was developed by consensus, which is defined by CSA Policy governing standardization Code of good practice for standardization as "substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity". It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.
- 4) To submit a request for interpretation of this Standard, please send the following information to <u>inquiries@csagroup.org</u> and include "Request for interpretation" in the subject line:
 - a) define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;
 - b) provide an explanation of circumstances surrounding the actual field condition; and
 - c) where possible, phrase the request in such a way that a specific "yes" or "no" answer will address the issue.

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization *and are available on the Current Standards Activities page at <u>standardsactivities.csa.ca</u>.*

- 5) This Standard is subject to review five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include "Proposal for change" in the subject line:
 - a) Standard designation (number);
 - b) relevant clause, table, and/or figure number;
 - c) wording of the proposed change; and
 - d) rationale for the change.

B335-15 **Safety standard for lift trucks**

1 Scope

1.1

This Standard applies to Class 1, 2, 3, 4, 5, and 7 powered lift trucks—their design, operation, and maintenance. In addition, certain clauses apply to Class 6 vehicles, non-powered high-lift trucks, and personnel and burden carriers. See Annex <u>B</u> for a listing and description of classes.

1.2

The purpose of this Standard is to promote lift truck safety and minimize the risk of injury to workers by specifying the essential elements of a lift truck safety program and prescribing requirements with respect to lift truck design and construction, maintenance and inspection, safe operation, and operator training.

This Standard also outlines recommended qualifications for trainers and maintenance technicians.

This Standard can also be used as a guide for Canadian federal, provincial, and other regulatory bodies in the development and promulgation of appropriate health and safety legislation and directives concerning lift trucks.

1.3

Clause <u>4</u> of this Standard specifies the key elements of a lift truck safety program, including general medical and physical fitness requirements for lift truck operators.

1.4

Clause <u>5</u> of this Standard sets forth safety standards for the design and construction of lift trucks at the time of manufacture.

1.5

Clause <u>6</u> of this Standard provides minimum requirements for initial and ongoing familiarization and upgrade training in the operation of lift trucks, including any of their attachments. **Notes:**

- 1) Due to the different design of vehicles classified as Class 6, non-powered high lift trucks, and personnel and burden carriers, only certain parts of Clause <u>6</u> will be relevant; however, appropriate training for these classes is to be provided to operators of said equipment.
- 2) Job and/or familiarization training of lift truck operators for particular lift trucks requiring special needs or specialized equipment and/or used in a specific workplace environment are in addition to the basic training requirements of this Standard.

1.6

Clause $\underline{7}$ of this Standard outlines the minimum qualifications for a trainer delivering a lift truck operator training program as outlined in Clause $\underline{6}$.