


CSA C22.2 No. 210:15
National Standard of Canada
(reaffirmed 2020)



# **Appliance wiring material products**





### **Legal Notice for Standards**

Canadian Standards Association (operating as "CSA Group") develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

#### Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

#### Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group's and/or others' intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

### Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

#### Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



### Revision History

CSA C22.2 No. 210:15, Appliance wiring material products

National Standard of Canada — September 2020

Outside front cover, National Standard of Canada text, title page, and preface.

### Standards Update Service

CSA C22.2 No. 210:15 September 2015

**Title:** *Appliance wiring material products* 

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on **Product Updates**

The List ID that you will need to register for updates to this publication is 2423921.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at <a href="www.csagroup.org/legal">www.csagroup.org/legal</a> to find out how we protect your personal information.

### This is a preview of "CSA C22.2 No. 210-15...". Click here to purchase the full version from the ANSI store.

Canadian Standards Association (operating as "CSA Group"), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Group's standards development by volunteering their time and skills to Committee work and supporting CSA Group's objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group's total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Group's standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to CSA Group 178 Rexdale Boulevard Toronto, Ontario, M9W 1R3 Canada A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at <a href="https://www.scc.ca">www.scc.ca</a>.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social wellbeing, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at <a href="https://www.scc.ca">www.scc.ca</a>.

Standards Council of Canada 600-55 Metcalfe Street Ottawa, Ontario, K1P 6L5 Canada





Cette Norme Nationale du Canada n'est disponible qu'en anglais.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

 $^{\$}$ A trademark of the Canadian Standards Association, operating as "CSA Group"

### National Standard of Canada

# CSA C22.2 No. 210:15 **Appliance wiring material products**



Nation of the Canadian Standards Association, operating as "CSA Group"



Published in September 2015 by CSA Group A not-for-profit private sector organization 178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3

To purchase standards and related publications, visit our Online Store at <a href="store.csagroup.org">store.csagroup.org</a> or call toll-free 1-800-463-6727 or 416-747-4044.

ICS 29.040; 29.060.10 ISBN 978-1-4883-0049-3

© 2015 Canadian Standards Association All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

### **Contents**

Technical Committee on Wiring Products 4

Integrated Committee on Flexible Cords/Equipment and Appliance Wires and Cable 6

Preface 8

- **1** Scope *9*
- 2 Reference publications 10
- 3 Definitions 11
- **4 General** *12*
- 4.1 General requirements 12
- 4.2 Constructions General 12
- 4.3 Flat/parallel constructions 13
- 4.4 Temperature ratings 13
- 4.5 Voltage ratings 13
- 4.6 Fillers Optional 13
- **5 Conductors** *13*
- 5.1 Size 13
- 5.2 Diameter and area 13
- 5.3 Stranding *14*
- 5.4 Material and temperature limits 14
- 5.4.1 General *14*
- 5.4.2 Uncoated copper wires 15
- 5.4.3 Tin-coated annealed copper wires 15
- 5.4.4 Hard-drawn copper alloy 15
- 5.4.5 Copper-clad steel wire 15
- 5.4.6 Tin-, silver-, or nickel-coated copper-clad steel 15
- 5.4.7 Nickel-coated copper 15
- 5.4.8 Silver-coated copper 16
- 5.4.9 Nickel-plated iron 16
- 5.4.10 Other conductor materials 16
- 5.4.11 Other conductor options 16
- 5.5 Joints *17*
- 5.6 DC resistance 17
- 5.7 Conductor separator 17
- 6 Insulation 17
- 7 Binders, barriers, strength member, and separators Optional 18
- 8 Coverings Optional 18
- 9 Shields Optional 19

10	Jackets	19
TO	Jackets	10

10.4 Optical fibre members 19

#### **11 Tests** 20

- 11.1 General 20
- 11.2 Conductor tests 20
- 11.2.1 DC resistance 20
- 11.2.2 Conductor and insulation compatibility 21
- 11.3 Physical properties of extruded insulation, insulating coverings, and jackets 21
- 11.3.1 Insulation and insulating coverings 21
- 11.3.2 Jackets 22
- 11.3.3 Flexibility test 22
- 11.3.4 Test for specimens with nylon insulation coverings 22
- 11.3.5 Test for specimens with fibrous or non-fibrous covering including tapes, serves, and braids applied as the outermost layer 22
- 11.3.6 Establishment of parameters and requirements for short-term air oven aging test 23
- 11.4 Dielectric properties of insulation, insulating coverings, and jackets 23
- 11.4.1 Dielectric voltage withstand test of insulation 23
- 11.4.2 Dielectric voltage withstand test of jackets over shields 24
- 11.5 Heat shock and dielectric voltage withstand tests 24
- 11.5.1 Heat shock test 24
- 11.5.2 Dielectric voltage withstand test following heat shock test 25
- 11.6 Cold bend and dielectric voltage withstand tests 25
- 11.6.1 Cold bend test 25
- 11.6.2 Dielectric voltage withstand test following cold bend test 26
- 11.7 Deformation test 26
- 11.8 Flame test *27*
- 11.9 Durability of ink printing test 27
- 11.10 Flexibility and dielectric voltage withstand tests (Group B products only) 27
- 11.10.1 Flexibility test for appliance wiring material products with temperatures 250 °C or lower 27
- 11.10.2 Flexibility test for appliance wiring material products with temperatures above 250 °C 28
- 11.10.3 Dielectric voltage withstand test following flexibility test 28
- 11.11 Slow compression test (Group B products only) 28
- 11.11.1 Method 28
- 11.11.2 Performance 29
- 11.11.3 Additional requirements 29
- 11.12 Insulation resistance tests (Group B products only Optional) 29
- 11.12.1 General *29*
- 11.12.2 75 °C wet rating thermoset insulation 29
- 11.12.3 90 °C wet rating thermoset insulation 29
- 11.12.4 60, 75, or 90 °C wet rating thermoplastic and composite insulation 29
- 11.12.5 Continuous applied voltage 30
- 11.13 Permittivity tests (Group B products only Optional) 30
- 11.13.1 General 30
- 11.13.2 75 or 90 °C wet rating thermoset insulation 30
- 11.13.3 60, 75, or 90 °C wet rating thermoplastic and composite insulation 30
- 11.14 Oil immersion and fuel oil immersion tests for insulations, insulated coverings, and jackets Optional 31
- 11.14.1 General 31

CSA CZZ.Z NO. Z10:15

Tippiiance wiring material produces

11.14.2	Oil immersion test 31		
11.14.3	Fuel oil immersion test 31		
11.14.4	Test method 31		
11.15	Weather resistance test for Class II products — Optional 31		
11.16	Additional tests for Class I, Group B, extruded and non-extruded, single- and multiple-conductor constructions with voltage ratings greater than 1 kV and up to 10 kV 31		
11.16.1	Dielectric voltage withstand test at room temperature 31		
11.16.2	Extended voltage application test 32		
11.17	Spark test 32		
12 Ma	rkings 32		
12.1	Markings on products 32		
12.1.6	Additional requirements for products with jackets or insulating coverings 33		
12.2	Markings on tags, reels, and packages 34		
12.2.1	General 34		
12.2.2	Markings on products complying with Clause <u>5.4.11.4</u> 34		

### Technical Committee on Wiring Products

**K.L. Rodel** Hubbell Canada LP,

Pickering, Ontario

Category: Producer Interest

P. Desilets Leviton Manufacturing of Canada Limited,

Vice-Chair

Chair

Pointe-Claire, Québec

Category: Producer Interest

W.J. Bryans Electro-Federation Canada, Toronto, Ontario Associate

W.J. Burr Burr and Associates,

Campbell River, British Columbia Category: General Interest

C. Davis Electro Cables Incorporated,

Trenton, Ontario

Category: Producer Interest

S.W. Douglas International Association of Electrical Inspectors,

Toronto, Ontario

Category: General Interest

**D. Drysdale** Nexans Canada Inc.,

Milton, Ontario

Category: Producer Interest

**S.P. Hawkins** Shawflex A Division of ShawCor Ltd.,

Toronto, Ontario

**Associate** 

**R.J. Kelly** Government of Nunavut-Dept of Community &

Government Services, Igaluit, Nunavut

Category: Regulatory Authority

**G. Montminy** Régie du batiment du Québec,

Québec, Québec

Category: Regulatory Authority

**B.F. O'Connell** Pentair Thermal Management Canada Ltd.,

Trenton, Ontario

Associate

CSA CZZ.Z NO. Z10:15

Tippiianee wiring material produces

Associate

T. Olechna Electrical Safety Authority,

Mississauga, Ontario

Category: Regulatory Authority

C. Samuels ConocoPhillips Canada,

Calgary, Alberta

M.K. Shea City of Victoria,

Victoria, British Columbia Category: Regulatory Authority

**T. Simmons** British Columbia Institute of Technology,

Burnaby, British Columbia Category: General Interest

**E. Thompson** Atkore International (Allied Tube & Conduit

Corporation), Harvey, Illinois, USA

Category: Producer Interest

**A.Z. Tsisserev** Applied Engineering Solutions Ltd.,

Vancouver, British Columbia Category: General Interest

J. Turner Swansea Consulting, Associate

Toronto, Ontario

**L. Letea** CSA Group, Project Manager

Toronto, Ontario

# Integrated Committee on Flexible Cords/ Equipment and Appliance Wires and Cable

J. Singh Domtech Inc, Chair

Trenton, Ontario

D. Drysdale Nexans Canada Inc, Vice-Chair

Milton, Ontario

J. Bunch Radix Wire,

Cleveland, Ohio, USA

W.F. Constantine Draka Cableteq USA,

North Dighton, Massachusetts, USA

J. Crossman Domtech Inc.,

Trenton, Ontario

C. Davis Electro Cables Incorporated,

Trenton, Ontario

P. Desilets Leviton Manufacturing of Canada Limited,

Pointe-Claire, Québec

P.V. Donovan Deca Cables Inc.,

Trenton, Ontario

G.L. Dorna Belden Wire & Cable Company Engineering Center,

Richmond, Indiana, USA

**S.B. Friedman** General Cable Industries, Inc.,

Lincoln, Rhode Island, USA

T. Hamden CSA Group,

Toronto, Ontario

B. lyer Lake Cable, LLC,

Bensenville, Illinois, USA

J. Johnson Electro Cables Incorporated,

Trenton, Ontario

CSA CZZ.Z NO. Z10:15

Tippiianee wiring material produces

**Associate** 

T. Rudd Shawflex A Division of ShawCor Ltd.,

Toronto, Ontario

S.L. Stene Underwriters Laboratories Inc.,

Santa Clara, California, USA

**D. Verhage** Domtech Inc.,

Trenton, Ontario

**L. Letea** CSA Group, Project Manager

Toronto, Ontario

ripphanee wiring material produces

### **Preface**

This is the fourth edition of CSA C22.2 No. 210, *Appliance wiring material products*, one of a series of Standards issued under Part II of the *Canadian Electrical Code*. It supersedes the previous edition, published in 2011 and 2005, which replaced CAN/CSA-C22.2 No. 210.2-M90.

For general information on the Standards of the *Canadian Electrical Code, Part II*, see the Preface of CAN/CSA-C22.2 No. 0.

This Standard is considered suitable for use for conformity assessment within the stated scope of the Standard.

This Standard was prepared by the Integrated Committee on Flexible Cords/Equipment and Appliance Wires and Cable, under the jurisdiction of the Technical Committee on Wiring Products and the Strategic Steering Committee on Requirements for Electrical Safety, and has been formally approved by the Technical Committee.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

<u>Interpretations</u>: The Strategic Steering Committee on Requirements for Electrical Safety has provided the following direction for the interpretation of standards under its jurisdiction: "The literal text shall be used in judging compliance of products with the safety requirements of this Standard. When the literal text cannot be applied to the product, such as for new materials or construction, and when a relevant committee interpretation has not already been published, CSA's procedures for interpretation shall be followed to determine the intended safety principle."

#### Notes:

- 1) Use of the singular does not exclude the plural (and vice versa) when the sense allows.
- 2) Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.
- 3) This Standard was developed by consensus, which is defined by CSA Policy governing standardization Code of good practice for standardization as "substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity". It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.
- 4) To submit a request for interpretation of this Standard, please send the following information to <a href="mailto:inquiries@csagroup.org">inquiries@csagroup.org</a> and include "Request for interpretation" in the subject line:
  - a) define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;
  - b) provide an explanation of circumstances surrounding the actual field condition; and
  - c) where possible, phrase the request in such a way that a specific "yes" or "no" answer will address the issue.
    - Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at <a href="mailto:standardsactivities.csa.ca">standardsactivities.csa.ca</a>.
- 5) This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to <a href="mailto:inquiries@csagroup.org">inquiries@csagroup.org</a> and include "Proposal for change" in the subject line:
  - a) Standard designation (number);
  - b) relevant clause, table, and/or figure number;
  - c) wording of the proposed change; and
  - d) rationale for the change.

### CSA C22.2 No. 210:15

## Appliance wiring material products

### 1 Scope

### 1.1

This Standard applies to single- or multiple-conductor, round, flat, or coiled appliance wiring material products classified as follows:

- a) Class I internal wiring of equipment (single- or multiple-conductor constructions with or without an insulating covering, covering or jacket):
  - i) Group A not subject to mechanical abuse; and
  - ii) Group B potentially subject to mechanical abuse;
- b) Class II external/interconnecting wires (single- or multiple-conductor constructions with a jacket):
  - i) Group A not subject to mechanical abuse; and
  - ii) Group B potentially subject to mechanical abuse.

#### Notes:

- As there is a great variety of applications for appliance wiring material products, the use of such a product should be evaluated with the design and construction of the end-use application in mind and should not be judged solely by the requirements of this Standard.
- 2) Class I and II products are Group A, B, or both.
- 3) Group markings (A, B, or both) relate to tests performed on the individual insulated conductors. Group marking that includes both A and B means all insulated conductors pass Group B tests.
- 4) See Clause <u>4.2</u>.

### 1.2

This Standard also applies to appliance wiring material products that have a jacket or overall insulating covering and are used to connect or interconnect data processing and similar systems in accordance with the *Canadian Electrical Code*, *Part I* and CAN/CSA-C22.2 No. 0.

### 1.3

The values given in SI units are the units of record for the purposes of this Standard. The values given in parentheses are for information and comparison only.

### 1.4

In this Standard, "shall" is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; "should" is used to express a recommendation or that which is advised but not required; and "may" is used to express an option or that which is permissible within the limits of the Standard.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.