

CSA/ANSI Z21.10.1:19 • CSA 4.1:19 National Standard of Canada American National Standard



Gas water heaters, volume I, storage water heaters with input ratings of 75,000 Btu per hour or less







Legal Notice for Standards

Canadian Standards Association and CSA America Standards, Inc. (operating as "CSA Group") develop standards through a consensus standards development process approved by the Standards Council of Canada and the American National Standards Institute. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group's and/or others' intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Revision History

CSA/ANSI Z21.10.1:19 • CSA 4.1:19, Gas water heaters, volume I, storage water heaters with input ratings of 75,000 Btu per hour or less

Errata — September 2020	Revision symbol (in margin)
Figures 2-A and 2-B	ΔΔ

Administrative update — September 2020	
Revision History page: "Revision from previous edition" updated	

Revision from previous edition	Revision symbol (in margin)
Clauses <u>3</u> , <u>4.1.24</u> , <u>4.2.11</u> , <u>4.28</u> , <u>4.33.2</u> , <u>4.34.3</u> , <u>4.34.26</u> , <u>5.15.1</u> , <u>5.15.2</u> , <u>5.17</u> , <u>8.3</u> , and <u>8.6</u>	Δ

Standards Update Service

CSA/ANSI Z21.10.1:19 • *CSA 4.1:19 November 2019*

Title: Gas water heaters, volume I, storage water heaters with input ratings of 75,000 Btu per hour or less

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **2426305**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

This is a preview of "CSA/ANSI Z21.10.1-19...". Click here to purchase the full version from the ANSI store.

Canadian Standards Association (operating as "CSA Group"), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Group's standards development by volunteering their time and skills to Committee work and supporting CSA Group's objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group's total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Group's standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to CSA Group 178 Rexdale Boulevard Toronto, Ontario, M9W 1R3 Canada A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada 600-55 Metcalfe Street Ottawa, Ontario, K1P 6L5 Canada





Cette Norme Nationale du Canada n'est disponible qu'en anglais.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

[®]A trademark of the Canadian Standards Association, operating as "CSA Group"

CSA Group

The Canadian Standards Association (operating as "CSA Group"), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-forprofit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment. Individuals, companies, and associations across

Canada indicate their support for CSA Group's standards development by volunteering their time and skills to Committee work and supporting CSA Groups objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group's total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Groups standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

American National Standards Institute

The American National Standards Institute (ANSI), Inc. is the nationally recognized coordinator of voluntary standards development in the United States through which voluntary organizations, representing virtually every technical discipline and every facet of trade and commerce, organized labor and consumer interests, establish and improve the some 10,000 national consensus standards currently approved as American National Standards.

ANSI provides that the interests of the public may have appropriate participation and representation in standardization activity, and cooperates with departments and agencies of U.S. Federal, state and local governments in achieving compatibility between government codes and standards and the voluntary standards of industry and commerce.

ANSI represents the interests of the United States in international nontreaty organizations such as the International Organization for Standardization (ISO) and the International Electrotechnical Commission (IEC). The Institute maintains close ties with regional organizations such as the Pacific Area Standards Congress (PASC) and the Pan American Standards Commission (COPANT). As such, ANSI coordinates the activities involved in the U.S. participation in these groups.

ANSI approval of standards is intended to verify that the principles of openness and due process have been followed in the approval procedure and that a consensus of those directly and materially affected by the standards has been achieved. ANSI coordination is intended to assist the voluntary system to ensure that national standards needs are identified and met with a set of standards that are without conflict or unnecessary duplication in their requirements.

For further information on CSA Group services, write to CSA Group 178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3

Responsibility of approving American standards rests with the American National Standards Institute, Inc. 25 West 43rd Street, Fourth floor New York, NY 10036

National Standard of Canada American National Standard

CSA/ANSI Z21.10.1:19 • CSA 4.1:19

Gas water heaters, volume I, storage water heaters with input ratings of 75,000 Btu per hour or less





Interprovincial Gas Advisory Council

*A trademark of the Canadian Standards Association and CSA America Standards Inc., operating as "CSA Group"





American National Standards Institute, Inc.

Approved on September 23, 2019 by ANSI
Approved on October 9, 2019 by IGAC
Effective in Canada May 1, 2021
Published in November 2019 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3

To purchase standards and related publications, visit our Online Store at store.csagroup.org or call toll-free 1-800-463-6727 or 416-747-4044.

ICS 97.100.20; 91.140.65 ISBN 978-1-4883-1533-6

© 2019 Canadian Standards Association All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

Contents

Interprovincial Gas Advisory Council 4				
Canadian Technical Committee on Gas Appliances and Related Accessories 6				
Z21/83 Technical Committee on Performance and Installation of Gas Burning Appliances and Related Accessories 9				
Joint Technical Subcommittee on Gas-Fired Water Heaters 12				
Preface 18				
1 Scope 21				
2 Reference publications 22				
3 Definitions 27				
4 Construction 38 4.1 General construction and assembly 38 4.2 Materials 44				
4.3 Combustion air supply 48				
4.4 Heat pipe heat exchangers 48				
4.5 Water heater openings 49				
4.6 Burners <i>49</i>				
4.7 Flame spreaders 51				
4.8 Primary air adjustment means 51				
4.9 Main burner orifices and orifice fittings 52				
4.10 Automatic gas ignition systems 53				
4.11 Pilot gas filters 56				
4.12 Gas and water connections 56				
4.13 Opening for relief valves 58				
4.14 Dip tubes <i>59</i>				
4.15 Manually operated gas valves 59				
4.16 Gas appliance pressure regulators 60				
4.17 Adjustment of minimum input rating 61				
4.18 Thermostats <i>61</i>				
4.19 Automatic valves 61				
4.20 Bleeds and vents 62				
4.21 Automatic gas shutoff systems 62				
4.22 Relief valves 63				
4.23 Automatic flammable vapor sensor systems and components 64				
4.24 Condensate disposal <i>64</i>				
4.25 Flue collars 64				
4.26 Flue pipe extensions 64				
4.27 Draft hoods 65				
4.28 Non-metallic vent and air intake connection strength test 66				
4.29 Automatic vent damper devices 66				

4.30	Automatic flue damper devices 67
4.31	Electrical equipment and wiring 69
4.32	Vent and air-intake pipes of direct vent systems 83
4.33	Instructions 84
4.34	Marking 97
	formance 110
5.1	General 110
5.2	Test gases 115
5.3	Test pressures and burner adjustments 117
5.4	Combustion 117
5.5	Burner and pilot operating characteristics 120
5.6	Category determination 122
5.7	Piloted ignition systems 126
5.8	Proved igniter systems 131
5.9	Direct ignition systems 133
5.10	Heat roll out safety shutoff means 135
5.11	Heat required to supply daily quota of hot water 136
5.12	Gas appliance pressure regulators 138
5.13	Storage heater temperature limits 138
5.14	Temperature limiting systems 140
5.15	Evaluation of burn hazard potential of exterior surfaces 141
5.16	Wall, floor, and ceiling temperatures 145
5.17	Non-metallic vent material temperatures 147
5.18	Flue gas temperature 148
5.19	Temperature of manually operated parts 149
5.20	Burner and flame spreader temperatures 149
5.21	Flue collars 151
5.22	Draft hoods 151
5.23	Automatic vent damper devices 155
5.24	Automatic flue damper devices 155
5.25	Draft tests for water heaters equipped with power burners 159
5.26	Wind test 161
5.27	Safety circuit analysis 164
5.28	Capacities of storage vessels 164
5.29	Hydrostatic test 165
5.30	Heat pipe heat exchanger pressure 166
5.31	Burner durability 167
5.32	Venting systems for Category II, III, or IV water heaters 167
5.33	Condensate disposal system(s) 168
5.34	Rain tests 169
5.35	Direct vent systems 171
5.36	Marking material adhesion and legibility 178
5.37	Flammable vapors ignition resistance 179
5.38	Resistance to lint, dust and oil accumulation 188
5.39	Corrugated metal tubing 192
5.40	Condensate disposal system(s) 195

6 Manufacturing and production tests 195

7 Items unique to the United States 197					
7.1 High altitude 197					
7.2 Marking material adhesion and legibility 197					
7.3 General construction 197					
8 Items unique to Canada 197					
8.1 High altitude 197					
8.2 Storage vessels 197					
8.3 Outdoor installation 198					
8.3.1 Components for low temperature operation 198					
8.3.2 Rating plate marking for outdoor heaters 198					
8.4 Draft hoods 198					
8.5 Pilot burners and safety shut-off devices 198					
8.6 French translations for quoted instructions and markings 198					
Annex A (normative) — Outline of lighting instructions for appliances equipped with continuous pilots 217					
Annex B (normative) — Outline of operating instructions for appliances equipped with intermittent pilot or interrupted pilot systems 220					
Annex C (normative) — Outline of operating instructions for appliances equipped with direct ignition systems 223					
Annex D (normative) — Flammable vapors label 226					
Annex E (normative) — Scald hazard label 228					
Annex F (normative) — Optional provisions for listed gas appliance conversion kits 229					
Annex G (informative) — Pertinent references to ANSI Y14.15 232					
Annex H (informative) — Wire color designations 233					
Annex I (informative) — Recommended wire color usage 234					
Annex J (informative) — Preferred graphic symbols of commonly used items, extracted from standard					
ANSI/IEEE 315, Graphic symbols for electrical and electronics diagrams, and					
abbreviations for these items 235					
Annex K (informative) — Sample failure modes and effects analysis for component miswiring* 237					
Annex L (informative) — Table of conversion factors 238					
Annex M (informative) — Lint, dust, and oil test equipment and procedures					
(see Clause <u>5.38</u>) 241					

Chair

Vice-Chair

Interprovincial Gas Advisory Council

J. R. Marshall Technical Standards & Safety Authority (TSSA),

Toronto, Ontario, Canada Category: Regulatory Authority

M. E. Davidson Province of New Brunswick Department of Public

Safety,

Fredericton, New Brunswick, Canada Category: Regulatory Authority

J. Renaud Régie du bâtiment du Québec, Vice-Chair

Montréal, Québec, Canada Category: Regulatory Authority

A. Ali SaskPower,

Regina, Saskatchewan, Canada Category: Regulatory Authority

D. A. Balcha Manitoba, Office of the Fire Commissioner,

Winnipeg, Manitoba, Canada Category: Regulatory Authority

R. Brousseau Régie du Bâtiment du Québec, Alternate

Montréal, Québec, Canada

P. Fowler Department of Labour and Advanced Education,

Dartmouth, Nova Scotia, Canada Category: Regulatory Authority

Z. Fraczkowski Technical Standards & Safety Authority (TSSA), Alternate

Toronto, Ontario, Canada

S. Friedt Government of the Northwest Territories,

Yellowknife, Northwest Territories, Canada

Category: Regulatory Authority

S. Hauer Yukon Government,

Whitehorse, Yukon Territory, Canada Category: Regulatory Authority

D. N. Hird SaskPower,

Regina, Saskatchewan, Canada

GD11/111101 441.10.1.17 * GD11 1.1.1

73,000 Dtu per nour or less

J. Jachniak ENEFEN Energy Efficiency Engineering Ltd.,

Edmonton, Alberta, Canada

J. Ludgate Government of Prince Edward Island,

Charlottetown, Prince Edward Island, Canada

Category: Regulatory Authority

S. C. Manning Alberta Municipal Affairs Safety Services,

Edmonton, Alberta, Canada Category: Regulatory Authority

R. A. Valliere Alberta Municipal Affairs Safety Services,

Alternate

Edmonton, Alberta, Canada

M. A. Wani Government of Nunavut Community & Government

Services,

Iqaluit, Nunavut, Canada Category: Regulatory Authority

B. Zinn British Columbia Safety Authority (BCSA),

Kelowna, British Columbia, Canada Category: Regulatory Authority

Chair

Canadian Technical Committee on Gas Appliances and Related Accessories

G. Fabbruzzo Enbridge Gas Distribution,

Toronto, Ontario, Canada Category: User Interest

A. Gould Reliance Comfort LP, Vice-Chair

Cambridge, Ontario, Canada Category: User Interest

D. N. Hird SaskPower, *Vice-Chair*

Regina, Saskatchewan, Canada Category: Regulatory Authority

T. W. Poulin A. O. Smith Enterprises Ltd., Vice-Chair

Fergus, Ontario, Canada Category: Producer Interest

A. Abdel-Rehim A. O. Smith Enterprises Ltd., Non-voting

Fergus, Ontario, Canada

P. A. Baker Maxitrol Company,

Port Dover, Ontario, Canada Category: Producer Interest

J. Boros Rheem Sales Co. Inc. AKA Rheem Non-voting

Manufacturing Co.,

Montgomery, Alabama, USA

C. Côté Énergir,

Montréal, Québec, Canada Category: User Interest

B. Diel M.B. Sturgis Inc., Non-voting Maryland Heights, Missouri, USA

Z. J. Fraczkowski Technical Standards & Safety Authority (TSSA),

Toronto, Ontario, Canada Category: Regulatory Authority

C. Gibbs Guelph, Ontario, Canada

Category: General Interest

GOIT/TINOL ELET.TO.T.T. - GOIT T.T.T

75,000 Dta per noar or less

C. Grider Intertek, Non-voting

Plano, Texas, USA

D. R. Jamieson GHP Group Inc.,

Oakville, Ontario, Canada Category: Producer Interest

S. Katz and Associates Inc.,

North Vancouver, British Columbia, Canada

Category: General Interest

J. R. Marshall Technical Standards & Safety Authority (TSSA), Non-voting

Toronto, Ontario, Canada

M. Mausser Intertek Testing Services NA Inc. ETL SEMKO, Non-voting

Cortland, New York, USA

J. Melling SaskPower, Non-voting

Saskatoon, Saskatchewan, Canada

J. Overall Toronto, Ontario, Canada Non-voting

G. B. Prociw Union Gas Limited,

Chatham, Ontario, Canada Category: User Interest

M. Thomas Natural Resources Canada CANMET Energy, Non-voting

Ottawa, Ontario, Canada

M. Travers Reliance Comfort L.P, Non-voting

Cambridge, Ontario, Canada

R. A. Valliere Alberta Municipal Affairs Safety Services,

Edmonton, Alberta, Canada Category: Regulatory Authority

P. Verhas Dettson Industries, Inc.,

Sherbrooke, Québec, Canada Category: Producer Interest

M. Visser EnerCare Home Services,

Toronto, Ontario, Canada Category: General Interest

75,000 Dta per noar or less

R. Vlasic Union Gas Limited, Non-voting

London, Ontario, Canada

M. W. Wilber

Crane Engineering, Plymouth, Minnesota, USA

CSA Group, Cleveland, Ohio, USA Program Manager J. Novkovic

Chair

Vice-Chair

Alternate

Z21/83 Technical Committee on Performance and Installation of Gas Burning Appliances and Related Accessories

M. W. Wilber Crane Engineering,

Plymouth, Minnesota, USA Category: General Interest

A. Lanier Papageorge Southern Company Gas,

Atlanta, Georgia, ÚSA Category: Gas Supplier

J. Brania Underwriters Laboratories Inc.,

Melville, New York, USA Category: Research/Testing

R. Carroll Hearth Patio & Barbecue Association,

Arlington, Virginia, USA

M. Deegan Clearwater Gas System,

Clearwater, Florida, USA

Category: Government and/or Regulatory Authority

M. Diesch Lennox International Inc.,

Carrollton, Texas, USA Category: Producer Interest

J. M. Emmel Virginia Tech,

Blacksburg, Virginia, USA Category: User Interest

G. Fabbruzzo Enbridge Gas Distribution,

Toronto, Ontario, Canada

G. A. Gress International Code Council (ICC),

Country Club Hills, Illinois, USA

Category: Government and/or Regulatory Authority

C. Grider Intertek,

Plano, Texas, USA

Category: Research/Testing

GD11/111101 441.10.1.17 * GD11 1.1.1

73,000 Dta per noar or less

Non-voting

Alternate

Alternate

J. E. Hohman EDEMPCO,

Evart, Michigan, USA Category: General Interest

D. M. Jakobs Rheem Manufacturing Company,

Fort Smith, Arkansas, USA Category: Producer Interest

R. Jensen Emerson Climate Technologies,

St. Louis, Missouri, USA Category: Producer Interest

R. A. Jordan Consumer Product Safety Commission,

Rockville, Maryland, USA

G. McPherson McPherson Propane, Inc.,

Sturgis, South Dakota, USA Category: User Interest

F. Myers Mansfield, Texas, USA

Category: General Interest

J. Nanni Consumers Union,

Yonkers, New York, USA Category: User Interest

J. Park Association of Home Appliance Manufacturers

(AHAM),

Washington, District of Columbia, USA

G. J. Potter Heater Technologies, LLC,

Marthasville, Missouri, USA Category: Producer Interest

J. A. Ranfone American Gas Association Inc.,

Washington, District of Columbia, USA

Category: Gas Supplier

N. W. Rolph Lochinvar, LLC,

Lebanon, Tennessee, USA

I. Sargunam Bloomington, Indiana, USA

Category: General Interest

0011/11101 441.10.1.17 - 0011 1.1.1.

7 J,000 Dta per noar or less

A. B. Sherwin St. Louis Community College,

St. Louis, Missouri, USA *Category: User Interest*

M. Skierkiewicz Underwriters Laboratories Inc.,

Melville, New York, USA

Alternate

D. Snyder American Water Heater Company,

Johnson City, Tennessee, USA Category: Producer Interest

C. Souhrada North American Association of Food Equipment

Manufacturers, Chicago, Illinois, USA Category: Producer Interest

F. A. Stanonik Air-Conditioning, Heating, and Refrigeration Institute, *Non-voting*

Arlington, Virginia, USA

T. Stroud Hearth Patio & Barbecue Association,

Seattle, Washington, USA Category: General Interest

C. Suchovsky Appliance Engineering, Inc.,

Twinsburg, Ohio, USA Category: General Interest

B. J. Swiecicki National Propane Gas Association,

Tinley Park, İllinois, USA Category: Gas Supplier

H. Virgil Brownsburg, Indiana, USA

Category: User Interest

M. B. Williams Association of Home Appliance Manufacturers

(AHAM),

Washington, District of Columbia, USA

Category: Producer Interest

L. B. Willmore Southern California Gas Company,

Los Angeles, California, USA Category: Gas Supplier

J. Novkovic CSA Group,

Cleveland, Ohio, USA

Program Manager

Chair

Joint Technical Subcommittee on Gas-Fired Water Heaters

A. B. Sherwin St. Louis Community College,

St. Louis, Missouri, ÚSA

A. Abdel-Rehim A. O. Smith Enterprises Ltd.,

Fergus, Ontario, Canada

G. Altomare IPEX Inc.,

Mississauga, Ontario, Canada

G. Bergum Honeywell International Inc., ACS, Environmental &

Combustion Controls,

Golden Valley, Minnesota, USA

J. Boros Rheem Sales Co. Inc. AKA Rheem Manufacturing Co.,

Montgomery, Alabama, USA

D. Breejen Allegan Tubular Products, Inc.,

Allegan, Michigan, USA

J. Chicoine Mestex, A Division of Mestek, Inc.,

Dallas, Texas, USA

R. Choi KD Navien America, Inc.,

Irvine, California, USA

A. Chown CodeSmith,

Wolfe Island, Ontario, Canada

J. Cika Heat Transfer Products Inc.,

New Bedford, Massachusetts, USA

D. C. Delaquila Aquila Consulting, LLC,

Warren, Ohio, USA

J. Derksen Enercare Home and Commercial Services,

Markham, Ontario, Canada

K. S. Dorrough Rinnai America Corporation,

Peachtree City, Georgia, USA

03/1//11/01 441.10.1.17 - 03/1 1.1.1

73,000 Dta per 110ar or 1ess

G. Doss Bradford-White Corporation,

Rochester, New Hampshire, USA

D. M. Dulac Dulac Plumbing Innovations Corp.,

Belmont, New Hampshire, USA

M. Elrod Eccotemp Systems, LLC,

Summerville, South Carolina, USA

Z. J. Fraczkowski Technical Standards & Safety Authority (TSSA),

Toronto, Ontario, Canada

L. Gill IPEX Management Inc.,

Oakville, Ontario, Canada

R. S. Glass Raypak, Inc.,

Oxnard, California, USA

A. Gould Reliance Comfort LP,

Cambridge, Ontario, Canada

C. Grider Intertek,

Plano, Texas, USA

T. F. Hardin Underwriters Laboratories Inc.,

Research Triangle Pk, North Carolina, USA

P. Hikspoors Giant Factories Inc. Usines Giant Inc.,

Montréal, Québec, Canada

R. Jensen Emerson Climate Technologies,

St. Louis, Missouri, USA

C. Johnson A. O. Smith Corporation,

Ashland City, Tennessee, USA

R. A. Jordan Consumer Product Safety Commission,

Rockville, Maryland, USA

L. D. Kidd Rheem Water Heating Division,

Montgomery, Alabama, USA

03/1/11/01 441.10.1.17 - 03/1 1.1.1

73,000 Dta per noar or less

J. Kleiss Lochinvar, LLC,

Lebanon, Tennessee, USA

J. Kory CSA Group,

Cleveland, Ohio, USA

G. M. Kusterer Bock Water Heaters, Inc.,

Madison, Wisconsin, USA

R. Maricic Beckett Gas Inc.,

North Ridgeville, Ohio, USA

J. Marler Dometic Corporation,

Elkhart, Indiana, USA

R. Mata American Society of Plumbing Engineers,

Mentor, Ohio, USA

P. McConnell Dometic Corporation,

LaGrange, Indiana, USA

T. McNulty U.S. Draft Co.,

Fort Worth, Texas, USA

M. Menotti Intertek Testing Services NA, Inc.,

USA

M. Mohammed Reliance Worldwide Corp. (Canada) Inc.,

Vaughan, Ontario, Canada

M. Mullavey Webster Valve Division, A WATTS Regulator Co.,

Franklin, New Hampshire, USA

F. Myers Mansfield, Texas, USA

J. Nanni Consumers Union,

Yonkers, New York, USA

J. Nelson Haier US Appliance Solutions, Inc., d/b/a GE

Appliances,

Louisville, Kentucky, USA

D. J. Nethercot Hart & Cooley Inc.,

Grand Rapids, Michigan, USA

GOTT/TITIOT ELET.TO.T.T. - GOTT T.T.T

73,000 Dta per noar or less

D. Noyes Air-Conditioning, Heating, and Refrigeration Institute,

Arlington, Virginia, USA

M. O'Donnell Beckett Gas Inc.,

North Ridgeville, Ohio, USA

R. Oshiro Noritz America Corporation,

Fountain Valley, California, USA

M. Pablo Orkli, S. Coop,

Ordizia-Gipuzkoa, Spain

K. Pirotin KD Navien America, Inc.,

Irvine, California, USA

T. W. Poulin A. O. Smith Enterprises Ltd.,

Fergus, Ontario, Canada

B. Ryglewicz Chimney Design Solutions, Inc.,

Hawthorne, New Jersey, USA

M. Sanz Enbridge Gas Distribution,

Oshawa, Ontario, Canada

W. Shepard Allegan Tubular Products, Inc.,

Allegan, Michigan, USA

S. Siddiqui Zodiac Pool Systems, Inc.,

Vista, California, USA

M. Skierkiewicz Underwriters Laboratories Inc.,

Melville, New York, USA

D. Snyder American Water Heater Company,

Johnson City, Tennessee, USA

W. Soutiea Emerson Climate Technologies,

St. Louis, Missouri, USA

F. A. Stanonik Air-Conditioning, Heating, and Refrigeration Institute,

Arlington, Virginia, USA

GD11/111101 441.10.1.17 * GD11 1.1.1

73,000 Dtu per nour or less

M. Steinhafel Bock Water Heaters, Inc.,

Madison, Wisconsin, USA

P. W. Stephens Weil-McLain, A division of the Marley-Wylain

company,

Michigan City, Indiana, USA

C. Suchovsky Appliance Engineering, Inc.,

Twinsburg, Ohio, USA

B. J. Swiecicki National Propane Gas Association,

Tinley Park, Illinois, USA

D. Thuston Cash Acme A Division of the Reliance Worldwide

Corporation,

Cullman, Alabama, USA

J. Todd General Electric Company,

Louisville, Kentucky, USA

M. Travers Reliance Comfort L.P,

Cambridge, Ontario, Canada

E. Truskoski Bradford-White Corporation,

Middleville, Michigan, USA

J. Van Beurden Airmax Technologies Inc.,

Concord, Ontario, Canada

C. VanderRoest Bradford-White Corporation,

Middleville, Michigan, USA

R. Vlasic Union Gas Limited,

London, Ontario, Canada

C. Weiss Field Controls LLC,

Kinston, North Carolina, USA

M. W. Wilber Crane Engineering,

Plymouth, Minnesota, USA

T. A. Williams American Gas Association Inc.,

Washington, District of Columbia, USA

GOTT/TITIOT ELET.TO.T.T. - GOTT T.T.T

73,000 Dta per Hoar or less

L. B. Willmore Southern California Gas Company,

Los Angeles, California, USA

A. Yilmaz Air-Conditioning, Heating, and Refrigeration Institute,

Arlington, Virginia, USA

J. York Rinnai America Corporation,

Peachtree City, Georgia, USA

J. Novkovic CSA Group,

Cleveland, Ohio, USA

Program Manager

Preface

This is the eighth edition of CSA/ANSI Z21.10.1 • CSA 4.1, Gas water heaters, volume I, storage water heaters with input ratings of 75,000 Btu per hour or less. It supersedes the previous editions published in 2017, 2014, 2013, 2009, 2004, 2001 and 1998.

This Standard is considered suitable for use for conformity assessment within the stated scope of the Standard.

This Standard was prepared by the Joint Technical Subcommittee on Gas-Fired Water Heaters under the jurisdiction of the Z21/83 Technical Committee on Performance and Installation of Gas Burning Appliances and Related Accessories and the Strategic Steering Committee on Fuels and Appliances. It has been formally approved by the Z21/83 Technical Committee, the Canadian Technical Committee on Gas Appliances and Related Accessories, and the Interprovincial Gas Advisory Council.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

This Standard has been approved by the American National Standards Institute (ANSI) as an American National Standard.

<u>Interpretations:</u> The Strategic Steering Committee on Fuels and Appliances has provided the following direction for the interpretation of standards under its jurisdiction: "The literal text shall be used in judging compliance of products with the safety requirements of this Standard. When the literal text cannot be applied to the product, such as for new materials or construction, and when a relevant CSA committee interpretation has not already been published, CSA Group's procedures for interpretation shall be followed to determine the intended safety principle."

Notes:

- 1) Use of the singular does not exclude the plural (and vice versa) when the sense allows.
- 2) Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.
- 3) This Standard was developed by consensus, which is defined by CSA Policy governing standardization Code of good practice for standardization as "substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity". It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.
- 4) To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include "Request for interpretation" in the subject line:
 - a) define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;
 - b) provide an explanation of circumstances surrounding the actual field condition; and
 - c) where possible, phrase the request in such a way that a specific "yes" or "no" answer will address the issue.

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at <u>standardsactivities.csa.ca</u>.

- 5) This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include "Proposal for change" in the subject line:
 - a) Standard designation (number);
 - b) relevant clause, table, and/or figure number;
 - c) wording of the proposed change; and
 - d) rationale for the change.

75,000 Dtu per nour or les.

History of the development of standards for Gas water heaters, volume I, storage water heaters with input ratings of 75,000 Btu per hour or less

Note: This history is informative and is not part of the standard.

With the onset of the Free Trade Agreement between the United States and Canada on January 2, 1988, significant attention was given to the harmonization of the United States and Canadian safety standards addressing gas-fired equipment for residential, commercial, and industrial applications. It was believed that the elimination of the differences between the standards would remove potential trade barriers and provide an atmosphere in which North American manufacturers could market more freely in the United States and Canada. The harmonization of these standards was also seen as a step toward harmonization with international standards. Joint subcommittees were established to facilitate the standards harmonization process between the United States and Canada.

The draft harmonized standard was based on current coverage from the American National Standard for *Gas Water Heaters, Volume I, Storage Water Heaters with Input Rating of 75,000 Btu Per Hour or Less,* ANSI Z21.10.1-1993 and Addenda Z21.10.1a-1994, Z21.10.1b-1994, Z21.10.1c-1996 and the Canadian Standard for *Gas-Fired Automatic Storage Type Water Heaters with Inputs Less than 75,000 Btuh,* CAN1-4.1-M85. The draft was subsequently issued for public review and comment during March 1996.

Following reconsideration and modification of the proposed draft standard, in light of comments received, the joint water heater subcommittee, at its July 24-25, 1996 meeting, recommended the proposed draft to the Z21 Committee and the CGA Standards Steering Committee for approval.

The proposed draft of the harmonized standard for *Gas Water Heaters, Volume I, Storage Water Heaters with Input Ratings of 75,000 Btu per Hour or Less,* as modified by the joint subcommittee at its meeting of July 24-25, 1996, was approved by the Z21/83 Committee at its April 17, 1997 meeting and by the CGA Standards Steering Committee on May 6, 1997.

The first edition of the harmonized Z21/CSA Standard for *Gas Water Heaters, Volume I, Storage Water Heaters with Input Ratings of 75,000 Btu per Hour or Less,* was approved by the Canadian Interprovincial Gas Advisory Council in September 10, 1997 and by the American National Standards Institute Inc. on March 3, 1998.

The second edition of the harmonized Z21/CSA Standard for *Gas Water Heaters, Volume I, Storage Water Heaters with Input Ratings of 75,000 Btu per Hour or Less,* was approved by the Canadian Interprovincial Gas Advisory Council in August 1, 2001 and by the American National Standards Institute Inc. on December 20, 2001.

The third edition of the harmonized Z21/CSA Standard for *Gas Water Heaters, Volume I, Storage Water Heaters with Input Ratings of 75,000 Btu per Hour or Less,* was approved by the Canadian Interprovincial Gas Advisory Council in May 18, 2004 and by the American National Standards Institute Inc. on July 2, 2004.

The fourth edition of the harmonized Z21/CSA Standard for *Gas Water Heaters, Volume I, Storage Water Heaters with Input Ratings of 75,000 Btu per Hour or Less,* was approved by the Canadian Interprovincial Gas Advisory Council on January 15, 2009 and by the American National Standards Institute Inc. on June 20, 2008.

The fifth edition of the harmonized Z21/CSA Standard for *Gas Water Heaters, Volume I, Storage Water Heaters with Input Ratings of 75,000 Btu per Hour or Less,* was approved by the Canadian Interprovincial

GOTT/TITIOT ELET.TO.T.T. - GOTT T.T.T

75,000 Dtu per nour or less

Gas Advisory Council on February 25, 2013 and by the American National Standards Institute Inc. on January 10, 2013.

The sixth edition of the harmonized Z21/CSA Standard for *Gas Water Heaters, Volume I, Storage Water Heaters with Input Ratings of 75,000 Btu per Hour or Less,* was approved by the Canadian Interprovincial Gas Advisory Council on November 26, 2014 and by the American National Standards Institute Inc. on August 15, 2014.

The seventh edition of the harmonized Z21/CSA Standard for *Gas Water Heaters, Volume I, Storage Water Heaters with Input Ratings of 75,000 Btu per Hour or Less,* was approved by the Canadian Interprovincial Gas Advisory Council on August 17, 2017, and by the American National Standards Institute Inc. on August 21, 2017.

This, the eighth edition of the harmonized Z21/CSA Standard for *Gas Water Heaters, Volume I, Storage Water Heaters with Input Ratings of 75,000 Btu per Hour or Less,* was approved by the Canadian Interprovincial Gas Advisory Council on October 9, 2019, and by the American National Standards Institute Inc. on September 23, 2019.

The previous editions of the Standard for *Gas Water Heaters, Volume I, Storage Water Heaters with Input Ratings of 75,000 Btu per Hour or Less,* and addenda thereto, approved by the Interprovincial Gas Advisory Council and American National Standards Institute, Inc. are as follows:

Z21.10.1-1998 • CSA 4.1-M98 Z21.10.1a-2000 • CSA 4.1a-2000 Z21.10.1b-2000 • CSA 4.1b-2000	Z21.10.1-2013 • CSA 4.1-2013
Z21.10.1-2001 • CSA 4.1-2001 Z21.10.1a-2002 • CSA 4.1a-2002 Z21.10.1b-2004 • CSA 4.1b-2004	Z21.10.1-2014 • CSA 4.1-2014
Z21.10.1-2004 • CSA 4.1-2004 Z21.10.1a-2006 • CSA 4.1a-2006 Z21.10.1b-2006 • CSA 4.1b-2006	Z21.10.1-2017 • CSA 4.1-2017
Z21.10.1-2009 • CSA 4.1-2009 Z21.10.1a-2009 • CSA 4.1a-2009 Z21.10.1b-2011 • CSA 4.1b-2011	

The following identifies the designation and year of the eighth edition of the Standard:

CSA/ANSI Z21.10.1:19 • CSA 4.1:19

Note: This edition of CSA/ANSI Z21.10.1 \bullet CSA 4.1 incorporates changes to the 2017 edition. Changes, other than editorial, are denoted by a delta in the margin.

CSA/ANSI Z21.10.1:19 • CSA 4.1:19 Gas water heaters, volume I, storage water heaters with input ratings of 75,000 Btu per hour or less

1 Scope

1.1

This Standard applies to newly produced, automatic storage water heaters having input ratings of 75,000 Btu/hr (21 980 W) or less (see Clause 3, Definitions), hereinafter referred to as water heaters or appliances, constructed entirely of new, unused parts and materials:

- a) for use with natural gas;
- b) for use with manufactured gas;
- c) for use with mixed gas;
- d) for use with liquefied petroleum gases;
- e) for use with LP gas-air mixtures;
- f) for recreational vehicle installation for use with liquefied petroleum gases only (see Clause 4.1.26);
- g) for manufactured home (mobile home) installation convertible for use with natural gas and liquefied petroleum gases when provision is made for the simple conversion from one gas to the other (see Clause 4.1.25);
- h) for recreational vehicle installation convertible for use with natural gas and liquefied petroleum gases when provision is made for the simple conversion from one gas to the other (see Clause 4.1.26); and
- i) for use with combination potable water/space heating applications (see Clause 4.1.29 and Clause 3, Definitions).

1.2

This Standard also applies to water heaters incorporating heat pipe heat exchangers (see Clause 4.4, Heat pipe heat exchangers).

1.3

Direct vent water heaters anticipated by this Standard are essentially balanced flue appliances with the air intake and vent outlet in close proximity. Other designs are to be subjected to such additional tests as believed necessary at the discretion of the testing agency.

1.4

Water heaters for installation in recreational vehicles are to be of the direct vent type.

1.5

This Standard also applies to water heaters with draft hoods which are factory-equipped with automatic vent damper devices (see Clause 3, Definitions), hereinafter referred to as vent damper devices.