



# CSA B620:20 National Standard of Canada



## Highway tanks and TC portable tanks for the transportation of dangerous goods



## Legal Notice for Standards

Canadian Standards Association (operating as "CSA Group") develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

### Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

### Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group's and/or others' intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

### Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

### Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



# *Standards Update Service*

## *CSA B620:20 November 2020*

**Title:** *Highway tanks and TC portable tanks for the transportation of dangerous goods*

To register for e-mail notification about any updates to this publication

- go to [store.csagroup.org](https://store.csagroup.org)
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **2427672**.

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [www.csagroup.org/legal](https://www.csagroup.org/legal) to find out how we protect your personal information.

**Canadian Standards Association (operating as "CSA Group")**, under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Group's standards development by volunteering their time and skills to Committee work and supporting CSA Group's objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group's total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Group's standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to  
CSA Group  
178 Rexdale Boulevard  
Toronto, Ontario, M9W 1R3  
Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at [www.scc.ca](http://www.scc.ca).

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at [www.scc.ca](http://www.scc.ca).

Standards Council of Canada  
600-55 Metcalfe Street  
Ottawa, Ontario, K1P 6L5  
Canada



**Standards Council of Canada**  
**Conseil canadien des normes**

Cette Norme Nationale du Canada est disponible en versions française et anglaise.

*Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.*

*\*A trademark of the Canadian Standards Association, operating as "CSA Group"*

# *National Standard of Canada*

## *CSA B620:20*

### *Highway tanks and TC portable tanks for the transportation of dangerous goods*



*®A trademark of the Canadian Standards Association, operating as "CSA Group"*

*Published in November 2020 by CSA Group  
A not-for-profit private sector organization  
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at [store.csagroup.org](https://store.csagroup.org)  
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 13.300; 23.020.20  
ISBN 978-1-4883-2593-9*

*© 2020 Canadian Standards Association  
All rights reserved. No part of this publication may be reproduced in any form whatsoever  
without the prior permission of the publisher.*

# Contents

Technical Committee on Highway Tanks and Portable Tanks for Transportation of Dangerous Goods 7

Preface 12

**1 Scope 14**

**2 Reference publications 15**

**3 Terminology, definitions, abbreviations 19**

3.1 Terminology 19

3.1.1 General 19

3.1.2 The term "lethal substance" in the ASME *Boiler and Pressure Vessel Code (ASME Code)* 19

3.2 Definitions 19

3.3 Abbreviations 24

**4 General requirements 25**

4.1 Facility requirements 25

4.2 Highway tanks 25

4.3 Portable tanks 25

4.4 Welding and brazing 25

4.4.1 Welding/brazing procedure qualification 25

4.4.2 Welder/brazer performance qualification and welding operator/brazing operator performance qualification 25

4.5 Tank and plate markings 26

4.6 Certificates and reports 26

**5 Specifications for highway tanks 26**

5.1 Requirements for all highway tanks 26

5.1.1 The ASME *Code* 26

5.1.2 Means of containment 29

5.1.3 Securement 30

5.1.4 Supports for attachments and appurtenances 30

5.1.5 Rear-end protection 31

5.1.6 Inspection, testing, and marking 32

5.1.7 Certification 36

5.1.8 Vehicle equipment — Exhaust system considerations 37

5.2 Highway tanks for the transportation of liquefied compressed gases and refrigerated liquefied gases — Specification TC 331, TC 338, and TC 341 tanks 37

5.2.1 General 37

5.2.2 Piping, valves, and fittings 38

5.2.3 Gauging devices 43

5.2.4 Safety relief devices 44

5.2.5 Tank design and test pressures 46

5.2.6 Inner vessel or tank support pads 46

5.2.7 Inspection openings and manholes 47

5.2.8 Ground clearance 47

5.3	Highway tanks primarily for the transportation of compressed gases as liquefied gas — Specification TC 331 highway tanks	47
5.3.1	Construction standards	47
5.3.2	Design	47
5.3.3	Postweld heat treatment	49
5.3.4	Material	50
5.3.5	Material thickness	51
5.3.6	Structural integrity	51
5.3.7	Welding	54
5.3.8	Refrigeration and heating coils	55
5.3.9	Supports	55
5.3.10	Inspection and testing	56
5.3.11	Marking	56
5.4	Insulated highway tanks — Specification TC 338 tanks	57
5.4.1	Construction standards	57
5.4.2	Design	57
5.4.3	Insulation	57
5.4.4	Material	58
5.4.5	Postweld heat treatment	59
5.4.6	Sketches	59
5.4.7	Material thickness	59
5.4.8	Stress calculations	59
5.4.9	Joints	61
5.4.10	Manholes	61
5.4.11	Openings	61
5.4.12	Holding time	61
5.4.13	Inner vessel or jacket supports	63
5.4.14	Supports for protected inner vessel	63
5.4.15	Gauging devices	64
5.4.16	Cleanliness	64
5.4.17	Inspection and testing	64
5.4.18	Marking	65
5.4.19	Pressure relief and control	65
5.5	Highway tanks for the transportation of nonflammable refrigerated liquefied gases — Specification TC 341 tanks	67
5.5.1	Inner vessel construction	67
5.5.2	Inner vessel design	67
5.5.3	Material thickness	69
5.5.4	Inner vessel interior	69
5.5.5	Compatibility	69
5.5.6	Insulation combustibility in oxygen service	69
5.5.7	Jacket	70
5.5.8	Materials	73
5.5.9	Joints	73
5.5.10	Openings and controls	74
5.5.11	Pressure-relief devices	74
5.5.12	Piping, valves, and fittings	75
5.5.13	Supports and anchoring	75
5.5.14	Gauging devices	76

5.5.15	Inspection and testing	76
5.5.16	Marking	76
5.6	Highway tanks for the transportation of dangerous goods other than liquefied compressed gases — Specification TC 406, TC 407, TC 412, and TC 423 tanks	77
5.6.1	General requirements	77
5.6.2	Multi-tank vehicle connecting structures and drains	77
5.6.3	Material	77
5.6.4	Structural integrity	80
5.6.5	Joints	83
5.6.6	Manhole assemblies	83
5.6.7	Supports and anchoring	84
5.6.8	Circumferential reinforcements	84
5.6.9	Damage protection	86
5.6.10	Pumps, piping, hoses, and connections	89
5.6.11	Pressure relief	90
5.6.12	Tank outlets	92
5.6.13	Gauging devices	93
5.6.14	Connections for FRP tanks	93
5.7	Highway tank vehicle — Specification TC 406	94
5.7.1	General	94
5.7.2	Maximum allowable working pressure (MAWP)	94
5.7.3	Material	94
5.7.4	Pressure relief	94
5.7.5	Outlets	95
5.7.6	Specification TC 406 crude tanks	95
5.8	Highway tank vehicle — Specification TC 407	96
5.8.1	General requirements	96
5.8.2	Material	96
5.8.3	Manhole assemblies	97
5.8.4	Vacuum relief	97
5.9	Highway tank vehicle — Specification TC 412	97
5.9.1	General requirements	97
5.9.2	Material	97
5.9.3	Vacuum relief	98
5.9.4	Alternative minimum venting capacity for tanks transporting corrosive materials	98
5.10	Highway tanks for the transportation of emulsion and water-gel explosives — Specification TC 423	98
5.10.1	General	98
5.10.2	Material and material thickness	99
5.10.3	Circumferential reinforcement	99
5.10.4	Insulation system	100
5.10.5	Pressure- and vacuum-relief devices	101
5.10.6	Thermometer	101
5.10.7	Restrictions on valves, fittings, and hardware	101
5.10.8	Cleaning and drainage	101
5.10.9	Security	102
5.10.10	Electrical wires and fixtures	102
5.10.11	Heating systems	102
5.10.12	Pumping systems	102



5.10.13 Structural inspection procedures 102

**6 TC portable tanks 110**

6.1 Requirements for all portable tanks 110

6.1.1 General 110

6.1.2 The ASME Code 110

6.1.3 Means of containment 110

6.1.4 Inspection, testing, and marking 111

6.1.5 Tank mountings 113

6.1.6 Piping, valves, and fittings 113

6.1.7 Safety relief devices 114

6.1.8 Certificate of compliance 116

6.2 Steel portable tanks — Specification TC 51 117

6.2.1 Construction standards 117

6.2.2 Design 117

6.2.3 Material 117

6.2.4 Welding 117

6.2.5 Postweld heat treatment 118

6.2.6 Marking 118

6.2.7 Inspection openings and manholes 118

6.2.8 Gauging devices 119

6.2.9 Additional safety devices 119

6.3 Portable tanks for the transportation of liquid dangerous goods — Specification TC 60 121

6.3.1 Construction standards 121

6.3.2 Postweld heat treatment 121

6.3.3 Design 121

6.3.4 Material thickness 121

6.3.5 Expansion domes 121

6.3.6 Manhole cover attachments 121

6.3.7 Bottom openings 121

6.3.8 Design and closures of openings 122

6.3.9 Multi-tank units 122

6.3.10 Lining 122

6.4 Portable tanks for the transportation of nonflammable atmospheric gases as refrigerated liquefied gases — Specification TC 11 portable tanks 122

6.4.1 Construction standards 122

6.4.2 Inner vessel 123

6.4.3 Insulation 125

6.4.4 Jacket 125

6.4.5 Cleanliness 126

6.4.6 Openings and controls 126

6.4.7 Pressure-relief devices 126

6.4.8 Piping, valves, and fittings 127

6.4.9 Supports and anchoring 127

6.4.10 Gauging devices 128

6.4.11 Inspection and testing 128

6.4.12 Marking 128

6.5 Portable tanks — Specification TC 44 construction standards 129

<b>7</b>	<b>Inspection, testing, and maintenance of tanks</b>	<b>129</b>
7.1	Periodic and obligatory inspection and testing	129
7.1.1	General requirements for periodic inspection and testing	129
7.1.2	Obligatory testing	129
7.1.3	Decontamination	130
7.1.4	Pressure gauge selection and calibration	130
7.2	Inspections and tests	130
7.2.1	External inspection	130
7.2.2	Internal inspection	132
7.2.3	Lining inspection	132
7.2.4	Upper coupler area inspection	133
7.2.5	Leakage test	133
7.2.6	Thickness test	135
7.2.7	Pressure tests	136
7.2.8	Internal inspection by the wet fluorescent magnetic particle method	138
7.2.9	Test of off-truck emergency shutdown system	139
7.2.10	Hose assembly inspection and testing	139
7.2.11	Structural inspection	141
7.3	Test and inspection reports	142
7.3.1	General	142
7.3.2	Retention of reports	143
7.4	Test or inspection marking	143
7.5	Repairs to tanks	144
7.5.1	General	144
7.5.2	Decontamination prior to repairs	144
7.5.3	Exception — Postweld heat treatment of minor repairs	145
7.5.4	Repair procedures for pressure tank trucks and trailers	145
7.5.5	Overlay patches	145
7.5.6	Field welding	145
7.5.7	FRP tanks	145
7.5.8	Testing and inspection of repairs	146
7.5.9	Additional inspection for pressure tanks	146
7.5.10	Repair reports	146
7.5.11	Record retention and transfer	146
7.6	Modification including remounts of previously certified tanks	146
7.6.1	General	146
7.6.2	Registration requirements	147
7.6.3	Authorizations	147
7.6.4	Decontamination prior to modifications	147
7.6.5	Specification requirements	147
7.6.6	Design review, identification, and approval of modifications	148
7.6.7	Inspection and testing	149
7.6.8	Certification	149
7.6.9	Metal identification plates for modified tanks	149
7.7	Illegible or missing metal identification plates	150
7.7.1	General	150
7.7.2	Supporting documentation	150
7.7.3	Installation of a replacement metal identification plate	150
7.7.4	Forms	150

**8 Facility registration, design engineer registration, marking, documentation, and design review requirements 157**

- 8.1 Facility registration 157
  - 8.1.1 General 157
  - 8.1.2 Mobile unit limitation 158
  - 8.1.3 Specific requirements 158
  - 8.1.4 Application for registration 159
  - 8.1.5 Design engineer 161
  - 8.1.6 Tank inspector and tank tester qualification 162
  - 8.1.7 Training certificate 163
- 8.2 Documentation 164
  - 8.2.1 Certificate of compliance 164
  - 8.2.2 Reports of inspections and tests during manufacture, assembly, or modification 165
- 8.3 Design review 166
  - 8.3.1 General 166
  - 8.3.2 Manufacturer's Design Identification Number (MDIN) 166
  - 8.3.3 Transport Canada Registration Number (TCRN) 166
  - 8.3.4 Changes in design and tank modification 168
  - 8.3.5 Renewal of a TCRN 168
- 8.4 Marking 168

- 
- Annex A (normative) — Transition and retrofitting 169
  - Annex B (normative) — Quality control manual 173
  - Annex C (informative) — Alternatives to internal inspection of vacuum-insulated TC 341 highway tanks 180
  - Annex D (informative) — Tests for off-truck emergency shutdown systems 186
  - Annex E (informative) — Highway and portable tank specifications 187
  - Annex F (informative) — Sample application form 190

# ***Technical Committee on Highway Tanks and Portable Tanks for Transportation of Dangerous Goods***

<b>D. A. Ferguson</b>	CustomVac Services Ltd., Nisku, Alberta, Canada <i>Category: Supplier/Fabricator/Contractor</i>	<i>Chair</i>
<b>F. Afshar</b>	B&M Risk Advice Inc, Markham, Ontario, Canada <i>Category: General Interest</i>	
<b>J. E. Albrechtsen</b>	Paul's Hauling Ltd., Winnipeg, Manitoba, Canada <i>Category: User Interest</i>	
<b>R. Bahia</b>	Trimac Transportation Services, Calgary, Alberta, Canada <i>Category: User Interest</i>	
<b>R. M. Baker</b>	Cryogenic Vessel Alternatives, West Lafayette, Indiana, USA <i>Category: Supplier/Fabricator/Contractor</i>	
<b>R. Boies</b>	Gouvernement du Québec Ministère des Transports, Québec, Québec, Canada <i>Category: Government and/or Regulatory Authority</i>	
<b>A. Bourgault</b>	Gestion Robgroup Inc. (Almac/Columbia-Remtec/ LBT/Remtec), Chambly, Québec, Canada <i>Category: Supplier/Fabricator/Contractor</i>	
<b>G. Brutesco</b>	Canadian Fertilizer Institute Institut canadien des engrais, Ottawa, Ontario, Canada	<i>Non-voting</i>
<b>K. Buchanan</b>	Transport Canada, Ottawa, Ontario, Canada	<i>Non-voting</i>
<b>G. Buck</b>	Propar Inc., Sherbrooke, Québec, Canada <i>Category: Supplier/Fabricator/Contractor</i>	

<b>R. W. Campbell</b>	Magnum Consulting Inc., Regina, Saskatchewan, Canada	<i>Non-voting</i>
<b>D. Chaplow</b>	Ball Truck and Auto Repair A Div. of Dowler-Karn Limited, St. Thomas, Ontario, Canada <i>Category: User Interest</i>	
<b>A. Chatillon</b>	Tankcon FRP Inc., Blainville, Québec, Canada <i>Category: Supplier/Fabricator/Contractor</i>	
<b>P. Chilukuri</b>	RL Tech Consulting Services Inc, Richmond Hill, Ontario, Canada <i>Category: General Interest</i>	
<b>L. R. Comtois</b>	HSSE Consulting Services Inc., Fort McMurray, Alberta, Canada	<i>Non-voting</i>
<b>L. Constantinescu</b>	Technical Standards & Safety Authority (TSSA), Toronto, Ontario, Canada	<i>Non-voting</i>
<b>M. E. Denys</b>	ABSA, Edmonton, Alberta, Canada <i>Category: Government and/or Regulatory Authority</i>	
<b>G. Dickson</b>	LaSalle, Manitoba, Canada <i>Category: User Interest</i>	
<b>S. Dionne</b>	Natural Resources Canada, Ottawa, Ontario, Canada	<i>Non-voting</i>
<b>Y. Doron</b>	Exosent Engineering, LLC/Texas A&M University, College Station, Texas, USA <i>Category: Supplier/Fabricator/Contractor</i>	
<b>P. Dubois</b>	Service Remtec Inc., Pointe-aux-Trembles, Québec, Canada	<i>Non-voting</i>
<b>R. Early</b>	Compressed Gas Association, Inc., Chantilly, Virginia, USA <i>Category: General Interest</i>	
<b>B. Findlay</b>	Advance Tank Production Ltd., Regina, Saskatchewan, Canada	<i>Non-voting</i>

<b>N. Frost</b>	Fertilizer Canada, Ottawa, Ontario, Canada	<i>Non-voting</i>
<b>W. D. Hall</b>	ProSolve Consulting Ltd., Edmonton, Alberta, Canada	<i>Non-voting</i>
<b>J. P. Handrigan</b>	Transport Canada, Ottawa, Ontario, Canada	<i>Non-voting</i>
<b>H. Harris</b>	Orica Canada Inc., Kamloops, British Columbia, Canada	<i>Non-voting</i>
<b>W. He</b>	Sino-can Energy, Richmond Hill, Ontario, Canada	<i>Non-voting</i>
<b>C. Hughes</b>	Transportation Technical Resources Ltd., Calgary, Alberta, Canada	<i>Non-voting</i>
<b>M. Johnson</b>	Trimac Energy Service Ltd, Edmonton, Alberta, Canada <i>Category: User Interest</i>	<i>Non-voting</i>
<b>R. Keeler</b>	Canadian Propane Association, Calgary, Alberta, Canada	<i>Non-voting</i>
<b>C. G. Kirk</b>	Tremcar Technologies Inc., St-Jean sur Richelieu, Québec, Canada	<i>Non-voting</i>
<b>J. Lennox</b>	eStandard Solutions Inc., Fort Saskatchewan, Alberta, Canada	<i>Non-voting</i>
<b>A. Loan</b>	Orica Canada Inc./Canadian Explosives Association, Lyndhurst, Ontario, Canada	<i>Non-voting</i>
<b>T. MacDonald</b>	Praxair Canada Inc., Mississauga, Ontario, Canada <i>Category: User Interest</i>	
<b>M. Mullin</b>	Alberta Transportation, Edmonton, Alberta, Canada <i>Category: Government and/or Regulatory Authority</i>	
<b>M. Natale</b>	Dependable Truck & Tank Ltd., Brampton, Ontario, Canada	<i>Non-voting</i>

<b>C. Nowak</b>	Transport Canada, Ottawa, Ontario, Canada <i>Category: Government and/or Regulatory Authority</i>	
<b>J. Olson</b>	Nisku, Alberta, Canada <i>Category: User Interest</i>	
<b>J. Ouimette</b>	Transport Canada, Ottawa, Ontario, Canada	<i>Non-voting</i>
<b>A. Paaren</b>	Tremcar Technologies Inc., Toronto, Ontario, Canada <i>Category: Supplier/Fabricator/Contractor</i>	
<b>G. Pearson</b>	GSP Enterprises Inc., Stettler, Alberta, Canada	<i>Non-voting</i>
<b>M. Pitts</b>	Mississippi Tank Company, Hattiesburg, Mississippi, USA	<i>Non-voting</i>
<b>R. E. Reid</b>	Reid Engineering Services, Calgary, Alberta, Canada <i>Category: General Interest</i>	
<b>T. J. Rishel</b>	MaXfield Inc., Crossfield, Alberta, Canada <i>Category: Supplier/Fabricator/Contractor</i>	
<b>M. A. Shah</b>	Marsh Ventures, Regina, Saskatchewan, Canada	<i>Non-voting</i>
<b>E. Snoeberger</b>	ProAxis/Viper Cryogenics, West Lafayette, Indiana, USA	<i>Non-voting</i>
<b>S. Staniszewski</b>	Global Transport Tank Consultants, Oakton, Virginia, USA	<i>Non-voting</i>
<b>G. Stewart</b>	Seaboard/Harmac, North York, Ontario, Canada	<i>Non-voting</i>
<b>R. D. Strelie</b>	Brandt Engineered Products Ltd., Regina, Saskatchewan, Canada	<i>Non-voting</i>

<b>B. Szula</b>	Wabash Mfg. Inc., Westlock, Alberta, Canada	<i>Non-voting</i>
<b>C. Szymesko</b>	Nutrien, Wadena, Saskatchewan, Canada	<i>Non-voting</i>
<b>R. L. Tetley</b>	Air Products and Chemicals Inc., Allentown, Pennsylvania, USA <i>Category: User Interest</i>	
<b>S. Towler</b>	Natural Resources Canada, Explosives Regulatory Division, Ottawa, Ontario, Canada <i>Category: Government and/or Regulatory Authority</i>	
<b>C. Turylo</b>	Technical Standards and Safety Authority (TSSA), Toronto, Ontario, Canada <i>Category: Government and/or Regulatory Authority</i>	
<b>J. Van Benthem</b>	TE Designs, Calgary, Alberta, Canada <i>Category: General Interest</i>	
<b>A. Vis</b>	Presvac Systems, Burlington, Ontario, Canada	<i>Non-voting</i>
<b>W. Widla</b>	Fulton Engineered Specialties Inc., Caledon, Ontario, Canada	<i>Non-voting</i>
<b>G. Wood</b>	Ontario Trucking Association, Toronto, Ontario, Canada <i>Category: User Interest</i>	
<b>I. Zimmer</b>	Alloy Custom Products, LLC, Lafayette, Indiana, USA	<i>Non-voting</i>
<b>R. Meyers</b>	CSA Group, Toronto, Ontario, Canada	<i>Project Manager</i>



# Preface

This is the sixth edition of CSA B620, *Highway tanks and TC portable tanks for the transportation of dangerous goods*. It supersedes the previous editions published in 2014, 2009, 2003, 1998, and 1987.

This Standard specifies requirements for highway tanks, portable tanks, fibre-reinforced plastic (FRP) highway tanks, and pressure/vacuum liquid waste highway tanks for the transportation of dangerous goods. It also specifies requirements for hose assemblies used to load or unload dangerous goods.

The major changes to this edition include the following:

- updated American Society of Mechanical Engineers (ASME) code references;
- new training organization registration for qualification of tank inspectors and tank testers;
- updated tank inspector and tester training and qualification requirements;
- revised tank securement requirements for all highway tanks;
- revised damage protection requirements for TC 331, TC 338, and TC 341 tanks;
- 10 year internal inspection and pressure test frequency permitted for certain, smaller tanks in dedicated propane service with maximum capacity of 13250 L, used to transport UN1978 (propane);
- new pressure gauge selection and calibration requirements for pressure tests;
- revised thickness testing requirements;
- revised pressure testing requirements;
- revised inspection and test reporting requirements;
- reintroduction of TC 51 portable tanks, with updated requirements; and
- revised insulation requirements for TC 423 tanks.

It is the intent of the CSA Technical Committee to further develop this Standard in co-operation with industry representation and regulatory authorities in Canada and the United States to meet the needs of Canada and to achieve a maximum degree of uniformity with the United States.

This Standard is one of a series of Standards that have been prepared for use in conjunction with the *Transportation of Dangerous Goods Regulations*. It should be noted that this Standard, by itself, does not have the force of law unless it is officially adopted by a regulatory authority. Since the Standard may be adopted into regulations with certain exceptions or additional requirements, it is recommended that the regulations of the relevant jurisdiction be consulted in order to establish the extent to which this Standard has been adopted. Where an industry practice differs from the requirements of this Standard, an application for a permit for equivalent level of safety may be requested from the regulatory authority.

This Standard was prepared by the Technical Committee on Highway Tanks and TC Portable Tanks for Transportation of Dangerous Goods, under the jurisdiction of the Strategic Steering Committee on Public Safety, and has been formally approved by the Technical Committee.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

## Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple*

majority, but not necessarily unanimity". It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.

- 4) To submit a request for interpretation of this Standard, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include "Request for interpretation" in the subject line:
  - a) define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;
  - b) provide an explanation of circumstances surrounding the actual field condition; and
  - c) where possible, phrase the request in such a way that a specific "yes" or "no" answer will address the issue.

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at [standardsactivities.csa.ca](http://standardsactivities.csa.ca).

- 5) This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include "Proposal for change" in the subject line:
  - a) Standard designation (number);
  - b) relevant clause, table, and/or figure number;
  - c) wording of the proposed change; and
  - d) rationale for the change.

# *CSA B620:20*

## *Highway tanks and TC portable tanks for the transportation of dangerous goods*

### **1 Scope**

#### **1.1**

This Standard applies to tanks, other than intermediate bulk containers and tubes, used for the transportation of dangerous goods primarily by road. It considers the design, construction, certification, assembly, modification, repair, testing, inspection and periodic retesting, maintenance, and identification of such tanks. This Standard also applies to the hose assemblies used to load or unload dangerous goods.

Additional design and construction requirements for tanks intended to carry specific products are provided in CSA B621, CSA B622, CSA B626, and CAN/CGSB-43.151.

#### **1.2**

The *Transportation of Dangerous Goods (TDG) Act* and the *Transportation of Dangerous Goods Regulations* can set out requirements that are additional to or different from those in this Standard due to particular characteristics or properties of individual dangerous goods. Where there is an inconsistency between the requirements of this Standard and those of the *Act* or *Regulations*, the *Act* or *Regulations* prevail to the extent of the inconsistency. Where there is an inconsistency between this Standard and a referenced publication other than the *TDG Act* or *Regulations*, the requirements of this Standard prevail. Application of a referenced publication should be made only with careful consideration of this Standard's reference to that particular publication.

#### **1.3**

The use of this Standard does not reduce the necessity for competent engineering judgment or complete design calculations that take into account the intended use of the tank. The values of the various parameters in this Standard are the limiting values to which the tank is restricted. It is the responsibility of the tank manufacturer to ensure that the tank will safely carry out its intended function within these constraints.

#### **1.4**

In this Standard, "shall" is used to express a requirement, i.e., a provision that the user is obliged to satisfy in order to comply with the standard; "should" is used to express a recommendation or that which is advised but not required; "may" is used to express an option or that which is permissible within the limits of the standard; and "can" is used to express possibility or capability.

Notes accompanying clauses do not include requirements or alternative requirements; the purpose of a note accompanying a clause is to separate from the text explanatory or informative material.

Notes to tables and figures are considered part of the table or figure and may be written as requirements.