



CSA Z271:20

National Standard of Canada



Design of suspended access equipment



Legal Notice for Standards

Canadian Standards Association (operating as "CSA Group") develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group's and/or others' intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

CSA Z271:20

June 2020

Title: *Design of suspended access equipment*

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **2428081**.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at www.csagroup.org/legal to find out how we protect your personal information.

Canadian Standards Association (operating as "CSA Group"), under whose auspices this National Standard has been produced, was chartered in 1919 and accredited by the Standards Council of Canada to the National Standards system in 1973. It is a not-for-profit, nonstatutory, voluntary membership association engaged in standards development and certification activities.

CSA Group standards reflect a national consensus of producers and users — including manufacturers, consumers, retailers, unions and professional organizations, and governmental agencies. The standards are used widely by industry and commerce and often adopted by municipal, provincial, and federal governments in their regulations, particularly in the fields of health, safety, building and construction, and the environment.

Individuals, companies, and associations across Canada indicate their support for CSA Group's standards development by volunteering their time and skills to Committee work and supporting CSA Group's objectives through sustaining memberships. The more than 7000 committee volunteers and the 2000 sustaining memberships together form CSA Group's total membership from which its Directors are chosen. Sustaining memberships represent a major source of income for CSA Group's standards development activities.

CSA Group offers certification and testing services in support of and as an extension to its standards development activities. To ensure the integrity of its certification process, CSA Group regularly and continually audits and inspects products that bear the CSA Group Mark.

In addition to its head office and laboratory complex in Toronto, CSA Group has regional branch offices in major centres across Canada and inspection and testing agencies in eight countries. Since 1919, CSA Group has developed the necessary expertise to meet its corporate mission: CSA Group is an independent service organization whose mission is to provide an open and effective forum for activities facilitating the exchange of goods and services through the use of standards, certification and related services to meet national and international needs.

For further information on CSA Group services, write to
CSA Group
178 Rexdale Boulevard
Toronto, Ontario, M9W 1R3
Canada

A National Standard of Canada is a standard developed by a Standards Council of Canada (SCC) accredited Standards Development Organization, in compliance with requirements and guidance set out by SCC. More information on National Standards of Canada can be found at www.scc.ca.

SCC is a Crown corporation within the portfolio of Innovation, Science and Economic Development (ISED) Canada. With the goal of enhancing Canada's economic competitiveness and social well-being, SCC leads and facilitates the development and use of national and international standards. SCC also coordinates Canadian participation in standards development, and identifies strategies to advance Canadian standardization efforts.

Accreditation services are provided by SCC to various customers, including product certifiers, testing laboratories, and standards development organizations. A list of SCC programs and accredited bodies is publicly available at www.scc.ca.

Standards Council of Canada
600-55 Metcalfe Street
Ottawa, Ontario, K1P 6L5
Canada



Standards Council of Canada
Conseil canadien des normes

Cette Norme Nationale du Canada est disponible en versions française et anglaise.

Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users to judge its suitability for their particular purpose.

**A trademark of the Canadian Standards Association, operating as "CSA Group"*

National Standard of Canada

CSA Z271:20

Design of suspended access equipment



*®A trademark of the Canadian Standards Association,
operating as "CSA Group"*



*Published in June 2020 by CSA Group
A not-for-profit private sector organization
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at store.csagroup.org
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ICS 53.020.01
ISBN 978-1-4883-2906-7*

*© 2020 Canadian Standards Association
All rights reserved. No part of this publication may be reproduced in any form whatsoever
without the prior permission of the publisher.*

Contents

Technical Committee on Suspended Access Equipment	6
Preface	9
0 Introduction	10
1 Scope	10
2 Reference publications	11
3 Definitions	14
4 Engineering	18
4.1 Verification of design and installation by an engineer	18
4.2 Modifications	19
4.3 Applications or configurations not specifically permitted by manufacturer	19
4.4 Documentation	19
5 General design	19
5.1 General	19
5.2 Devices to prevent unintended movement	19
5.3 Redundancy for MPSPs	20
5.4 Materials and connections	20
5.4.1 Materials	20
5.4.2 Welding	20
5.4.3 Bolted connections	20
5.5 Design loads	21
5.5.1 General	21
5.5.2 Summary of loads	21
5.5.3 Wind loads	21
5.5.4 Loads on windows	21
5.5.5 Fall protection	22
5.6 Load combinations and factors	23
5.6.1 General	23
5.6.2 Platform importance factor	23
5.6.3 Platform impact factor	23
5.6.4 Suspension structure importance factor where there is redundancy	23
5.6.5 Suspension structure importance factor where there is no redundancy	24
5.6.6 Suspension structure impact factor	24
5.6.7 Live load and dead load factor	24
5.7 Strength requirements	24
5.7.1 Factored resistance based on ultimate strength	24
5.7.2 Use of allowable stress method	24
5.7.3 Component capacities	24
5.7.4 Testing for strength	24
5.8 Allowable deflections	24
5.9 Fatigue and vibration	25

6 Platform	25
6.1 Platform design loads	25
6.1.1 General	25
6.1.2 Platform live load for single and two-point suspensions	25
6.1.3 Platform live load for MPSP	26
6.1.4 Rated platform capacity	26
6.1.5 Design loads from forces imposed on a platform	26
6.2 Inset suspension lines	26
6.3 Minimum platform width	26
6.4 Guardrail system	27
6.4.1 Guardrail on all sides	27
6.4.2 Top rail	27
6.4.3 Toeboard	27
6.4.4 Midrail	27
6.4.5 Falling object protection	27
6.5 Flooring	28
6.6 Building or structure contact members	28
6.6.1 Minimizing entanglement and damage	28
6.6.2 Platform compatibility with building or structure stabilization restrain provisions	28
6.6.3 Exemption	28
6.7 Access to platform	28
6.8 Emergency communication	28
7 Rigging	28
7.1 Design loads on means of suspension	28
7.1.1 General	28
7.1.2 Suspended live load	29
7.1.3 Design loads from forces imposed on means of suspension	29
7.2 Setup of equipment	29
7.2.1 Weights for handling	29
7.2.2 Securing equipment from falling	29
7.2.3 Equipment centre of gravity	29
7.2.4 Mechanical means for raising all lines	30
7.2.5 Lateral movement capability with intermittent tie-ins	30
7.2.6 Open area for movement at base	30
7.3 Suspension and stabilization requirements	30
7.3.1 Suspension arrangement	30
7.3.2 Suspension ropes and rope connections	30
7.4 Travelling cables	32
8 Hoisting	32
8.1 General	32
8.1.1 Safety devices	32
8.1.2 Maximum hoisting speed rating	32
8.1.3 Load for stability	32
8.2 Structural	32
8.2.1 General	32
8.2.2 Safety factors	32
8.2.3 Connection	33

8.3	Machine	33
8.3.1	General	33
8.3.2	Shafts	33
8.3.3	Gearing	33
8.3.4	Winding-drum hoist	34
8.3.5	Traction drum hoist	34
8.3.6	Hoisting motors	35
8.3.7	Brakes	35
8.3.8	Back-up for hoisting	36
8.4	Control system	36
8.4.1	General	36
8.4.2	Operator controls	36
8.4.3	Use of relays	36
8.4.4	Electrical protection including false operation	36
8.4.5	Radio and electromagnetic induction (EMI) control	37
8.4.6	Protective devices and interlocks	37
8.5	Electrical	39
8.5.1	Electrical wiring and equipment	39
8.5.2	Grounding	39
9	Building or supporting structure	39
9.1	Responsibility	39
9.2	Building or supporting structure	40
9.2.1	Access	40
9.2.2	Verification of structural adequacy	40
9.3	Access to face of building or structure	40
9.3.1	Fall protection	40
9.3.2	Access over parapet	40
9.3.3	Consideration of forces on parapets and railings	40
9.4	Anchorage connectors	41
9.4.1	Anchorage connector for vertical lifeline	41
9.4.2	Anchors for transportable outrigger	41
9.4.3	Strength requirement	41
9.4.4	Anchorage connector with multiple connection points	41
9.4.5	Materials	41
9.4.6	Connection points	41
9.4.7	Connection point quantities	42
9.4.8	Flexible horizontal lifeline	42
9.4.9	Locations for tie-back anchorage connectors	42
9.4.10	Locations for lifeline anchorage connectors	42
9.4.11	Primary suspension anchorage connector location for single point suspension	42
9.4.12	Supplementary restraints	43
9.5	Platform restraint	43
9.5.1	Suspension height over 45 m	43
9.5.2	Suspension height from 15 to 45 m	44
9.5.3	Suspension height under 15 m	44
9.5.4	Interior spaces	44
9.6	Maximum height and restraint of lifelines	44
9.7	Loads on glazing	44

9.8	Guarding of hazardous areas	44
9.9	Access to electrical power	44
9.10	Security	45
9.11	Roof car	45
9.11.1	General design	45
9.11.2	Roof car stability	45
9.11.3	Movement and positioning	45
9.11.4	Access and storage	46
9.11.5	Auxiliary hoisting unit (AHU)	46
9.11.6	Platform marking	48
9.12	Trolley system	48
9.12.1	General design	48
9.12.2	Specific requirements	48
9.13	Davits	48
9.14	Roof surface for movement of platform	51
9.15	Transportable outriggers	51
9.15.1	Securement to anchor connectors	51
9.15.2	Off vertical loading	51
9.15.3	Load for stability	51
9.15.4	Suspension ropes to be parallel	51
9.15.5	Counterweight	51
10	Instructions and markings	52
10.1	Instructions	52
10.1.1	Operating instructions	52
10.1.2	Access system drawings	52
10.2	Markings	52
10.2.1	General	52
10.2.2	Platforms	53
10.2.3	Ropes	53
10.2.4	Hoists	53
10.2.5	Supports	54
10.2.6	Anchorage connectors	54
10.2.7	Flexible horizontal lifeline	54
11	Inspection and testing	54
11.1	General	54
11.1.1	Criteria	54
11.1.2	Correction of deficiencies	54
11.1.3	Restoration of safety devices	54
11.1.4	Cleaning and disassembly	55
11.1.5	Equipment log	55
11.2	Summary	55
11.3	New or altered suspended access equipment	55
11.3.1	Portable suspended access equipment	55
11.4	First use following erection or relocation	56
11.4.1	Suspension rope and related items	56
11.4.2	Defects requiring replacement of rope	56
11.4.3	Engineering check of an MPSP	56

11.5	Each use	57
11.5.1	General	57
11.5.2	Fall protection equipment	57
11.6	After accident or equipment failure	57
11.7	Periodic	57
11.8	Annual	57
11.8.1	Emergency brake systems	57
11.8.2	Structural components	57
11.9	Five years	58
12	Maintenance	58
12.1	Criteria	58
12.2	Clean condition	58
12.3	Lubrication	59
12.4	Components for safe operation	59
12.5	Markings	59
12.6	Replacement or reshackling of suspension rope	59
12.6.1	Replacement	59
12.6.2	Reshackling	59
13	Equipment log	59

Annex A (informative)	— Equivalent imperial values	61
-----------------------	------------------------------	----

Technical Committee on Suspended Access Equipment

K. Board	XSPlatforms Canada, Brampton, Ontario, Canada <i>Category: Producer Interest</i>	<i>Chair</i>
P. Apostolakos	Can Mar Contracting Ltd., Toronto, Ontario, Canada	<i>Non-voting</i>
R. Balbaa	HITE Engineering Corp., Mississauga, Ontario, Canada <i>Category: General Interest</i>	
B. Bolduc	Construction Workplace Safety Training Ltd., Barrie, Ontario, Canada	<i>Non-voting</i>
J. Budziak	Ankor Engineering Systems Ltd., Toronto, Ontario, Canada	<i>Non-voting</i>
D. Chen	WorkSafe BC, Vancouver, British Columbia, Canada <i>Category: Regulatory Authority</i>	
N. J. Dance	Solar Group Inc., Toronto, Ontario, Canada <i>Category: User Interest</i>	
S. de Rusett	S2e Technologies Developments Inc., Penetanguishene, Ontario, Canada	<i>Non-voting</i>
B. Dhaliwal	Manitoba Dept. of Family Services & Labour, Labour Programs, Winnipeg, Manitoba, Canada <i>Category: Regulatory Authority</i>	
B. Duplessis	Into (1972) inc, Montréal, Québec, Canada <i>Category: Producer Interest</i>	
R.L. Froebelius	Equity ICI Real Estate Services Inc., Toronto, Ontario, Canada	<i>Non-voting</i>

P. Harvey	Fixator, Saint-Barthélemy, d'Anjou Cedex, France	<i>Non-voting</i>
J. Ho	Tractel Ltd., Scarborough, Ontario, Canada <i>Category: Producer Interest</i>	
W. D. Hogg	Cancore Building Services Ltd., Toronto, Ontario, Canada <i>Category: User Interest</i>	
D. Kaplarevic	MEPS International Inc., Toronto, Ontario, Canada <i>Category: General Interest</i>	
P. L. Labelle	CNESST, Montréal, Québec, Canada <i>Category: Regulatory Authority</i>	
T. M. Lebel	Pro-Bel Enterprises Ltd., Ajax, Ontario, Canada	<i>Non-voting</i>
M. Lebel	Pro-Bel Enterprises Ltd., Ajax, Ontario, Canada <i>Category: Producer Interest</i>	
M. Lecce	Can Mar Contracting Ltd., Toronto, Ontario, Canada	<i>Non-voting</i>
P. Mariai	ANCHORICA Engineered Connections, Toronto, Ontario, Canada <i>Category: General Interest</i>	
P. Massey	M.P. Anchor Ltd., Richmond Hill, Ontario, Canada <i>Category: Producer Interest</i>	
R. Molina	Ontario Ministry of Labour, Training and Skills Development, Peterborough, Ontario, Canada <i>Category: Regulatory Authority</i>	
M. Moosazadeh	Rope Access Maintenance, Toronto, Ontario, Canada	<i>Non-voting</i>

T. O'Reilly	AlumaSAFEWAY, Inc., Toronto, Ontario, Canada <i>Category: User Interest</i>	
R. Patel	RDP Engineering Inc., Markham, Ontario, Canada <i>Category: General Interest</i>	
S. Preziuso	Infrastructure Health and Safety Association, Toronto, Ontario, Canada <i>Category: User Interest</i>	
K. Stanley	Skyreach Window Cleaning, Toronto, Ontario, Canada <i>Category: User Interest</i>	
D. W. Swan	Summit Window Services Ltd., Toronto, Ontario, Canada <i>Category: User Interest</i>	
K. Van Steele	Read Jones Christoffersen Limited, Vancouver, British Columbia, Canada	<i>Non-voting</i>
R. Vandelinde	Winsafe Corp., Markham, Ontario, Canada <i>Category: Producer Interest</i>	
T. W. Wadden	Secure2 Engineering Inc., St. John's, Newfoundland and Labrador, Canada <i>Category: General Interest</i>	
S. Wahabi	Anchor Experts, Caledon East, Ontario, Canada <i>Category: General Interest</i>	
K. B. Yorke	Suspended Stages, Toronto, Ontario, Canada <i>Category: Producer Interest</i>	
A. Holbeche	CSA Group, Toronto, Ontario, Canada	<i>Project Manager</i>

Preface

This is the fifth edition of CSA Z271, *Design of suspended access equipment*. It supersedes the previous editions published in 2010, 1998, 1984, and 1974 under the title, *Safety code for suspended platforms*.

The major changes to this edition include the following:

- a) revisions to load requirements, factors and formulae;
- b) revisions to post-installed fastener requirements;
- c) addition of auxiliary hoisting unit loads, hour meters, and telescoping component redundancy; and
- d) revisions to davit system designs.

This Standard was developed by CSA Group with funding support provided by the Canadian Association of Administrators of Labour Law-Occupational Safety and Health (CAALL-OSH), including Provincial and Territorial Governments, as well as the Government of Canada. CSA Group is solely responsible for the content of this Standard, and CSA Group and the funding bodies disclaim any liability in connection with the use of the information contained herein.

This Standard was prepared by the Technical Committee on Suspended Access Equipment, under the jurisdiction of the Strategic Steering Committee on Occupational Health and Safety, and has been formally approved by the Technical Committee.

This Standard has been developed in compliance with Standards Council of Canada requirements for National Standards of Canada. It has been published as a National Standard of Canada by CSA Group.

Notes:

- 1) *Use of the singular does not exclude the plural (and vice versa) when the sense allows.*
- 2) *Although the intended primary application of this Standard is stated in its Scope, it is important to note that it remains the responsibility of the users of the Standard to judge its suitability for their particular purpose.*
- 3) *This Standard was developed by consensus, which is defined by CSA Policy governing standardization — Code of good practice for standardization as “substantial agreement. Consensus implies much more than a simple majority, but not necessarily unanimity”. It is consistent with this definition that a member may be included in the Technical Committee list and yet not be in full agreement with all clauses of this Standard.*
- 4) *To submit a request for interpretation of this Standard, please send the following information to inquiries@csagroup.org and include “Request for interpretation” in the subject line:*
 - a) *define the problem, making reference to the specific clause, and, where appropriate, include an illustrative sketch;*
 - b) *provide an explanation of circumstances surrounding the actual field condition; and*
 - c) *where possible, phrase the request in such a way that a specific “yes” or “no” answer will address the issue.*

Committee interpretations are processed in accordance with the CSA Directives and guidelines governing standardization and are available on the Current Standards Activities page at standardsactivities.csa.ca.
- 5) *This Standard is subject to review within five years from the date of publication. Suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include “Proposal for change” in the subject line:*
 - a) *Standard designation (number);*
 - b) *relevant clause, table, and/or figure number;*
 - c) *wording of the proposed change; and*
 - d) *rationale for the change.*

CSA Z271:20

Design of suspended access equipment

0 Introduction

0.1

This Standard is voluntary and represents best practice; however, it can be enforced by law when referenced in provincial, territorial, or federal legislation or regulations. This Standard is designed to be complementary to the actions of government in tackling the issue of worker safety and can provide tools to help organizations comply with regulations and to demonstrate due diligence.

0.2

The purpose of this Standard is to provide criteria for suspended access equipment with regard to

- a) benefiting the health, safety, and welfare of workers and the public;
- b) supporting sustainable development;
- c) assisting and protecting consumers;
- d) advancing the national economy; and
- e) facilitating trade.

0.3

This Standard is not intended to preempt or permit exceptions to any requirement of authorities having jurisdiction. Some references to requirements of authorities having jurisdiction are included in this Standard for information. These references are placed as informative notes separate from clause text to maintain separation between requirements of this Standard and requirements of an authority having jurisdiction. The reader should be aware that such placement does not diminish or modify any requirement by an authority having jurisdiction.

0.4

All workers requiring access to the side, ceiling or soffit of a building, or structure over 8 m (26 ft) should use an access system designed, installed, inspected, and tested in accordance with this Standard. All operations should be carried out with due regard to personal safety, the safety of others, and the prevention of damage to equipment and property. Other access systems acceptable to the authorities having jurisdiction may also be used in such a way that they do not preclude the installation of suspended access equipment.

1 Scope

1.1

This Standard specifies requirements for the design, construction, installation, inspection, testing, maintenance, alteration, and repair of suspended access equipment.