This is a preview of "CSA SPE-2.1.3-2020". Click here to purchase the full version from the ANSI store.



CSA SPE-2.1.3:20

Best practices for defueling, decommissioning, and disposal of compressed hydrogen gas vehicle fuel containers



Legal Notice

This document is provided by the Canadian Standards Association (operating as "CSA Group") as a convenience only.

Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document's fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party's intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document's compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group's and/ or others' intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

Patent rights

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this document are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

Use of this document

This document is being provided by CSA Group for informational and non-commercial use only. If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not use this document. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



Standards Update Service

CSA SPE-2.1.3:20 February 2020

Title: Best practices for defueling, decommissioning, and disposal of compressed hydrogen gas vehicle fuel containers

To register for e-mail notification about any updates to this publication

- go to store.csagroup.org
- click on Product Updates

The List ID that you will need to register for updates to this publication is 2428109.

If you require assistance, please e-mail techsupport@csagroup.org or call 416-747-2233.

Visit CSA Group's policy on privacy at <u>www.csagroup.org/legal</u> to find out how we protect your personal information.

CSA SPE-2.1.3:20 Best practices for defueling, decommissioning, and disposal of compressed hydrogen gas vehicle fuel containers



"A trademark of the Canadian Standards Association, operating as "CSA Group"

Published in February 2020 by CSA Group A not-for-profit private sector organization 178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3

To purchase standards and related publications, visit our Online Store at <u>store.csagroup.org</u> or call toll-free 1-800-463-6727 or 416-747-4044.

ISBN 978-1-4883-2923-4

© 2020 Canadian Standards Association All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher. This is a preview of "CSA SPE-2.1.3-2020". Click here to purchase the full version from the ANSI store.

USA SPE-2.1.3:20

compressea nyarogen gas veniele jaer containers

Contents

Task Force on Cylinder Defueling, Decommissioning, and Disposal of Compressed Natural Gas Vehicle Fuel Containers 2

Preface 4

- 0 Introduction 5
- **1 Scope** 5
- 1.1 General 5
- 1.2 Procedure overview *6*
- 1.3 Container type 6
- 1.4 Terminology 6
- 1.5 Units of measurement *6*
- **2** Reference publications 6
- 3 Definitions 7
- 4 Safety 8
- 5 Defueling 8
- 5.1 General 8
- 5.2 Container depressurizing precautions 8
- 5.3 Container valves 9
- 5.4 Personal protective equipment 9
- 5.5 Defueling procedure 10
- 5.5.1 Transferring or venting 10
- 5.5.2 Purging 11
- 5.5.3 Container de-installation and transportation 12

6 Decommissioning at the end of life 12

- 6.1 Valve removal 12
- 6.2 Venting 12
- 6.2.1 Alternate venting methods 12
- 6.2.2 TPRD activation 12
- 6.2.3 Container markings and labels 13
- 6.3 Making container inoperable 13
- 7 Disposal 13
- 7.1 General *13*
- 7.2 Dispatch 14

Annex A (informative) — CHG container defueling into a collection system15Annex B (informative) — Avoiding defueling and maintenance incidents17Annex C (informative) — Additional standards and references18Annex D (informative) — CHG container discharge20

сотргеззей нуйгоден диз тетене јист сопштет.

LSA SPE-2.1.3:20

Task Force on Cylinder Defueling, Decommissioning, and Disposal of Compressed Natural Gas Vehicle Fuel Containers

N. Newhouse	Hexagon Lincoln Inc., Lincoln, Nevada, USA	Chair
K. Bowker	U.S. Department of Transportation (USDOT), Washington, DC, USA	
J. Coursen	Worthington Cylinder Corp., Pomona, California, USA	
J. Eihusen	Hexagon Lincoln Inc., Lincoln, Nevada, USA	Alternate
M. Gust	Quantum Fuel Systems LLC, Lake Forest, California, USA	Alternate
J. Hamilton	California Fuel Cell Partnership, West Sacramento, California, USA	
P. Horacek	Powertech Labs Inc., Surrey, British Columbia, Canada	Alternate
J. Jordan	Agility Fuel Solutions, Cook, Minnesota, USA	
V. Kovalevsky	Linamar Corporation, Livonia, Michigan, USA	
S. Quong	Quong & Associates, Inc., San Francisco, California, USA	
S. Rivalta	Winkelmann Flowform Technology — Fuel Systems, Thousand Oaks, California, USA	
M. Veenstra	Ford Motor Company, Dearborn, Michigan, USA	

This is a preview of "CSA SPE-2.1.3-2020". Click here to purchase the full version from the ANSI store.

сотресьоси нуигодся дио четене зисе сопситего

CSA SPE-2.1.3:20

C. Webster	CSA Group, Richmond, British Columbia, Canada	
D. Wenger	Wenger Engineering GmbH, Ulm, Germany	
E. Wolff-Klammer	UL LLC, Northbrook, Illinois, USA	
L. Yang	Toyota Motor Engineering & Manufacturing North America, Gardena, California, USA	
T. Yoder	NASA/WSTF, Las Cruces, New Mexico, USA	
J. Venalainen	CSA Group, Toronto, Ontario, Canada	Project Manager

CSA SPE-2.1.3:20

сотргеззеи нуигоден диз venicie juei containers

Preface

This is the first edition of CSA SPE-2.1.3, *Best practices for defueling, decommissioning, and disposal of compressed hydrogen gas vehicle fuel containers.*

This Document is part of the CSA SPE-2.1 Series. It is planned to be published under the same cover as the CSA SPE-2.1 Series in a subsequent edition.

CSA Group acknowledges that the development of this Document was made possible, in part, by the financial support of Natural Resources Canada.

This Document was prepared and reviewed by the Task Force on Cylinder Defueling, Decommissioning, and Disposal of Compressed Natural Gas Vehicle Fuel Containers.

Notes:

- 1) Use of the singular does not exclude the plural (and vice versa) when the sense allows.
- 2) Although the intended primary application of this Document is stated in its Scope, it is important to note that it remains the responsibility of the users of the Document to judge its suitability for their particular purpose.
- 3) To submit a proposal for change, please send the following information to inquiries@csagroup.org and include "Proposal for change" in the subject line:
 - a) *designation (number);*
 - b) relevant section, table, and/or figure number;
 - c) wording of the proposed change; and
 - d) *rationale for the change.*

CSA SPE-2.1.3:20 Best practices for defueling, decommissioning, and disposal of compressed hydrogen gas vehicle fuel containers

0 Introduction

The best practices outlined in this Document are intended to be used by industry personnel having training in high-pressure gas safety to safely and effectively remove containers from service. The following guidelines directed the development of the content of this Document:

- a) Defueling, decommissioning, and disposing of CHG containers should only be done by a qualified person or agency, in a safe and compliant manner following the manufacturer-specific procedures.
- b) CHG containers that have been damaged or have reached their end of life should be permanently removed from service in a safe and compliant manner following the manufacturer-specific procedures.
- c) CHG containers should be destroyed or irrevocably rendered inoperable prior to being disposed, in a safe and compliant manner following the manufacturer-specific procedures or type-specific applicable methods.

This Document focuses on compressed hydrogen gas vehicle fuel containers, since there is an immediate need of industry to safely dispose of damaged containers or containers that have reached their end of life.

1 Scope

1.1 General

This Document contains requirements for the safe removal and disposal of compressed hydrogen gas (CHG) containers from hydrogen gas vehicle (HGV) service when the container

- a) has reached its end of life as indicated by the date on the container label;
- b) has been condemned in accordance with visual inspection guidelines;
- c) is no longer of value to an owner; or
- d) has been deemed a public nuisance or imminent hazard by the local authority (abandoned, confiscated, or seized containers).

It is the owner's responsibility to ensure that the CHG containers on the vehicle are defueled and removed by a qualified agency at the end of the container life (EOL). Once the container has been removed, the custodian of the container is responsible to dispose of the container safely. **Note:** *Owners should obtain paperwork to document transfer of custody.*