


This is a preview of "DS/EN 60950-22:2017". [Click here to purchase the full version from the ANSI store.](#)

2017-04-18

Informationsteknologiudstyr – Sikkerhed – Del 22: Udstyr til udendørs installering

Information technology equipment – Safety –
Part 22: Equipment to be installed outdoors



DANSK STANDARD
Danish Standards Association

Göteborg Plads 1
DK-2150 Nordhavn

Tel: +45 39 96 61 01

Fax: +45 39 96 61 02

dansk.standard@ds.dk

www.ds.dk

This is a preview of "DS/EN 60950-22:2017". [Click here to purchase the full version from the ANSI store.](#)

DS-projekt: M295704
ICS: 29.020; 35.020

Første del af denne publikations betegnelse er:

DS/EN, hvilket betyder, at det er en europæisk standard, der har status som dansk standard.

Denne publikations overensstemmelse er:

IDT med: IEC 60950-22:2016.

IDT med: EN 60950-22:2017.

DS-publikationen er på engelsk.

Denne publikation erstatter: DS/EN 60950-22:2006, DS/EN 60950-22/AC:2008, DS/EN 60950-22/A11:2008.

DS-publikationstyper

Dansk Standard udgiver forskellige publikationstyper.

Typen på denne publikation fremgår af forsiden.

Der kan være tale om:

Dansk standard

- standard, der er udarbejdet på nationalt niveau, eller som er baseret på et andet lands nationale standard, eller
- standard, der er udarbejdet på internationalt og/eller europæisk niveau, og som har fået status som dansk standard

DS-information

- publikation, der er udarbejdet på nationalt niveau, og som ikke har opnået status som standard, eller
- publikation, der er udarbejdet på internationalt og/eller europæisk niveau, og som ikke har fået status som standard, fx en teknisk rapport, eller
- europæisk præstandard

DS-håndbog

- samling af standarder, eventuelt suppleret med informativt materiale

DS-hæfte

- publikation med informativt materiale

Til disse publikationstyper kan endvidere udgives

- tillæg og rettelsesblade

DS-publikationsform

Publikationstyperne udgives i forskellig form som henholdsvis

- fuldtekstpublikation (publikationen er trykt i sin helhed)
- godkendelsesblad (publikationen leveres i kopi med et trykt DS-omslag)
- elektronisk (publikationen leveres på et elektronisk medie)

DS-betegnelse

Alle DS-publikationers betegnelse begynder med DS efterfulgt af et eller flere præfikser og et nr., fx **DS 383**, **DS/EN 5414** osv. Hvis der efter nr. er angivet et **A** eller **Cor**, betyder det, enten at det er et **tillæg** eller et **rettelsesblad** til hovedstandard, eller at det er indført i hovedstandard.

DS-betegnelse angives på forsiden.

Overensstemmelse med anden publikation:

Overensstemmelse kan enten være IDT, EQV, NEQ eller MOD

- **IDT:** Når publikationen er identisk med en given publikation.
- **EQV:** Når publikationen teknisk er i overensstemmelse med en given publikation, men præsentationen er ændret.
- **NEQ:** Når publikationen teknisk eller præsentationsmæssigt ikke er i overensstemmelse med en given standard, men udarbejdet på baggrund af denne.
- **MOD:** Når publikationen er modificeret i forhold til en given publikation.

This is a preview of "DS/EN 60950-22:2017". [Click here to purchase the full version from the ANSI store.](#)

EUROPÄISCHE NORM

April 2017

ICS 29.020; 35.020

Supersedes EN 60950-22:2006

English Version

Information technology equipment - Safety -
Part 22: Equipment to be installed outdoors
(IEC 60950-22:2016)

Matériels de traitement de l'information - Sécurité -
Partie 22: Matériels destinés à être installés à l'extérieur
(IEC 60950-22:2016)

Einrichtungen der Informationstechnik - Sicherheit -
Teil 22: Einrichtungen für den Außenbereich
(IEC 60950-22:2016)

This European Standard was approved by CENELEC on 2016-02-11. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 108/615/FDIS, future edition 2 of IEC 60950-22, prepared by IEC/TC 108 "Safety of electronic equipment within the field of audio/video, information technology and communication technology" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60950-22:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2017-10-14
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2020-04-14

This document supersedes EN 60950-22:2006.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60950-22:2016 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60364-4-43:2008	NOTE	Harmonized as HD 60364-4-43:2010 (modified).
IEC 60364-5-53 (Clause 534)	NOTE	Harmonized as HD 60364-5-534.
IEC 60664-1	NOTE	Harmonized as EN 60664-1.
IEC 60721-3-4	NOTE	Harmonized as EN 60721-3-4.
IEC 60896-21	NOTE	Harmonized as EN 60896-21.
IEC 60896-22	NOTE	Harmonized as EN 60896-22.
IEC 61439-5:2014	NOTE	Harmonized as EN 61439-5:2015 (not modified).
IEC 61587-1:2011	NOTE	Harmonized as EN 61587-1:2012 (not modified).
IEC 61643	NOTE	Harmonized in EN 61643 / CLC/TS 61643 series.
IEC 61643-11	NOTE	Harmonized as EN 61643-11.

This is a preview of "DS/EN 60950-22:2017". [Click here to purchase the full version from the ANSI store.](#)

IEC 62305-1:2010 NOTE Harmonized as EN 62305-1:2011 (modified).

ISO 4628-3 NOTE Harmonized as EN ISO 4628-3.

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-11	-	Basic environmental testing procedures - Part 2-11: Tests - Test Ka: Salt mist	EN 60068-2-11	-
IEC 60364	series	Low-voltage electrical installations	HD 384 / HD 60364	series
IEC 60529	1989	Degrees of protection provided by enclosures (IP Code)	EN 60529	1991
-	-		+ corrigendum May	1993
+ A1	1999		+ A1	2000
+ A2	2013		+ A2	2013
IEC 60950-1 (mod)	2005	Information technology equipment - Safety - Part 1: General requirements	EN 60950-1	2006
-	-		+ AC	2011
-	-		+ A11	2009
+ A1 (mod)	2009		+ A1	2010
-	-		+ A12	2011
+ A2 (mod)	2013		+ A2	2013
IEC 62368-1 (mod)	2014	Audio/video, information and communication technology equipment - Part 1: Safety requirements	EN 62368-1	2014
-	-		+ AC	2015
-	-		+ AC	2017-03
ISO 178	-	Plastics - Determination of flexural properties	EN ISO 178	-
ISO 179	series	Plastics - Determination of Charpy impact properties	EN ISO 179	series
ISO 180	-	Plastics - Determination of Izod impact strength	EN ISO 180	-
ISO 527	series	Plastics - Determination of tensile properties	EN ISO 527	series

This is a preview of "DS/EN 60950-22:2017". [Click here to purchase the full version from the ANSI store.](#)

ISO 3231	-	Paints and varnishes - Determination of resistance to humid atmospheres containing sulfur dioxide	EN ISO 3231	-
ISO 4892-1	-	Plastics - Methods of exposure to laboratory light sources - Part 1: General guidance	EN ISO 4892-1	-
ISO 4892-2	-	Plastics - Methods of exposure to laboratory light sources - Part 2: Xenon-arc lamps	EN ISO 4892-2	-
ISO 4892-4	-	Plastics - Methods of exposure to laboratory light sources - Part 4: Open-flame carbon-arc lamps	-	-
ISO 8256	-	Plastics - Determination of tensile-impact strength	EN ISO 8256	-
ISO/TS 18173	2005	Non-destructive testing - General terms and definitions	-	-
ASTM D 471	1998	Standard Test Method for Rubber Property-Effect of Liquids	-	-

This is a preview of "DS/EN 60950-22:2017". [Click here to purchase the full version from the ANSI store.](#)



INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Information technology equipment – Safety –
Part 22: Equipment to be installed outdoors**

**Matériels de traitement de l'information – Sécurité –
Partie 22: Matériels destinés à être installés à l'extérieur**



CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
1.1 Equipment covered.....	7
1.2 Additional requirements.....	7
2 Normative references.....	7
3 Terms and definitions.....	8
4 Conditions for outdoor equipment.....	8
4.1 Ambient air temperature.....	8
4.2 Mains supply.....	9
4.2.1 General.....	9
4.2.2 Mains transient voltage on AC mains supply.....	9
4.2.3 Mains transient voltage on DC mains supply.....	9
4.3 Rise of earth potential.....	10
5 Marking and instructions.....	10
6 Protection from electrical shock in an outdoor location.....	10
6.1 Voltage limits of user-accessible parts in outdoor locations.....	10
6.2 Limited current circuits in outdoor locations.....	10
6.3 Protection for socket-outlet in outdoor locations.....	10
7 Wiring terminals for connection of external conductors.....	11
8 Construction requirements for outdoor enclosures.....	11
8.1 General.....	11
8.2 Resistance to ultra-violet radiation.....	11
8.3 Resistance to corrosion.....	12
8.3.1 General.....	12
8.3.2 Test apparatus.....	12
8.3.3 Test procedure.....	13
8.3.4 Compliance criteria.....	13
8.4 Bottoms of fire enclosures.....	13
8.5 Gaskets.....	13
8.5.1 General.....	13
8.5.2 Oil resistance.....	14
8.5.3 Securing means.....	14
9 Protection of equipment within an outdoor enclosure.....	14
9.1 Protection from moisture.....	14
9.2 Protection from plants and vermin.....	15
9.3 Protection from excessive dust.....	15
9.3.1 General.....	15
9.3.2 IP5X equipment.....	15
9.3.3 IP6X equipment.....	16
10 Mechanical strength of enclosures.....	16
10.1 General.....	16
10.2 Impact test.....	16
11 Outdoor equipment containing valve regulated or vented batteries.....	16

11.1	Risk of explosion from lead acid, NiCd and NiMH batteries	16
11.2	Ventilation preventing an explosive gas concentration	17
11.3	Ventilation test.....	19
Annex A (normative)	Water-saturated sulphur dioxide atmosphere (see 8.3.2 and 8.3.3	20
Annex B (normative)	Water spray test (see 9.1)	21
Annex C (normative)	Ultraviolet light conditioning test (see 8.2).....	24
C.1	Test apparatus.....	24
C.2	Mounting of test samples	24
C.3	Carbon-arc light-exposure apparatus	24
C.4	Xenon-arc light-exposure apparatus.....	24
Annex D (normative)	Gasket tests (see 8.5).....	25
D.1	Gasket tests.....	25
D.2	Tensile strength and elongation tests.....	25
D.3	Compression test.....	25
D.4	Oil immersion test.....	26
Annex E (informative)	Rationale.....	27
E.1	General.....	27
E.2	Electric shock	27
E.3	Energy related hazards	27
E.4	Fire	27
E.5	Mechanical hazards	28
E.6	Heat related hazards.....	28
E.7	Radiation	28
E.8	Chemical hazards	28
E.9	Biological hazards.....	28
E.10	Explosion hazards.....	29
Bibliography.....		30
Figure B.1 –	Water-spray test spray-head piping.....	22
Figure B.2 –	Water-spray test spray head	23
Figure D.1 –	Gasket test.....	26
Table 1 –	Minimum property retention limits after UV exposure	12
Table 2 –	Examples of the provision of pollution degree environments.....	14
Table 3 –	Values for current I_{float} and I_{boost} , factors f_g and f_s , and voltages U_{float} and U_{boost}	18

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INFORMATION TECHNOLOGY EQUIPMENT – SAFETY –

Part 22: Equipment to be installed outdoors

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60950-22 has been prepared by IEC TC 108: Safety of electronic equipment within the field of audio/video, information technology and communication technology.

This second edition cancels and replaces the first edition published in 2005. It constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- more extensive requirements for battery ventilation.

The text of this standard is based on the following documents:

FDIS	Report on voting
108/615/FDIS	108/634/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This Part 22 of IEC 60950 is intended to be used with IEC 60950-1:2005. The subclauses of IEC 60950-1 apply as far as reasonable. Where safety aspects are similar to those of Part 1 the relevant Part 1 clause or subclause is shown for reference in parentheses after the clause or subclause title in Part 22. Where a requirement in Part 22 refers to a requirement or criterion of Part 1, a specific reference to IEC 60950-1, is made.

A list of all parts in the IEC 60950 series, published under the general title *Information technology equipment – Safety*, can be found on the IEC website.

In this standard, the following print types are used:

- requirements proper and normative annexes: roman type;
- *compliance statements and test specifications: italic type;*
- notes in the text and in tables: smaller roman type;
- terms that are defined on Clause 3 and in IEC 60950-1: SMALL CAPITALS.

The following differing practices of a less permanent nature exist in the countries indicated below.

- 4.1: Outdoor equipment demand special design at temperatures down to –50 °C (Finland, Norway, Sweden)
- 4.3: Rise of earth potential requirements (USA, Canada)
- 8.5.1: Enclosure types specifications (USA, Canada).
- D.4: In Canada and United States, IRM Immersion Oil No. 903 is accepted (USA, Canada).

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This standard proposes safety requirements for information technology equipment intended to be installed, when exposed wholly or partly, in a location where protection from the weather and other outdoor influences such as rain, dust, etc. normally provided by a building or other structure is limited or non-existent. There are many examples of information technology equipment in use throughout the world that are housed in special ENCLOSURES located on pavements, mounted on telecommunications poles and situated underground. Presently, IEC 60950 has no requirements for such equipment and this proposal would rectify this omission. The proposed requirements would not apply to portable or transportable equipment that may be occasionally used outdoors, but are not intended to be installed in conditions of inclement weather.

It is expected that IEC TC108 will continue to coordinate the output of its work with other technical committees dealing with equipment installed outdoors, such as IEC TC70 (Degrees of protection provided by enclosures, responsible for IEC 60529) and IEC TC 48 (Electrical connectors and mechanical structures for electrical and electronic equipment).

Annex E describes the rationale behind the treatment of specific safety aspects in this standard.

INFORMATION TECHNOLOGY EQUIPMENT – SAFETY –

Part 22: Equipment to be installed outdoors

1 Scope

1.1 Equipment covered

This part of IEC 60950 applies to information technology equipment intended to be installed in an OUTDOOR LOCATION.

The requirements for OUTDOOR EQUIPMENT also apply, where relevant, to OUTDOOR ENCLOSURES suitable for direct installation in the field and supplied for housing information technology equipment to be installed in an OUTDOOR LOCATION.

1.2 Additional requirements

Each installation may have particular requirements. Some examples are given in 4.2. In addition, requirements for protection of the OUTDOOR EQUIPMENT against the effects of direct lightning strikes are not covered by the standard. For information on this subject, see IEC 62305-1.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-11, *Environmental testing procedures – Part 2-11: Tests – Test Ka: Salt mist*

IEC 60364 (all parts), *Low-voltage electrical installations*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*

IEC 60529:1989/AMD1:1999

IEC 60529:1989/AMD2:2013

IEC 60950-1:2005, *Information technology equipment – Safety – Part 1: General requirements*

IEC 60950-1:2005/AMD1:2009

IEC 60950-1:2005/AMD2:2013

IEC 62368-1:2014, *Audio/video, information and communication technology equipment – Part 1: Safety requirements*

ISO 178, *Plastics – Determination of flexural properties*

ISO 179 (all parts), *Plastics – Determination of Charpy impact properties*

ISO 180, *Plastics – Determination of Izod impact strength*

ISO 527 (all parts), *Plastics – Determination of tensile properties*

ISO 3231, *Paints and varnishes – Determination of resistance to humid atmospheres containing sulfur dioxide*

ISO 4892-1, *Plastics – Methods of exposure to laboratory light sources – General guidance*

ISO 4892-2, *Plastics – Methods of exposure to laboratory light sources – Xenon-arc lamps*

ISO 4892-4, *Plastics – Methods of exposure to laboratory light sources – Open-flame carbon-arc lamps*

ISO 8256, *Plastics – Determination of tensile-impact strength*

ISO/TS 18173:2005, *Non-destructive testing – General terms and definitions*

ASTM D471-98, *Standard Test Method for Rubber Property-Effect of Liquids*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60950-1 and the following apply.

3.1

OUTDOOR LOCATION

location for equipment where protection from the weather and other outdoor influences provided by a building or other structure is limited or non-existent

3.2

OUTDOOR EQUIPMENT

equipment specified by the manufacturer to be installed where exposed wholly or partly to the conditions in an OUTDOOR LOCATION

Note 1 to entry: TRANSPORTABLE EQUIPMENT, for example, a laptop or notebook computer, or a telephone, is not OUTDOOR EQUIPMENT unless specified by the manufacturer for continuous use in an OUTDOOR LOCATION.

3.3

OUTDOOR ENCLOSURE

part of OUTDOOR EQUIPMENT that is exposed to the adverse conditions in an OUTDOOR LOCATION and that is intended to protect the interior of the equipment from those conditions

Note 1 to entry: An OUTDOOR ENCLOSURE can also perform the functions of one or more of the following: a FIRE ENCLOSURE; an ELECTRICAL ENCLOSURE; a MECHANICAL ENCLOSURE.

Note 2 to entry: A separate cabinet or housing into which the equipment is placed can provide the function of an OUTDOOR ENCLOSURE.

4 Conditions for outdoor equipment

4.1 Ambient air temperature

OUTDOOR EQUIPMENT and OUTDOOR ENCLOSURES shall be suitable for use at any temperature in the range specified by the manufacturer. If not specified by the manufacturer, the range shall be taken as:

- minimum ambient temperature: –33 °C;
- maximum ambient temperature: +40 °C.

Compliance is checked by inspection and by evaluation of the data provided by the manufacturer.