


## Termisk sprøjtning – Bestemmelse af vedhæftningsstyrken ved træk

Thermal spraying – Determination of tensile adhesive strength (ISO 14916:2017)



**DANSK STANDARD**  
Danish Standards Association

Göteborg Plads 1  
DK-2150 Nordhavn

Tel: +45 39 96 61 01

Fax: +45 39 96 61 02

[dansk.standard@ds.dk](mailto:dansk.standard@ds.dk)

[www.ds.dk](http://www.ds.dk)

This is a preview of "DS/EN ISO 14916:2017". [Click here to purchase the full version from the ANSI store.](#)

DS-projekt: M299133  
ICS: 25.220.20

**Første del af denne publikations betegnelse er:**

**DS/EN ISO, hvilket betyder, at det er en international standard, der har status både som europæisk og dansk standard.**

**Denne publikations overensstemmelse er:**

**IDT med: ISO 14916:2017.**

**IDT med: EN ISO 14916:2017.**

**DS-publikationen er på engelsk.**

**Denne publikation erstatter: DS/EN 582:1994.**

---

### **DS-publikationstyper**

Dansk Standard udgiver forskellige publikationstyper.

Typen på denne publikation fremgår af forsiden.

Der kan være tale om:

#### **Dansk standard**

- standard, der er udarbejdet på nationalt niveau, eller som er baseret på et andet lands nationale standard, eller
- standard, der er udarbejdet på internationalt og/eller europæisk niveau, og som har fået status som dansk standard

#### **DS-information**

- publikation, der er udarbejdet på nationalt niveau, og som ikke har opnået status som standard, eller
- publikation, der er udarbejdet på internationalt og/eller europæisk niveau, og som ikke har fået status som standard, fx en teknisk rapport, eller
- europæisk præstandard

#### **DS-håndbog**

- samling af standarder, eventuelt suppleret med informativt materiale

#### **DS-hæfte**

- publikation med informativt materiale

Til disse publikationstyper kan endvidere udgives

- tillæg og rettelsesblade

### **DS-publikationsform**

Publikationstyperne udgives i forskellig form som henholdsvis

- fuldtekstpublikation (publikationen er trykt i sin helhed)
- godkendelsesblad (publikationen leveres i kopi med et trykt DS-omslag)
- elektronisk (publikationen leveres på et elektronisk medie)

### **DS-betegnelse**

Alle DS-publikationers betegnelse begynder med DS efterfulgt af et eller flere præfikser og et nr., fx **DS 383**, **DS/EN 5414** osv. Hvis der efter nr. er angivet et **A** eller **Cor**, betyder det, enten at det er et **tillæg** eller et **rettelsesblad** til hovedstandard, eller at det er indført i hovedstandard.

DS-betegnelse angives på forsiden.

### **Overensstemmelse med anden publikation:**

Overensstemmelse kan enten være IDT, EQV, NEQ eller MOD

- **IDT:** Når publikationen er identisk med en given publikation.
- **EQV:** Når publikationen teknisk er i overensstemmelse med en given publikation, men præsentationen er ændret.
- **NEQ:** Når publikationen teknisk eller præsentationsmæssigt ikke er i overensstemmelse med en given standard, men udarbejdet på baggrund af denne.
- **MOD:** Når publikationen er modificeret i forhold til en given publikation.

This is a preview of "DS/EN ISO 14916:2017". [Click here to purchase the full version from the ANSI store.](#)

## EUROPÄISCHE NORM

March 2017

ICS 25.220.20

Supersedes EN 582:1993

English Version

## Thermal spraying - Determination of tensile adhesive strength (ISO 14916:2017)

Projection thermique - Mesure de l'adhérence par essais de traction (ISO 14916:2017)

Thermisches Spritzen - Ermittlung der Haftzugfestigkeit (ISO 14916:2017)

This European Standard was approved by CEN on 8 March 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

This is a preview of "DS/EN ISO 14916:2017". [Click here to purchase the full version from the ANSI store.](#)

<b>Contents</b>	<b>Page</b>
<b>European foreword.....</b>	<b>3</b>

This is a preview of "DS/EN ISO 14916:2017". [Click here to purchase the full version from the ANSI store.](#)

## European foreword

This document (EN ISO 14916:2017) has been prepared by Technical Committee ISO/TC 107 "Metallic and other inorganic coatings" in collaboration with Technical Committee CEN/TC 240 "Thermal spraying and thermally sprayed coatings" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2017, and conflicting national standards shall be withdrawn at the latest by September 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 582:1993.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Endorsement notice

The text of ISO 14916:2017 has been approved by CEN as EN ISO 14916:2017 without any modification.

This is a preview of "DS/EN ISO 14916:2017". [Click here to purchase the full version from the ANSI store.](#)

This is a preview of "DS/EN ISO 14916:2017". [Click here to purchase the full version from the ANSI store.](#)

Second edition  
2017-03

---

---

## Thermal spraying — Determination of tensile adhesive strength

*Projection thermique — Mesure de l'adhérence par essais de traction*



Reference number  
ISO 14916:2017(E)

© ISO 2017



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

This is a preview of "DS/EN ISO 14916:2017". [Click here to purchase the full version from the ANSI store.](#)

## Contents

	Page
<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Principles</b> .....	<b>2</b>
<b>5 Equipment for testing and measuring and auxiliary equipment</b> .....	<b>3</b>
5.1 Test instruments.....	3
5.2 Measurement instrument.....	3
5.3 Specimen fixing device for bonding of the tensile adhesive specimen.....	4
<b>6 Specimens</b> .....	<b>4</b>
6.1 Shape of specimens.....	4
6.2 Material of the specimen.....	6
6.3 Preparing the substrate and loading blocks.....	6
6.4 Preparing and spraying of the specimen.....	8
6.5 Manufacture of the specimens for tensile testing.....	9
6.5.1 Machining of the coated substrate block (or test disc) and preparation for bonding.....	9
6.5.2 Gluing the specimen.....	9
6.5.3 Bonding agent.....	9
6.6 Reference specimen.....	10
6.7 Number of specimens to be tested.....	10
<b>7 Applying the testing</b> .....	<b>10</b>
<b>8 Measurement readings and evaluation</b> .....	<b>11</b>
<b>9 Test report — Documentation</b> .....	<b>12</b>
<b>10 Possible sources of fault when preparing the specimens and on testing</b> .....	<b>13</b>
<b>Annex A (informative) Work instructions for gluing</b> .....	<b>14</b>
<b>Annex B (informative) Recommendations for further auxiliary equipment</b> .....	<b>17</b>
<b>Annex C (informative) Function areas on the tensile adhesive specimen and possibilities of fracture locations according to ASTM C633-13</b> .....	<b>21</b>
<b>Annex D (informative) Record for the applied tensile adhesive test according to this document</b> .....	<b>22</b>
<b>Bibliography</b> .....	<b>26</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 107, *Metallic and other inorganic coatings*.

This second edition cancels and replaces the first edition (ISO 14916:1999), which has been technically revised.

This is a preview of "DS/EN ISO 14916:2017". [Click here to purchase the full version from the ANSI store.](#)

## Introduction

The determination of the tensile adhesive strength of a thermal spray coating can play an important role in the quality control of production. Deviations from the normal and qualified procedure can be recognized when preparing and spraying a component.

If the fracture occurs cohesively in the coating when applying the tensile adhesive strength test, the coating's strength in the direction normal to the surface is supplied. Influences of variations in spray conditions can be identified via proper interpretation of tensile test results. Microscopic investigations of the fractured surface can supply further information for judging the quality of the coating's structure.

A revision of the existing document had been required as a result of the identification of significant influences on the test results caused by the tensile test bonding procedure and by the properties of the adhesive itself. These findings were not adequately covered in the previous version of this document.

This is a preview of "DS/EN ISO 14916:2017". [Click here to purchase the full version from the ANSI store.](#)

This is a preview of "DS/EN ISO 14916:2017". Click here to purchase the full version from the ANSI store.

# Thermal spraying — Determination of tensile adhesive strength

## 1 Scope

This document specifies the procedure to determine the tensile adhesive strength of thermally sprayed coatings under tension in the direction normal to the surface of the coating by applying a tensile test. By using this procedure, comparability of the test results is ensured.

The test is intended to determine the tensile adhesive strength between the thermally sprayed coating and the substrate material or between the bond and top coat and/or of the cohesive strength of the related coat of the coating system. In some cases, thermally sprayed coatings might have more than two layers. The method specified in this document applies also to determine the tensile adhesive strength between the interfaces of different layers in a coating system which consists of more than two layers.

This test is sufficient to compare coatings manufactured using same or similar feedstock materials and thermal spray processes with each other. The tensile adhesive strength test is not intended to provide absolute values for evaluation of the durability of coatings under operational use.

The test is used to assess the influence of substrate preparation, the spraying conditions and the process parameter on the tensile adhesive strength of thermally sprayed coatings. It can also be employed in order to monitor the consistency of the manufacturing and spraying processes.

**NOTE** This tensile test can also be applied to very thin coatings. Moreover, the infiltration of bonding agent into the thermally sprayed coatings containing a required level of porosity can be minimized using an appropriate bonding agent (foil rather than liquid). For further instructions, please refer to 6.5.3. This tensile test is inappropriate for determining the adhesive strength of fused spray coatings deposited using self-fluxing alloys due to their inherent high adhesion strength values.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7500-1, *Metallic materials — Calibration and verification of static uniaxial testing machines — Part 1: Tension/compression testing machines — Calibration and verification of the force-measuring system*

ISO 14917, *Thermal spraying — Terminology, classification*

EN 13507, *Thermal spraying — Pre-treatment of surfaces of metallic parts and components for thermal spraying*

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>