

This is a preview of "DS/EN 63028:2017". [Click here to purchase the full version from the ANSI store.](#)

Trådløs energioverførsel – AirFuel Resonant Baseline System Specification (BSS)

Wireless Power Transfer – AirFuel Resonant
Baseline System Specification (BSS)

DANSK STANDARD
Danish Standards Association

Göteborg Plads 1
DK-2150 Nordhavn

Tel: +45 39 96 61 01

Tel: +45 39 96 61 01

dansk.standard@ds.dk

www.ds.dk

This is a preview of "DS/EN 63028:2017". [Click here to purchase the full version from the ANSI store.](#)

DS projekt: M301824

ICS: 29.240.99; 33.160.99; 35.200

Første del af denne publikations betegnelse er:

DS/EN, hvilket betyder, at det er en europæisk standard, der har status som dansk standard.

Denne publikations overensstemmelse er:

IDT med: IEC 63028:2017

IDT med: EN 63028:2017

DS-publikationen er på engelsk.

DS-publikationstyper

Dansk Standard udgiver forskellige publikationstyper.

Typen på denne publikation fremgår af forsiden.

Der kan være tale om:

Dansk standard

- standard, der er udarbejdet på nationalt niveau, eller som er baseret på et andet lands nationale standard, eller
- standard, der er udarbejdet på internationalt og/eller europæisk niveau, og som har fået status som dansk standard

DS-information

- publikation, der er udarbejdet på nationalt niveau, og som ikke har opnået status som standard, eller
- publikation, der er udarbejdet på internationalt og/eller europæisk niveau, og som ikke har fået status som standard, fx en teknisk rapport, eller
- europæisk præstandard

DS-håndbog

- samling af standarder, eventuelt suppleret med informativt materiale

DS-hæfte

- publikation med informativt materiale

Til disse publikationstyper kan endvidere udgives

- tillæg og rettelsesblade

DS-publikationsform

Publikationstyperne udgives i forskellig form som henholdsvis

- fuldttekstpublikation (publikationen er trykt i sin helhed)
- godkendelsesblad (publikationen leveres i kopi med et trykt DS-omslag)
- elektronisk (publikationen leveres på et elektronisk medie)

DS-betegnelse

Alle DS-publikationers betegnelse begynder med DS efterfulgt af et eller flere præfikser og et nr., fx **DS 383**, **DS/EN 5414** osv. Hvis der efter nr. er angivet et **A** eller **Cor**, betyder det, enten at det er et **tillæg** eller et **rettelsesblad** til hovedstandard, eller at det er indført i hovedstandard.

DS-betegnelse angives på forsiden.

Overensstemmelse med anden publikation:

Overensstemmelse kan enten være IDT, EQV, NEQ eller MOD

- **IDT:** Når publikationen er identisk med en given publikation.
- **EQV:** Når publikationen teknisk er i overensstemmelse med en given publikation, men præsentationen er ændret.
- **NEQ:** Når publikationen teknisk eller præsentationsmæssigt ikke er i overensstemmelse med en given standard, men udarbejdet på baggrund af denne.
- **MOD:** Når publikationen er modificeret i forhold til en given publikation.

This is a preview of "DS/EN 63028:2017". [Click here to purchase the full version from the ANSI store.](#)

EUROPÄISCHE NORM

September 2017

ICS 29.240.99; 33.160.99; 35.200

English Version

Wireless Power Transfer - AirFuel Resonant Baseline System
Specification (BSS)
(IEC 63028:2017)

Transfert d'énergie sans fil - Interopérabilité relative à la
résonance magnétique - Spécification du système de
référence (BSS) A4WP
(IEC 63028:2017)

Drahtlose Energieübertragung - Magnetische Resonanz
Interoperabilität - A4WP Grundlegende System
Spezifikation (BSS)
(IEC 63028:2017)

This European Standard was approved by CENELEC on 2017-07-24. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

This is a preview of "DS/EN 63028:2017". [Click here to purchase the full version from the ANSI store.](#)

The text of document 100/2901/FDIS, future edition 1 of IEC 63028, prepared by Technical Area 15 "Wireless power transfer" of IEC/TC 100 "Audio, video and multimedia systems and equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 63028:2017.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2018-04-24
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2020-07-24

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 63028:2017 was approved by CENELEC as a European Standard without any modification.

This is a preview of "DS/EN 63028:2017". Click here to purchase the full version from the ANSI store.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
Airfuel Wireless Power Transfer System Baseline System Specification (BSS) v1.3	-	Available at: http://www.airfuel.org/technologies/specification-download		-
Airfuel Wireless Power Transfer System Baseline System Specification (BSS) v1.2.1		Available at: http://www.airfuel.org/technologies/specification-download		
Bluetooth core specification v4.0		Available at: https://www.bluetooth.org/docman/handler/downloaddoc.ashx?doc_id=229737		
CSA4		Available at: https://www.bluetooth.org/docman/handler/downloaddoc.ashx?doc_id=269452		

This is a preview of "DS/EN 63028:2017". [Click here to purchase the full version from the ANSI store.](#)

This is a preview of "DS/EN 63028:2017". Click here to purchase the full version from the ANSI store.



Edition 1.0 2017-06

INTERNATIONAL STANDARD



Wireless power transfer – Airfuel alliance resonant baseline system specification (BSS)

CONTENTS

FOREWORD.....	7
INTRODUCTION.....	9
1 Scope.....	10
2 Normative references	10
3 Terms, definitions, symbols and abbreviated terms.....	10
3.1 Terms and definitions.....	10
3.2 Symbols and abbreviated terms	13
3.2.1 Symbols	13
3.2.2 Abbreviated terms	17
4 System description	17
5 Conformance and backwards compatibility	18
6 Device types.....	19
6.1 PTU classification	19
6.2 PRU category	20
7 Power transfer specifications	20
7.1 System equivalent circuit and reference parameters	20
7.2 General system requirements	21
7.2.1 Operating frequency	21
7.2.2 Z_{TX_IN} relationship to R_{RECT}	21
7.2.3 Power stability	21
7.2.4 PTU co-location protection.....	21
7.2.5 PRU self-protection (informative).....	21
7.3 Resonator requirements.....	21
7.3.1 Resonator coupling efficiency (RCE)	21
7.3.2 PTU resonator requirements.....	22
7.3.3 PRU resonator requirements	24
7.4 Load parameters.....	25
7.4.1 Load parameters introduction	25
7.4.2 Minimum load resistance	26
7.4.3 Maximum allowable dynamic load	26
7.4.4 Maximum load capacitance.....	26
8 Power control specifications	26
8.1 Control objectives	26
8.2 PTU specifications	26
8.2.1 PTU state	26
8.2.2 General state requirements	27
8.2.3 PTU power save state.....	28
8.2.4 PTU Low Power state	30
8.2.5 PTU Power Transfer state	31
8.2.6 PTU Configuration state	33
8.2.7 PTU Local Fault state	34
8.2.8 PTU latching fault state	34
8.2.9 PTU state transitions	35
8.2.10 PTU Test Mode.....	38
8.3 PRU specifications.....	38
8.3.1 PRU general requirements.....	38

8.3.2	PRU state model	41
8.3.3	Null state	42
8.3.4	PRU boot.....	42
8.3.5	PRU On state	42
8.3.6	PRU System Error state.....	43
8.3.7	PRU state transitions	44
9	Signaling specifications	45
9.1	Architecture and state diagrams.....	45
9.1.1	Architecture	45
9.1.2	Overall charge process	46
9.2	Charge procedure and requirements	48
9.2.1	Removing PRU from WPT network	48
9.2.2	Power Sharing mode	48
9.3	Bluetooth low energy requirements	49
9.3.1	Bluetooth low energy requirements introduction	49
9.3.2	Bluetooth low energy objectives.....	49
9.3.3	PTU hardware requirement.....	49
9.3.4	PRU hardware requirement.....	49
9.3.5	Basic network structure	49
9.3.6	RF requirements.....	49
9.3.7	Timing and sequencing requirements.....	50
9.3.8	Profile structure	53
9.4	BLE profile definition.....	53
9.4.1	GATT sub-procedure	53
9.4.2	Configuration	53
9.4.3	PRU requirements	54
9.4.4	PTU requirements.....	55
9.4.5	Connection establishment.....	55
9.4.6	Security considerations.....	57
9.4.7	Charge completion.....	57
9.5	WPT service characteristics	58
9.5.1	WPT service characteristics introduction.....	58
9.5.2	PRU advertising payload	58
9.5.3	WPT service	60
9.5.4	PRU control.....	62
9.5.5	PTU static parameter	64
9.5.6	PRU static parameter characteristic.....	69
9.5.7	PRU dynamic parameter characteristic	72
9.5.8	PRU alert characteristic.....	76
9.6	Cross connection algorithm.....	78
9.6.1	Cross connection algorithm introduction	78
9.6.2	Definitions	78
9.6.3	Acceptance of advertisement.....	78
9.6.4	Impedance shift sensing	78
9.6.5	Reboot bit handling.....	79
9.6.6	Time set handling	79
9.7	Mode transition	80
9.7.1	Mode transition introduction.....	80
9.7.2	Mode transition procedure	80

9.7.3	BLE reconnection procedure.....	81
10	PTU resonators	83
10.1	PTU resonators introduction.....	83
10.2	Class n design template	83
10.2.1	Class n design template introduction.....	83
10.2.2	Table of specifications	83
10.2.3	PTU resonator structure	83
10.3	Approved PTU resonators	83
Annex A (informative)	Reference PRU for PTU acceptance testing	84
A.1	Category 1	84
A.2	Category 2	84
A.3	Category 3	84
A.3.1	PRU design 3-1	84
A.3.2	Geometry.....	84
A.4	Category 4	87
A.5	Category 5	87
Annex B (informative)	Lost power	88
B.1	Overview.....	88
B.2	General.....	88
B.3	Cross connection issues	88
B.4	Handoff issues	88
B.5	Power noise issues	89
B.6	PTU lost power calculation.....	89
B.6.1	Lost power detection threshold	89
B.6.2	Lost power detection speed	89
B.6.3	PTU lost power calculation	89
B.6.4	PTU power transmission detection accuracy.....	89
B.6.5	PRU lost power reports.....	89
B.6.6	Accuracy of reported power	90
B.6.7	Other PRU lost power reports	90
Annex C (normative)	User experience requirements	91
C.1	General.....	91
C.2	User indication.....	91
C.2.1	PRU user indication	91
C.2.2	PTU user indication	91
Annex D (informative)	RCE calculations.....	92
D.1	RCE calculation (using S-parameters)	92
D.2	RCE calculation (using Z-parameters).....	93
D.2.1	Series tuned case.....	94
D.2.2	Other RCE calculations.....	94
D.3	Conversion between S-parameters and Z-parameters	94
Figure 1	– Wireless power transfer system.....	18
Figure 2	– PTU-PRU resonator P_{TX_IN}	19
Figure 3	– PTU-PRU resonator P_{RX_OUT}	20
Figure 4	– Equivalent circuit and system parameters	20
Figure 5	– PTU resonator-load considerations	24

Figure 6 – PTU state model	27
Figure 7 – Beacon sequences	29
Figure 8 – Load variation detection	29
Figure 9 – Discovery	30
Figure 10 – PTU I_{TX} transition responses.....	31
Figure 11 – PRU state model	41
Figure 12 – V_{RECT} operating regions	42
Figure 13 – Basic architecture of WPT system	45
Figure 14 – Basic state procedure (informative)	47
Figure 15 – Registration period timeline example (informative)	52
Figure 16 – PTU/PRU services/characteristics communication	54
Figure 17 – PRU mode transition – Device Address field set to a non-zero value	81
Figure 18 – PRU mode transition – Device Address field set to all zeros	82
Figure A.1 – PRU design 3 block diagram	84
Figure A.2 – Front view	85
Figure A.3 – Back view	85
Figure A.4 – Side view	86
Figure A.5 – Front view, coil only	86
Figure A.6 – Side view, coil only	86
Table 1 – PTU classification.....	19
Table 2 – PRU category	20
Table 3 – Minimum RCE (percent and dB) between PRU and PTU.....	22
Table 4 – Maximum load capacitance	26
Table 5 – Time requirement to enter PTU Power Transfer state	28
Table 6 – Sub-state of PTU Power Transfer	32
Table 7 – PTU latching faults	37
Table 8 – Example of accuracy of reported current	41
Table 9 – PRU system errors	45
Table 10 – RF budget (informative).....	50
Table 11 – Timing constraints	52
Table 12 – BLE profile characteristics	53
Table 13 – GATT sub-procedure	53
Table 14 – PRU advertising payload	58
Table 15 – Impedance shift bit	60
Table 16 – WPT service UUID	60
Table 17 – WPT service	61
Table 18 – GAP service	62
Table 19 – GATT service	62
Table 20 – PRU Control Characteristic.....	63
Table 21 – Detail: bit field for enables	63
Table 22 – Detail: bit field for permission	64
Table 23 – Detail: bit field for time set.....	64

This is a preview of "DS/EN 63028:2017". [Click here to purchase the full version from the ANSI store.](#)

Table 24 – PTU reporting static values to PRU	65
Table 25 – Detail: bit field for optional fields validity.....	65
Table 26 – PTU power	66
Table 27 – Max source impedance.....	67
Table 28 – Max load resistance	68
Table 29 – AirFuel protocol revision field	69
Table 30 – PTU number of devices	69
Table 31 – PRU reporting static values to the PTU	70
Table 32 – Detail: bit field for optional fields validity.....	70
Table 33 – Detail: bit field for PRU information	71
Table 34 – PRU dynamic parameter characteristic.....	73
Table 35 – Detail: bit field for optional fields validity.....	73
Table 36 – Detail: bit field for PRU alert.....	75
Table 37 – Detail: bit field for PRU alert.....	76
Table 38 – Test mode commands	76
Table 39 – PRU alert fields	77
Table 40 – Detail: bit field for PRU alert notification	77
Table 41 – Mode transition.....	78
Table A.1 – PRU table of specifications	84

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**WIRELESS POWER TRANSFER – AIRFUEL ALLIANCE RESONANT
BASELINE SYSTEM SPECIFICATION (BSS)**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 63028 has been prepared by technical area 15: Wireless power transfer, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
100/2901/FDIS	100/2941/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

This is a preview of "DS/EN 63028:2017". [Click here to purchase the full version from the ANSI store.](#)

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

In today's world, mainstream consumer mobile devices are ubiquitously supported by wireless technologies for data communication and connectivity functions while charging function is primarily supported by wired technologies. The development of wireless power transfer technologies offers increased user convenience for charging mobile devices; technologies include inductive, resonant, uncoupled (RF, ultrasonic, laser) methods.

IEC 63028 defines a specific wireless charging approach based on resonant technology and specifies technical requirements for the AirFuel™¹ resonant wireless power transfer (WPT) systems.

¹ AirFuel™ is the trade name of a product supplied by AirFuel Alliance. This information is given for the convenience of users of this document and does not constitute an endorsement by IEC of the product named.

WIRELESS POWER TRANSFER – AIRFUEL ALLIANCE RESONANT BASELINE SYSTEM SPECIFICATION (BSS)

1 Scope

This document defines technical requirements, behaviors and interfaces used for ensuring interoperability for flexibly coupled wireless power transfer (WPT) systems for AirFuel Resonant WPT. This document is based on AirFuel Wireless Power Transfer System Baseline System Specification (BSS) v1.3.

Products implementing this document are expected to follow applicable regulations and global standards.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

AirFuel Wireless Power Transfer System Baseline System Specification (BSS) v1.3 [viewed 2017-03-13]. Available at: <http://www.airfuel.org/technologies/specification-download>

AirFuel Wireless Power Transfer System Baseline System Specification (BSS) v1.2.1 [viewed 2017-03-13]. Available at: <http://www.airfuel.org/technologies/specification-download>

Bluetooth core specification v4.0, or later versions as they are available [viewed 2017-03-13]. Available at: https://www.bluetooth.org/docman/handlers/downloaddoc.ashx?doc_id=229737

CSA4, or later versions as they are available [viewed 2017-03-13]. Available at: https://www.bluetooth.org/docman/handlers/DownloadDoc.ashx?doc_id=269452

3 Terms, definitions, symbols and abbreviated terms

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1.1

advertisement

connectable, undirected advertising event where the device transmits three WPT service specific ADV_IND packets and accepts both scan requests and connect requests

Note 1 to entry: There is one ADV_IND packet transmitted on each of the advertising channels.

Note 2 to entry: Receipt of an advertisement is defined to be receipt of one of the three advertisement packets.