Jernbaner – Elektromagnetisk kompatibilitet (EMC) – Del 1: Generelt

Railway applications – Electromagnetic compatibility – Part 1: General

DANSK STANDARD Danish Standards Association

> Göteborg Plads 1 DK-2150 Nordhavn

Tel: +45 39 96 61 01 Tel: +45 39 96 61 01 dansk.standard@ds.dk www.ds.dk

© Dansk Standard - Eftertryk uden tilladelse forbudt

DS projekt: M313305 ICS: 33.100; 45.060.01

Første del af denne publikations betegnelse er: DS/IEC, hvilket betyder, at det er en international standard, der har status som dansk standard.

Denne publikations overensstemmelse er: IDT med: IEC 62236-1:2018

DS-publikationen er på engelsk.

DS-publikationstyper

Dansk Standard udgiver forskellige publikationstyper. Typen på denne publikation fremgår af forsiden.

Der kan være tale om:

- Dansk standard
 - standard, der er udarbejdet på nationalt niveau, eller som er baseret på et andet lands nationale standard, eller
 - standard, der er udarbejdet på internationalt og/eller europæisk niveau, og som har fået status som dansk standard

DS-information

- publikation, der er udarbejdet på nationalt niveau, og som ikke har opnået status som standard, eller
- publikation, der er udarbejdet på internationalt og/eller europæisk niveau, og som ikke har fået status som standard, fx en teknisk rapport, eller
- europæisk præstandard

DS-håndbog

- samling af standarder, eventuelt suppleret med informativt materiale
- **DS-hæfte**
- publikation med informativt materiale
- Til disse publikationstyper kan endvidere udgives
 - tillæg og rettelsesblade

DS-publikationsform

Publikationstyperne udgives i forskellig form som henholdsvis

- fuldtekstpublikation
- godkendelsesblad
- (publikationen er trykt i sin helhed)
- (publipukationen leveres i kopi med et trykt DS-omslag)
- elektronisk
- (publikationen leveres på et elektronisk medie)

DS-betegnelse

Alle DS-publikationers betegnelse begynder med DS efterfulgt af et eller flere præfikser og et nr., fx DS 383, DS/EN 5414 osv. Hvis der efter nr. er angivet et A eller Cor, betyder det, enten at det er et tillæg eller et rettelsesblad til hovedstandarden, eller at det er indført i hovedstandarden.

DS-betegnelse angives på forsiden.

Overensstemmelse med anden publikation:

Overensstemmelse kan enten være IDT, EQV, NEQ eller MOD

- IDT: Når publikationen er identisk med en given publikation.
- EQV: Når publikationen teknisk er i overensstemmelse med en given publikation, men præsentationen er ændret.
- Når publikationen teknisk eller præsentationsmæssigt ikke er i overensstemmelse med en NEO: given standard, men udarbejdet på baggrund af denne.
- Når publikationen er modificeret i forhold til en given publikation. MOD:

Edition 3.0 2018-02

INTERNATIONAL STANDARD

NORME INTERNATIONALE

Railway applications – Electromagnetic compatibility – Part 1: General

Applications ferroviaires – Compatibilité électromagnétique – Partie 1: Généralités



CONTENTS

| FOREWORD |
|--|
| NTRODUCTION |
| I Scope7 |
| 2 Normative references |
| 3 Terms, definitions and abbreviated terms7 |
| 3.1 Terms and definitions |
| 3.2 Abbreviated terms |
| Performance criteria |
| 5 Management of EMC9 |
| Annex A (informative) The railway system10 |
| A.1 General10 |
| A.2 General coupling mechanisms10 |
| A.3 Principal electromagnetic phenomena for immunity |
| A.3.1 Conducted low frequency phenomena11 |
| A.3.2 Radiated low frequency field phenomena11 |
| A.3.3 Conducted high frequency phenomena11 |
| A.3.4 Radiated high frequency phenomena11 |
| A.4 Principal electromagnetic phenomena for emission11 |
| A.5 Description of the different electric traction systems11 |
| A.6 Components of electric traction systems11 |
| A.7 Internal sources of electromagnetic disturbance12 |
| A.7.1 General |
| A.7.2 Fixed elements |
| A.7.3 Mobile elements |
| A.7.4 Onboard auxiliary power converters13 |
| A.7.5 Train line |
| A.7.6 Traction return current with respect to track circuits |
| A.7.7 Trackside equipment |
| A.8 Summary of main characteristics of railway systems |
| A.9 External sources of disturbance |
| 3ibliography15 |

INTERNATIONAL ELECTROTECHNICAL COMMISSION

RAILWAY APPLICATIONS – ELECTROMAGNETIC COMPATIBILITY –

Part 1: General

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62236-1 has been prepared by IEC technical committee 9: Electrical equipment and systems for railways.

This third edition cancels and replaces the second edition published in 2008. It constitutes a technical revision and has been developed on the basis of EN 50121-1:2015.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Clarification in scope.
- b) Introduction of subclause Abbreviated terms.
- c) Management of EMC now based on IEC 61000 series as former reference is not adequate.

The text of this International Standard is based on the following documents:

| FDIS | Report on voting |
|-------------|------------------|
| 9/2335/FDIS | 9/2365/RVD |

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 62236, published under the general title *Railway applications* – *Electromagnetic compatibility*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

The railway system EMC series of product-specific International Standards consists of five parts described at the end of this introduction.

The series of standards provides both a framework for managing the EMC for railway systems and also specifies the limits for the electromagnetic (EM) emission of the railway system as a whole to the outside world and for the EM emission and immunity for equipment operating within the railway system. The latter is intended to be compatible with the emission limits set for the railway system as a whole and also provides for establishing confidence in equipment being fit for purpose in the railway environment. There are different stationary emission limits set for trams/trolleybuses and for metro/mainline railway systems. The frequency covered by the standards is in the range from DC to 400 GHz. No measurements need to be performed at frequencies where no requirement is specified. The limits for EMC phenomena are set so that the railway system as a whole achieves electromagnetic compatibility with the outside world, and between the various parts of the railway system. Throughout the series of standards, the immunity levels are chosen to ensure a reasonable level of EMC with other apparatus within the local railway environment and with emissions which enter the railway system from the outside world.

The compatibility between railway system emissions and their external environment is based upon emission limits from the railway systems being set by considering the results from measurements. Given that the general compatibility between railway systems and their environment was satisfactory at the time these measurements were made and subsequent experience of applying the limits has confirmed their acceptability, compliance with this document has been judged to give satisfactory compatibility. The immunity and emission levels do not of themselves guarantee that the railway system will have satisfactory EMC with its neighbours. In exceptional circumstances, for instance near a "special location" which has unusually high levels of EM interference, the railway system may require additional measures to be taken to ensure proper compatibility. Particular care should be taken when in proximity to equipment such as radio transmission equipment, military or medical installations. Attention is particularly drawn to any magnetic imaging equipment in hospitals that may be near to urban transport. In all these cases, compatibility should be achieved with consultation and cooperation between the interested parties.

The immunity and emission levels do not of themselves guarantee that integration of the apparatus within the railway system will necessarily be satisfactory. The document cannot cover all the possible configurations of apparatus, but the test levels are sufficient to achieve satisfactory EMC in the majority of cases. In exceptional circumstances, for instance near a "special location" which has unusually high levels of EM interference, the system may require additional measures to be taken to ensure proper operation. The resolution of this is a matter for discussion between the equipment supplier and the project manager, infrastructure manager or equivalent.

The railway apparatus is assembled into large systems and installations, such as trains and signalling control centres. Details are given in annex A. It is not, therefore, possible to establish immunity tests and limits for these large assemblies. The immunity levels for the apparatus will normally ensure reliable operation, but it is necessary to prepare an EMC plan to deal with complex situations or to deal with specific circumstances. For example, the passage of the railway line close to a high power radio transmitter which produces abnormally high field strengths. Special conditions may be applied for railway equipment which works near such a transmitter and these will be accepted as national conditions for the specification.

The series of standards IEC 62236, *Railway applications – Electromagnetic compatibility*, contains the following parts:

 Part 1: General. This part gives a description of the electromagnetic behaviour of a railway system; it specifies the performance criteria for the whole series. A management process

to achieve EMC at the interface between the railway infrastructure and trains is referenced.

- Part 2: Emission of the whole railway system to the outside world. This part sets the emission limits from the railway system to the outside world at radio frequencies. It defines the applied test methods and gives information on typical field strength values at traction and radio frequency (cartography).
- Part 3-1: Rolling stock Train and complete vehicle. This part specifies the emission and immunity requirements for all types of rolling stock. It covers traction rolling stock and trainsets, as well as independent hauled rolling stock. The scope of this part of the series ends at the interface of the rolling stock with its respective energy inputs and outputs.
- Part 3-2: Rolling stock Apparatus. This part applies to emission and immunity aspects of EMC for electrical and electronic apparatus intended for use on railway rolling stock. It is also used as a means of dealing with the impracticality of immunity testing a complete vehicle.
- Part 4: Emission and immunity of the signalling and telecommunications apparatus. This
 part specifies limits for electromagnetic emission and immunity for signalling and
 telecommunications apparatus installed within a railway system. The EMC plan states if
 this part is also applicable for railway operational equipment mounted trackside or at
 platforms.
- Part 5: Emission and immunity of fixed power supply installations and apparatus. This part
 applies to emission and immunity aspects of EMC for electrical and electronic apparatus
 and components intended for use in railway fixed installations associated with power
 supply.

RAILWAY APPLICATIONS – ELECTROMAGNETIC COMPATIBILITY –

Part 1: General

1 Scope

This Part 1 of IEC 62236 outlines the structure and the content of the whole series.

It specifies the performance criteria applicable to the whole standards series.

Clause 5 provides information about the management of EMC.

Annex A describes the characteristics of the railway system which affect electromagnetic compatibility (EMC) behaviour.

Phenomena excluded from the series are nuclear EM pulse, abnormal operating conditions (e.g. fault conditions) and the induction effects of direct lightning strike.

Emission limits at the railway system boundary do not apply to intentional transmitters within the railway system boundaries.

Safety considerations are not covered by this series of standards.

The biological effects of non-ionising radiation as well as apparatus for medical assistance, such as pacemakers, are not considered in this series.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-161, International Electrotechnical Vocabulary. Chapter 161: Electromagnetic compatibility

IEC 61000 (all parts), *Electromagnetic compatibility (EMC)*