


2017-04-18

Fleksible membraner til fugtisolering – Fugtisolierende plast- og gummi- membraner, inklusive plast- og gummimembraner til kældertanke – Definitioner og karakteristika

Flexible sheets for waterproofing – Plastic and rubber
damp proof sheets including plastic and rubber basement
tanking sheet – Definitions and characteristics



DANSK STANDARD
Danish Standards Association

Göteborg Plads 1
DK-2150 Nordhavn
Tel: +45 39 96 61 01
Fax: +45 39 96 61 02
dansk.standard@ds.dk
www.ds.dk

This is a preview of "DS/EN 13967:2012+A1:...". Click here to purchase the full version from the ANSI store.

DS-projekt: MS13700
ICS: 01.040.91; 91.100.50

Første del af denne publikations betegnelse er:
DS/EN, hvilket betyder, at det er en europæisk standard, der har status som dansk standard.

Denne publikations overensstemmelse er:
IDT med: EN 13967:2012+A1:2017.

DS-publikationen er på engelsk.

Denne publikation erstatter: DS/EN 13967:2012.

DS-publikationstyper

Dansk Standard udgiver forskellige publikationstyper.
Typen på denne publikation fremgår af forsiden.

Der kan være tale om:

Dansk standard

- standard, der er udarbejdet på nationalt niveau, eller som er baseret på et andet lands nationale standard, eller
- standard, der er udarbejdet på internationalt og/eller europæisk niveau, og som har fået status som dansk standard

DS-information

- publikation, der er udarbejdet på nationalt niveau, og som ikke har opnået status som standard, eller
- publikation, der er udarbejdet på internationalt og/eller europæisk niveau, og som ikke har fået status som standard, fx en teknisk rapport, eller
- europæisk præstandard

DS-håndbog

- samling af standarder, eventuelt suppleret med informativt materiale

DS-hæfte

- publikation med informativt materiale

Til disse publikationstyper kan endvidere udgives

- tillæg og rettelsesblade

DS-publikationsform

Publikationstyperne udgives i forskellig form som henholdsvis

- fuldtekstpublikation (publikationen er trykt i sin helhed)
- godkendelsesblad (publikationen leveres i kopi med et trykt DS-omslag)
- elektronisk (publikationen leveres på et elektronisk medie)

DS-betegnelse

Alle DS-publikations betegnelse begynder med DS efterfulgt af et eller flere præfikser og et nr., fx **DS 383**, **DS/EN 5414** osv. Hvis der efter nr. er angivet et **A** eller **Cor**, betyder det, enten at det er et **tillæg** eller et **rettelsesblad** til hovedstandard, eller at det er indført i hovedstandard.

DS-betegnelse angives på forsiden.

Overensstemmelse med anden publikation:

Overensstemmelse kan enten være IDT, EQV, NEQ eller MOD

- **IDT:** Når publikationen er identisk med en given publikation.
- **EQV:** Når publikationen teknisk er i overensstemmelse med en given publikation, men præsentationen er ændret.
- **NEQ:** Når publikationen teknisk eller præsentationsmæssigt ikke er i overensstemmelse med en given standard, men udarbejdet på baggrund af denne.
- **MOD:** Når publikationen er modificeret i forhold til en given publikation.

EUROPÄISCHE NORM

April 2017

ICS 01.040.91; 91.100.50

Supersedes EN 13967:2012

English Version

Flexible sheets for waterproofing - Plastic and rubber damp proof sheets including plastic and rubber basement tanking sheet - Definitions and characteristics

Feuilles souples d'étanchéité - Feuilles plastiques et élastomères empêchant les remontées capillaires du sol - Définitions et caractéristiques

Abdichtungsbahnen - Kunststoff- und Elastomerbahnen für die Bauwerksabdichtung gegen Bodenfeuchte und Wasser - Definitionen und Eigenschaften

This European Standard was approved by CEN on 23 March 2012 and includes Amendment 1 approved by CEN on 24 January 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword.....	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	6
4 Product designation	7
5 Product characteristics	8
5.1 General.....	8
5.2 Deviation from test sample dimensions	8
5.3 Visible defects.....	8
5.4 Dimensions and tolerances	8
5.5 Thickness and mass per unit area	8
5.6 Water tightness.....	8
5.7 Resistance to impact	8
5.8 Ⓐ Durability of water tightness Ⓐ	9
5.9 Compatibility with bitumen	9
5.10 Resistance to tearing (nail shank)	9
5.11 Joint strength	9
5.12 Water vapour transmission properties	9
5.13 Resistance to static loading.....	9
5.14 Tensile properties.....	9
5.15 Resistance to deformation under load	10
5.16 Reaction to fire.....	10
5.17 Dangerous substances.....	11
6 Assessment and verification of constancy of performance - AVCP	11
6.1 General.....	11
6.2 Type testing.....	11
6.3 Factory production control (FPC)	15
7 Product data sheet and designation.....	20
8 Marking, labelling and packaging.....	20
Annex A (informative) Product designation, typical materials and structure of sheets.....	21
A.1 Typical materials.....	21
A.1.1 General.....	21

This is a preview of "DS/EN 13967:2012+A1:...". Click [here](#) to purchase the full version from the ANSI store.

A.1.2	Plastics.....	21
A.1.3	Rubbers	21
A.1.4	Thermoplastic rubbers.....	22
Annex B (normative)	Method of measuring the resistance of ventilating and draining damp-proof sheets to deformation under load	23
B.1	Principle.....	23
B.2	Apparatus	24
B.3	Preparation of test samples and test specimens.....	25
B.3.1	Sampling	25
B.3.2	Preparation of test specimens	25
B.4	Procedure	26
B.5	Expression of results	26
B.6	Test report	26
Annex ZA (informative)	Relationship of this European Standard with Regulation (EU) No.305/2011	28
ZA.1	Scope and relevant characteristics	28
ZA.2	System of Assessment and Verification of Constancy of Performance (AVCP)	29
ZA.3	Assignment of AVCP tasks	29
	Bibliography	32

European foreword

This document (EN 13967:2012+A1:2017) has been prepared by Technical Committee CEN/TC 254 "Flexible sheets for waterproofing", the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2017, and conflicting national standards shall be withdrawn at the latest by January 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1 approved by CEN on 2017-01-24.

This document supersedes A1 EN 13967:2012 A1.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

A1 *deleted text* A1

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

This European Standard is a general product standard for flexible sheets of plastics intended for damp proof sheets, including plastics basement tanking sheets, for use in buildings. This standard is one of a series of product standards for factory made flexible sheets for use in buildings.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This document specifies definitions and characteristics of flexible plastic and rubber sheets which are intended to be used as damp proofing for buildings, including basement tanking. It specifies the requirements and test methods, and provides for the evaluation of conformity of the products with the requirements of this standard.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1296, *Flexible sheets for waterproofing — Bitumen, plastic and rubber sheets for roofing — Method of artificial ageing by long term exposure to elevated temperature*

EN 1548, *Flexible sheets for waterproofing — Plastic and rubber sheets for roof waterproofing — Method for exposure to bitumen*

EN 1847:2009, *Flexible sheets for waterproofing — Plastic and rubber sheets for roof waterproofing — Methods for exposure to liquid chemicals, including water*

EN 1848-2, *Flexible sheets for waterproofing — Determination of length, width, straightness and flatness — Part 2: Plastic and rubber sheets for roof waterproofing*

EN 1849-2, *Flexible sheets for waterproofing — Determination of thickness and mass per unit area — Part 2: Plastic and rubber sheets*

EN 1850-2, *Flexible sheets for waterproofing — Determination of visible defects — Part 2: Plastic and rubber sheets for roof waterproofing*

EN 1928:2000, *Flexible sheets for waterproofing — Bitumen, plastic and rubber sheets for roof waterproofing — Determination of watertightness*

EN 1931, *Flexible sheets for waterproofing — Bitumen, plastic and rubber sheets for roof waterproofing — Determination of water vapour transmission properties*

EN 12310-1, *Flexible sheets for waterproofing — Part 1: Bitumen sheets for waterproofing — Determination of resistance to tearing (nail shank)*

EN 12311-2:2013 *Flexible sheets for waterproofing — Determination of tensile properties — Part 2: Plastic and rubber sheets for roof waterproofing*

EN 12317-2, *Flexible sheets for waterproofing — Determination of shear resistance of joints — Part 2: Plastic and rubber sheets for roof waterproofing*

EN 12691, *Flexible sheets for waterproofing — Bitumen, plastic and rubber sheets for roof waterproofing — Determination of resistance to impact*

EN 12730:2015, *Flexible sheets for waterproofing — Bitumen, plastic and rubber sheets for roof waterproofing — Determination of resistance to static loading*

This is a preview of "DS/EN 13967:2012+A1:...". Click here to purchase the full version from the ANSI store.

EN 13416:2001, *Flexible sheets for waterproofing — Bitumen, plastic and rubber sheets for roof waterproofing — Rules for sampling*

EN 13501-1:2007+A1:2009, *Fire classification of construction products and building elements — Part 1: Classification using data from reaction to fire tests*

EN 13859-1:2014, *Flexible sheets for waterproofing — Definitions and characteristics of underlays — Part 1: Underlays for discontinuous roofing*

CEN/TR 16625:2013, *Flexible sheets for waterproofing — Statistical definition of manufacturer's limiting value and declared value (MLV and MDV) — 95 % Statistic*

EN ISO 11925-2, *Reaction to fire tests — Ignitability of products subjected to direct impingement of flame — Part 2: Single-flame source test (ISO 11925-2)*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 13416:2001 and the following apply.

3.1
sheet for damp proofing
plastic or rubber sheet used on or under floors/ground slabs or in walls to prevent liquid water not under hydrostatic pressure passing from the ground into the internal environment

3.2
ventilating or draining damp proof sheet
sheet conforming to the definition in 3.1 and with the ability to provide a continuous void or structure to allow free movement of water vapour or liquid water between the sheet and any further construction

3.3
tanking sheet
sheet conforming to the definition in 3.1 used in wall construction or on or under floors or ground slabs to prevent liquid water under hydrostatic pressure passing from the ground into the internal environment or from one section of the structure to another

3.4
manufacturer's limiting value
MLV
nominal value including a single sided specification according to the product standard for a given test method or property

Note 1 to entry: The MLV can be a minimum or a maximum value according to statements made under product characteristics of the relevant product standard.

[CEN/TR 16625:2013, 2.2]

3.5
manufacturer's declared value
MDV
nominal value including double sided specification according to the product standard for a given test method or property