


This is a preview of "DS/EN ISO 1107:2017". [Click here to purchase the full version from the ANSI store.](#)

2017-08-28

Fiskenet – Net – Grundlæggende termer og definitioner

Fishing nets – Netting – Basic terms and definitions
(ISO 1107:2017)



DANSK STANDARD
Danish Standards Association

Göteborg Plads 1
DK-2150 Nordhavn

Tel: +45 39 96 61 01

Fax: +45 39 96 61 02

dansk.standard@ds.dk

www.ds.dk

This is a preview of "DS/EN ISO 1107:2017". [Click here to purchase the full version from the ANSI store.](#)

DS-projekt: MS15020
ICS: 01.040.65; 65.150

Første del af denne publikations betegnelse er:

DS/EN ISO, hvilket betyder, at det er en international standard, der har status både som europæisk og dansk standard.

Denne publikations overensstemmelse er:

IDT med: ISO 1107:2017.

IDT med: EN ISO 1107:2017.

DS-publikationen er på engelsk.

Denne publikation erstatter: DS/EN ISO 1107:2003.

DS-publikationstyper

Dansk Standard udgiver forskellige publikationstyper. Typen på denne publikation fremgår af forsiden.

Der kan være tale om:

Dansk standard

- standard, der er udarbejdet på nationalt niveau, eller som er baseret på et andet lands nationale standard, eller
- standard, der er udarbejdet på internationalt og/eller europæisk niveau, og som har fået status som dansk standard

DS-information

- publikation, der er udarbejdet på nationalt niveau, og som ikke har opnået status som standard, eller
- publikation, der er udarbejdet på internationalt og/eller europæisk niveau, og som ikke har fået status som standard, fx en teknisk rapport, eller
- europæisk præstandard

DS-håndbog

- samling af standarder, eventuelt suppleret med informativt materiale

DS-hæfte

- publikation med informativt materiale

Til disse publikationstyper kan endvidere udgives

- tillæg og rettelsesblade

DS-publikationsform

Publikationstyperne udgives i forskellig form som henholdsvis

- fuldtekstpublikation (publikationen er trykt i sin helhed)
- godkendelsesblad (publikationen leveres i kopi med et trykt DS-omslag)
- elektronisk (publikationen leveres på et elektronisk medie)

DS-betegnelse

Alle DS-publikationers betegnelse begynder med DS efterfulgt af et eller flere præfikser og et nr., fx **DS 383**, **DS/EN 5414** osv. Hvis der efter nr. er angivet et **A** eller **Cor**, betyder det, enten at det er et **tillæg** eller et **rettelsesblad** til hovedstandard, eller at det er indført i hovedstandard.

DS-betegnelse angives på forsiden.

Overensstemmelse med anden publikation:

Overensstemmelse kan enten være IDT, EQV, NEQ eller MOD

- **IDT:** Når publikationen er identisk med en given publikation.
- **EQV:** Når publikationen teknisk er i overensstemmelse med en given publikation, men præsentationen er ændret.
- **NEQ:** Når publikationen teknisk eller præsentationsmæssigt ikke er i overensstemmelse med en given standard, men udarbejdet på baggrund af denne.
- **MOD:** Når publikationen er modificeret i forhold til en given publikation.

This is a preview of "DS/EN ISO 1107:2017". [Click here to purchase the full version from the ANSI store.](#)

EUROPÄISCHE NORM

August 2017

ICS 01.040.65; 65.150

Supersedes EN ISO 1107:2003

English Version

Fishing nets - Netting - Basic terms and definitions (ISO 1107:2017)

Filets de pêche - Maillage - Termes fondamentaux et définitions (ISO 1107:2017)

Fischnetze - Netz Tuch - Grundbegriffe und Definitionen (ISO 1107:2017)

This European Standard was approved by CEN on 1 July 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

This is a preview of "DS/EN ISO 1107:2017". [Click here to purchase the full version from the ANSI store.](#)

Contents	Page
European foreword.....	3

This is a preview of "DS/EN ISO 1107:2017". [Click here to purchase the full version from the ANSI store.](#)

European foreword

This document (EN ISO 1107:2017) has been prepared by Technical Committee ISO/TC 38 "Textiles" in collaboration with Technical Committee CEN/TC 248 "Textiles and textile products" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2018, and conflicting national standards shall be withdrawn at the latest by February 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 1107:2003.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 1107:2017 has been approved by CEN as EN ISO 1107:2017 without any modification.

This is a preview of "DS/EN ISO 1107:2017". [Click here to purchase the full version from the ANSI store.](#)

This is a preview of "DS/EN ISO 1107:2017". [Click here to purchase the full version from the ANSI store.](#)

Third edition
2017-08

Fishing nets — Netting — Basic terms and definitions

Filets de pêche — Maillage — Termes fondamentaux et définitions



Reference number
ISO 1107:2017(E)

© ISO 2017



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

This is a preview of "DS/EN ISO 1107:2017". [Click here to purchase the full version from the ANSI store.](#)

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
3.1 Netting and netting yarn.....	1
3.2 Mesh.....	2
3.3 Mesh size.....	2
3.4 Knotted netting.....	4
3.4.1 General directions of the netting yarn.....	4
3.4.2 Directions which are independent of the general directions of the netting yarn....	5
3.5 Knotless netting.....	6
3.5.1 General.....	6
3.5.2 General direction of the netting yarn or longest axis of the mesh.....	6
3.5.3 Directions which are independent of the general directions of the netting yarn....	6
3.6 Size of netting.....	6
3.7 Mesh length.....	7
Bibliography	8

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 38, *Textiles*.

This third edition cancels and replaces the second edition (ISO 1107:2003), of which it constitutes a minor revision.

The main changes compared to the previous edition are as follows:

- ISO 858, ISO 1139 and ISO 1530 have been moved to the Bibliography;
- Figures 1 and 3 have been changed;
- a terminological entry for the average length of mesh size has been added;
- some terminological entries have been split into two entries, with domains (such as <knotted netting> and <knotless netting>) added, in accordance with the rules for terminological entries set out in ISO 10241-1.

This is a preview of "DS/EN ISO 1107:2017". Click here to purchase the full version from the ANSI store.

Fishing nets — Netting — Basic terms and definitions

1 Scope

This document gives the principal terms relating to netting for fishing nets, together with their definitions or, in some cases, the method of expressing dimensions.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1 Netting and netting yarn

3.1.1

netting

meshed structure of indefinite shape and size composed of one yarn or of one or more systems of yarns interlaced or joined, or obtained by other means, for example by stamping or cutting from sheet material or by extrusion

3.1.2

yarn

all types of yarns suitable for the manufacture of netting

Note 1 to entry: The principal types of netting yarns are twines (see [3.1.2.1](#), [3.1.2.2](#), [3.1.2.3](#)).

Note 2 to entry: The size of netting yarn is indicated by its linear density expressed in the unit tex of the Tex system in accordance with ISO 858. The size of the final product is expressed by the “resultant linear density” in accordance with ISO 1139. The resultant linear density is the reciprocal of “runnage” which expresses the length per unit mass, in metres per gram or per kilogram, for example.

Note 3 to entry: The definition in ISO 1139 denotes “yarn” folded yarn and cabled yarn as a general term embracing a single yarn (including monofilament) multiple wound yarns.

3.1.2.1

netting twine

product of one twisting operation embracing two or more single yarns or monofilaments

3.1.2.2

cabled netting twine

product of further twisting operations embracing two or more netting twines

3.1.2.3

braided netting cord

product of braiding or plaiting netting yarns and/or netting twines

3.2 Mesh

3.2.1

mesh

design formed opening, surrounded by netting material

Note 1 to entry: There are several types of mesh shapes.

3.2.1.1

diamond mesh

mesh (3.2.1) composed of four sides of the same length

3.2.2

square mesh

diamond mesh (3.2.1.1) in which adjacent sides are at right angles

3.2.3

hexagonal mesh

mesh (3.2.1) composed of six sides, out of which the length of one pair of opposite sides can be different from that of the other four sides, in case of an irregular hexagon

3.3 Mesh size

3.3.1

mesh side length

distance between two sequential knots or joints, measured from centre to centre when the yarn between those points is fully extended

Note 1 to entry: See [Figure 1](#).

Note 2 to entry: In hexagonal meshes, two different values are possible in the case of an irregular hexagon.

Note 3 to entry: This is also referred to a "half mesh".




Figure 1 — Mesh side length

This is a preview of "DS/EN ISO 1107:2017". Click here to purchase the full version from the ANSI store.

3.3.2

mesh length

<knotted netting> distance between the centres of two opposite knots in the same mesh when fully extended in the *N*-direction (3.4.1.1)

Note 1 to entry: See [Figure 2](#).




Figure 2 — Mesh length

3.3.3

mesh length

<knotless netting> distance between the centres of two opposite joints in the same mesh when fully extended along its longest possible axis (3.5.2.1)

Note 1 to entry: See [Figure 2](#).

3.3.4

mesh opening

<knotted netting> longest distance between two opposite knots in the same mesh when fully extended in the *N*-direction (3.4.1.1);

Note 1 to entry: See [Figure 3](#).




Figure 3 — Measure of mesh opening

3.3.5 mesh opening

<knotless netting> inside distance between two opposite joints in the same mesh when fully extended along its longest possible axis (3.5.2.1)

3.4 Knotted netting

3.4.1 General directions of the netting yarn

3.4.1.1

N-direction

depthwise direction

<knotted netting> direction at right angles (normal) to the general course of the netting yarn

Note 1 to entry: See [Figure 4](#).

3.4.1.2


T-direction

lengthwise direction

<knotted netting> direction parallel to the general course of the netting yarn (twine-wise)

Note 1 to entry: See [Figure 4](#).

This is a preview of "DS/EN ISO 1107:2017". Click here to purchase the full version from the ANSI store.



Key

- 1 T-direction (lengthwise)
- 2 general course of the netting yarn
- 3 N-direction (depthwise)

Figure 4 — N-direction (“depthwise”) and T-direction (“lengthwise”)


3.4.2 Directions which are independent of the general directions of the netting yarn

3.4.2.1

AB-direction

direction parallel to a rectilinear sequence of mesh bars, each from adjacent meshes

Note 1 to entry: See [Figure 5](#).



Key

- 1 AB direction

Figure 5 — AB-direction

3.5 Knotless netting

3.5.1 General

3.5.1

knotless netting

netting constructed by joining together the filaments in the twines to form meshes without external knots

3.5.2 General direction of the netting yarn or longest axis of the mesh

3.5.2.1

N-direction

depthwise direction

<knotless netting> direction at right angles to the general course of the netting

Note 1 to entry: Direction in knotless netting can usually be related to the general course of the netting yarn, but this is not always so because the general course of the netting yarn cannot in every case be determined. Usually, the direction of the longest possible axis of the mesh is parallel to the general course of the netting yarn. If the two axes are equal, the direction of the netting cannot be determined and the mesh size may be determined in either direction.

3.5.2.2

T-direction

lengthwise direction

<knotless netting> direction parallel to the general course of the netting

Note 1 to entry: Direction in knotless netting can usually be related to the general course of the netting yarn, but this is not always so because the general course of the netting yarn cannot in every case be determined. Usually, the direction of the longest possible axis of the mesh is parallel to the general course of the netting yarn. If the two axes are equal, the direction of the netting cannot be determined and the mesh size may be determined in either direction.

3.5.3 Directions which are independent of the general directions of the netting yarn

3.5.3.1

AB-direction

<knotless netting> directions parallel to a rectilinear sequence of mesh bars, each from adjacent meshes

3.6 Size of netting

3.6.1

size of netting

number of meshes long (ML) in the T-direction and the number of meshes deep (MD) in the N-direction multiplied together, or the number of meshes in one direction and the length indicated in a recognized unit, for example metres, of the other direction, the netting being fully extended while the measurement is made

EXAMPLE

1 000 ML × 100 MD or 1 000 T × 100 N

1 000 ML × 5 m or 1 000 T × 5 m

10 m × 200 MD or 10 m × 200 N

Note 1 to entry: A complete designation of the size of the netting requires, in addition, the indication of characteristics in accordance with ISO 1530:2003, 3.6 and 5.5.

This is a preview of "DS/EN ISO 1107:2017". [Click here to purchase the full version from the ANSI store.](#)

3.7 Mesh length

3.7.1

average mesh length

with the netting fully extended in either the N-direction for knotted netting or the direction of the longest axis of the mesh for knotless netting, the depth or length of the netting in metres divided by the number of meshes deep or meshes long, respectively

3.7.2

average mesh side length

with the netting fully extended in either the N-direction for knotted netting or the direction of the longest axis of the mesh for knotless netting, the depth or length of the netting in metres divided by the numbers of the half meshes deep (MD:2) or half meshes long (ML:2)

Note 1 to entry: This is also referred to as "half mesh".

Bibliography

- [1] ISO 858, *Fishing nets — Designation of netting yarns in the Tex System*
- [2] ISO 1139, *Textiles — Designation of yarns*
- [3] ISO 10241-1:2011, *Terminological entries in standards — Part 1: General requirements and examples of presentation*
- [4] ISO 1530:2003, *Fishing nets — Description and designation of knotted netting*

This is a preview of "DS/EN ISO 1107:2017". [Click here to purchase the full version from the ANSI store.](#)

This is a preview of "DS/EN ISO 1107:2017". [Click here to purchase the full version from the ANSI store.](#)