

This is a preview of "DS/CEN ISO/TS 80004-...". [Click here to purchase the full version from the ANSI store.](#)

2017-07-24

Nanoteknologi – Ordliste – Del 2: Nanoobjekter

Nanotechnologies – Vocabulary –
Part 2: Nano-objects (ISO/TS 80004-2:2015)



DANSK STANDARD
Danish Standards Association

Göteborg Plads 1
DK-2150 Nordhavn
Tel: +45 39 96 61 01
Fax: +45 39 96 61 02
dansk.standard@ds.dk
www.ds.dk

This is a preview of "DS/CEN ISO/TS 80004-...". [Click here to purchase the full version from the ANSI store.](#)

DS-projekt: MS17030
ICS: 01.040.07; 07.120

Første del af denne publikations betegnelse er:

DS/CEN ISO/TS, hvilket betyder, at det er en europæisk teknisk specifikation, der har status både som international specifikation og som DS-information.

Denne publikations overensstemmelse er:

IDT med: ISO/TS 80004-2:2015.

IDT med: CEN IS/ TS 80004-2:2017.

DS-publikationen er på engelsk.

Denne publikation erstatter: DS/ISO/TS 80004-2:2015, DS/CEN ISO/TS 27687:2009.

DS-publikationstyper

Dansk Standard udgiver forskellige publikationstyper. Typen på denne publikation fremgår af forsiden.

Der kan være tale om:

Dansk standard

- standard, der er udarbejdet på nationalt niveau, eller som er baseret på et andet lands nationale standard, eller
- standard, der er udarbejdet på internationalt og/eller europæisk niveau, og som har fået status som dansk standard

DS-information

- publikation, der er udarbejdet på nationalt niveau, og som ikke har opnået status som standard, eller
- publikation, der er udarbejdet på internationalt og/eller europæisk niveau, og som ikke har fået status som standard, fx en teknisk rapport, eller
- europæisk præstandard

DS-håndbog

- samling af standarder, eventuelt suppleret med informativt materiale

DS-hæfte

- publikation med informativt materiale

Til disse publikationstyper kan endvidere udgives

- tillæg og rettelsesblade

DS-publikationsform

Publikationstyperne udgives i forskellig form som henholdsvis

- fuldtekstpublikation (publikationen er trykt i sin helhed)
- godkendelsesblad (publikationen leveres i kopi med et trykt DS-omslag)
- elektronisk (publikationen leveres på et elektronisk medie)

DS-betegnelse

Alle DS-publikationers betegnelse begynder med DS efterfulgt af et eller flere præfikser og et nr., fx **DS 383**, **DS/EN 5414** osv. Hvis der efter nr. er angivet et **A** eller **Cor**, betyder det, enten at det er et **tillæg** eller et **rettelsesblad** til hovedstandard, eller at det er indført i hovedstandard.

DS-betegnelse angives på forsiden.

Overensstemmelse med anden publikation:

Overensstemmelse kan enten være IDT, EQV, NEQ eller MOD

- **IDT:** Når publikationen er identisk med en given publikation.
- **EQV:** Når publikationen teknisk er i overensstemmelse med en given publikation, men præsentationen er ændret.
- **NEQ:** Når publikationen teknisk eller præsentationsmæssigt ikke er i overensstemmelse med en given standard, men udarbejdet på baggrund af denne.
- **MOD:** Når publikationen er modificeret i forhold til en given publikation.

This is a preview of "DS/CEN ISO/TS 80004-...". [Click here to purchase the full version from the ANSI store.](#)

TECHNISCHE SPEZIFIKATION

July 2017

ICS 07.120; 01.040.07

Supersedes CEN ISO/TS 27687:2009

English Version

Nanotechnologies - Vocabulary - Part 2: Nano-objects (ISO/TS 80004-2:2015)

Nanotechnologies - Vocabulaire - Partie 2: Nano-objets
(ISO/TS 80004-2:2015)

Nanotechnologien - Fachwörterverzeichnis - Teil 2:
Nanoobjekte (ISO/TS 80004-2:2015)

This Technical Specification (CEN/TS) was approved by CEN on 19 June 2017 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

This is a preview of "DS/CEN ISO/TS 80004-...". [Click here to purchase the full version from the ANSI store.](#)

Contents	Page
European foreword.....	3

This is a preview of "DS/CEN ISO/TS 80004-...". [Click here to purchase the full version from the ANSI store.](#)

European foreword

The text of ISO/TS 80004-2:2015 has been prepared by Technical Committee ISO/TC 229 "Nanotechnologies" of the International Organization for Standardization (ISO) and has been taken over as CEN ISO/TS 80004-2:2017 by Technical Committee CEN/TC 352 "Nanotechnologies" the secretariat of which is held by AFNOR.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN ISO/TS 27687:2009.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO/TS 80004-2:2015 has been approved by CEN as CEN ISO/TS 80004-2:2017 without any modification.

This is a preview of "DS/CEN ISO/TS 80004-...". [Click here to purchase the full version from the ANSI store.](#)

This is a preview of "DS/CEN ISO/TS 80004-...". [Click here to purchase the full version from the ANSI store.](#)

First edition
2015-06-01

Nanotechnologies — Vocabulary — Part 2: Nano-objects

*Nanotechnologies — Vocabulaire —
Partie 2: Nano-objets*



Reference number
ISO/TS 80004-2:2015(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

This is a preview of "DS/CEN ISO/TS 80004-...". [Click here to purchase the full version from the ANSI store.](#)

Contents

	Page
Foreword	iv
Introduction	vi
1 Scope	1
2 Core terms related to particles	1
3 Terms concerning particles and assemblies of particles	1
4 Terms specific to nano-objects	2
Annex A (informative) Particle size measurement	5
Annex B (informative) Agglomerates, aggregates, and constituent particles	8
Annex C (informative) Index	9
Bibliography	10

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committees responsible for this document are ISO/TC 229, *Nanotechnologies* and Technical Committee IEC/TC 113, *Nanotechnology standardization for electrical and electronic products and systems*. The draft was circulated for voting to the national bodies of both ISO and IEC.

This first edition of ISO/TS 80004-2 cancels and replaces ISO/TS 27687:2008, which has been technically revised.

Documents in the 80000 to 89999 range of reference numbers are developed by collaboration between ISO and IEC.

ISO/TS 80004 consists of the following parts, under the general title *Nanotechnologies — Vocabulary*:

- *Part 1: Core terms*
- *Part 2: Nano-objects*
- *Part 3: Carbon nano-objects*
- *Part 4: Nanostructured materials*
- *Part 5: Nano/bio interface*
- *Part 6: Nano-object characterization*
- *Part 7: Diagnostics and therapeutics for healthcare*
- *Part 8: Nanomanufacturing processes*

The following parts are under preparation:

- *Part 9: Nano-enabled electrotechnical products and systems*
- *Part 10: Nano-enabled photonic components and systems*
- *Part 11: Nanolayer, nanocoating, nanofilm, and related terms*

This is a preview of "DS/CEN ISO/TS 80004-...". [Click here to purchase the full version from the ANSI store.](#)

- *Part 12: Quantum phenomena in nanotechnology*
- *Part 13: Graphene and other two-dimensional materials*

Introduction

It is predicted that applications of nanotechnologies may pervade all areas of life. In the areas of communication, health, manufacturing, materials and knowledge-based technologies, there is a need to provide industry and research with standardized vocabulary and nomenclature to aid the responsible development and application of the technologies. It is also essential that regulators such as health and environmental protection agencies have reliable measurement systems supported by well-founded and robust standards.

Often in the field of nanotechnologies, naming of materials seen on microscopic images is inspired by the shape of objects found in everyday life, although the physical size is much smaller. The prefix nano- is often added to denote the small size of the object. (The prefix nano- is also used in SI units to indicate 10^{-9} e.g. 1 nanometre = 10^{-9} metre.). Thus, the term “*nanoscale*” (2.1) has been defined to denote the length interval approximately from 1 nm to 100 nm.

To create a unitary vocabulary, this part of ISO 80004 encompasses terms used concerning particles with nanoscale dimensions. The terms in this part of ISO 80004 form part of a larger hierarchy of terms under development for nanotechnologies. These terms are intended to facilitate communications between organizations and individuals in industry and those who interact with them.


Objects with one or more external dimensions in the nanoscale can have properties that make them key components of materials and systems resulting in improved performance over their conventional counterparts. These *nano-objects* (2.2) often have properties that are not simple extrapolations of the properties of their larger form, with these novel properties called emerging, discontinuous or transformative properties.

The size and shape of nano-objects are often intrinsic to their function, so the description and measurement of their size and shape are important and must be considered carefully. The three most basic shapes referred to in this part of ISO 80004 are illustrated in Figure 1. These three simple shapes represent the main classes of structural dimensionality to help categorize nano-objects. Some other common shapes are defined in this part of ISO 80004, but a large number of different shapes are possible.


A number of other parameters in addition to size and shape are also intrinsic to the function and phenomena exhibited by nano-objects. These parameters include composition, morphology, crystalline structure, and surface features, which can all have a major influence on the key nanoscale phenomena exhibited by nano-objects. Such phenomena include magnetic, optical, catalytic, electronic, and other properties.



a) nanoparticle
(3 ext. dimensions
in the nanoscale)



b) nanofibre
(2 ext. dimensions
in the nanoscale)



c) nanoplate
(1 ext. dimensions
in the nanoscale)

Figure 1 — Schematic diagrams showing some shapes for nano-objects

A particular issue concerns nano-objects where one or more external dimensions are larger than the nanoscale. Potential confusion can occur when one of these dimensions greatly exceeds the nanoscale. For example, carbon nanotubes can have overall lengths in the millimetre range and are still nano-

This is a preview of "DS/CEN ISO/TS 80004-...". [Click here to purchase the full version from the ANSI store.](#)

objects according to the definitions in this part of ISO 80004. An example of an approach to this issue is to consider the size or shape at which the health risk from inhalation or other potential routes of exposure to nano-objects becomes small as an upper size limit for nano-objects.

It is acknowledged that a wide variety of approaches to definitions and classifications are applicable to particulate material and some of these regimes may also be relevant to nano-objects. Industrial, regulatory, and scientific domains often use terms such as coarse, fine and ultrafine to denote different size range fractions of *particles* (3.1). Thus for airborne particles, ultrafine particles, specified as PM_{0.1} (PM means “particulate matter”), refer to particles with aerodynamic diameters of 100 nm or less. Fine particles (PM_{2.5}) refer to particles with aerodynamic diameters of 2,5 µm or less and coarse particles (PM₁₀) refer to those with aerodynamic diameters of 10 µm or less. These size range fractions are used by regulators for risk assessment purposes in many contexts, including traffic pollution, volcanic ash, dust storms, industrial pollution and natural airborne allergens such as pollen.

In this Technical Specification, nano-objects are defined according to their shape as determined by nanoscale dimensionality. In addition, some types of nano-objects are also defined according to structural configuration, morphology, form or functionality. It is beyond the scope of this Technical Specification to consider or recommend specific size, size distribution, or related thresholds for nano-objects, particularly given the wide variability in size, shape, morphology, composition, and surface features of nano-objects, with each combination potentially presenting differing implications for assessments of risk or safety to health or the environment.

There is a hierarchical relationship between many of the different terms in this part of ISO 80004. Elements of this are shown in [Figure 2](#) to illustrate some of the relationships that exist.




Figure 2 — Fragment of hierarchy of terms related to nano-objects

This is a preview of "DS/CEN ISO/TS 80004-...". [Click here to purchase the full version from the ANSI store.](#)

This is a preview of "DS/CEN ISO/TS 80004-...". Click here to purchase the full version from the ANSI store.

Nanotechnologies — Vocabulary —

Part 2: Nano-objects

1 Scope

This Technical Specification lists terms and definitions related to particles in the field of nanotechnologies.

2 Core terms related to particles

2.1

nanoscale

length range approximately from 1 nm to 100 nm

Note 1 to entry: Properties that are not extrapolations from a larger size are predominantly exhibited in this length range.

[SOURCE: ISO/TS 80004-1:2010, 2.1]

2.2

nano-object

discrete piece of material with one, two or three external dimensions in the *nanoscale* (2.1)

Note 1 to entry: The second and third external dimensions are orthogonal to the first dimension and to each other.

[SOURCE: ISO/TS 80004-1:2010, 2.2]

3 Terms concerning particles and assemblies of particles

Nano-objects [for example nanoparticles, nanofibres, and nanoplates, (see [Clause 4](#))], often occur in (large) groups, rather than as isolated or distinct entities. For reasons of surface energy, such coexisting nano-objects are likely to interact. In the description of these interactions, the following terms are often used. The following terms are not restricted with respect to physical size and shape. These terms are included for completeness and importance at the nanoscale.

3.1

particle

minute piece of matter with defined physical boundaries

Note 1 to entry: A physical boundary can also be described as an interface.

Note 2 to entry: A particle can move as a unit.

Note 3 to entry: This general particle definition applies to *nano-objects* (2.2).

[SOURCE: ISO 26824:2013, 1.1]

3.2

primary particle

original source *particle* (3.1) of *agglomerates* (3.4) or *aggregates* (3.5) or mixtures of the two

Note 1 to entry: *Constituent particles* (3.3) of agglomerates or aggregates at a certain actual state may be primary particles, but often the constituents are aggregates.