Industrielle kommunikationsnetværk – Profiler – Del 3-8: Funktionssikre feltbusser – Yderligere specifikationer for CPF 8

Industrial communication networks – Profiles – Part 3-8: Functional safety fieldbuses – Additional specifications for CPF 8

DANSK STANDARDDanish Standards Association

Göteborg Plads 1 DK-2150 Nordhavn Tel: +45 39 96 61 01 Tel: +45 39 96 61 01 dansk.standard@ds.dk www.ds.dk

DS projekt: M321566 ICS: 25.040.40; 35.100.05

Første del af denne publikations betegnelse er:

DS/EN, hvilket betyder, at det er en europæisk standard, der har status som dansk standard.

Denne publikations overensstemmelse er:

IDT med: IEC 61784-3-8:2016 IDT med: EN 61784-3-8:2017

DS-publikationen er på engelsk.

Denne publikation erstatter: DS/EN 61784-3-8:2010

DS-publikationstyper

Dansk Standard udgiver forskellige publikationstyper.

Typen på denne publikation fremgår af forsiden.

Der kan være tale om:

Dansk standard

- standard, der er udarbejdet på nationalt niveau, eller som er baseret på et andet lands nationale standard, eller
- standard, der er udarbejdet på internationalt og/eller europæisk niveau, og som har fået status som dansk standard

DS-information

- publikation, der er udarbejdet på nationalt niveau, og som ikke har opnået status som standard, eller
- publikation, der er udarbejdet på internationalt og/eller europæisk niveau, og som ikke har fået status som standard, fx en teknisk rapport, eller
- europæisk præstandard

DS-håndbog

· samling af standarder, eventuelt suppleret med informativt materiale

DS-hæfte

publikation med informativt materiale

Til disse publikationstyper kan endvidere udgives

• tillæg og rettelsesblade

DS-publikationsform

Publikationstyperne udgives i forskellig form som henholdsvis

• fuldtekstpublikation (publikationen er trykt i sin helhed)

• godkendelsesblad (publipukationen leveres i kopi med et trykt DS-omslag)

• elektronisk (publikationen leveres på et elektronisk medie)

DS-betegnelse

Alle DS-publikationers betegnelse begynder med DS efterfulgt af et eller flere præfikser og et nr., fx **DS 383, DS/EN 5414** osv. Hvis der efter nr. er angivet et **A** eller **Cor**, betyder det, enten at det er et **tillæg** eller et **rettelsesblad** til hovedstandarden, eller at det er indført i hovedstandarden.

DS-betegnelse angives på forsiden.

Overensstemmelse med anden publikation:

Overensstemmelse kan enten være IDT, EQV, NEQ eller MOD

• **IDT:** Når publikationen er identisk med en given publikation.

• **EQV:** Når publikationen teknisk er i overensstemmelse med en given publikation, men præsentationen er ændret.

• **NEQ:** Når publikationen teknisk eller præsentationsmæssigt ikke er i overensstemmelse med en given standard, men udarbejdet på baggrund af denne.

• MOD: Når publikationen er modificeret i forhold til en given publikation.

EN 61791 2 9

This is a preview of "DS/EN 61784-3-8:2017". Click here to purchase the full version from the ANSI store.

EUROPÄISCHE NORM

December 2017

ICS 25.040.40; 35.100.05

Supersedes EN 61784-3-8:2010

English Version

Industrial communication networks - Profiles - Part 3-8: Functional safety fieldbuses - Additional specifications for CPF 8 (IEC 61784-3-8:2016)

Réseaux de communication industriels - Profils - Partie 3-8: Bus de terrain de sécurité fonctionnelle - Spécification supplémentaire pour CPF 8 (IEC 61784-3-8:2016) Industrielle Kommunikationsnetze - Profile - Teil 3-8: Funktional sichere Übertragung bei Feldbussen -Zusätzliche Festlegungen für die Kommunikationsprofilfamilie 8 (IEC 61784-3-8:2016)

This European Standard was approved by CENELEC on 2016-09-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization Comité Européen de Normalisation Electrotechnique Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 65C/851/FDIS, future edition 2 of IEC 61784-3-8:2016, prepared by SC 65C "Industrial networks", of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 61784-3-8:2017.

The following dates are fixed:

- latest date by which this document has (dop) 2018-06-01 to be implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with this document have to be withdrawn
 (dow) 2020-12-01

This document supersedes EN 61784-3-8:2010.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 61784-3-8:2016 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

NOTE I	Harmonized as EN 61000-6-7
NOTE I	Harmonized as EN 61131-6
NOTE I	Harmonized as EN 61496 (all parts)
NOTE I	Harmonized as EN 61508-1:2010 (not modified).
NOTE I	Harmonized as EN 61508-4:2010 (not modified).
NOTE I	Harmonized as EN 61508-5:2010 (not modified).
NOTE I	Harmonized as EN 61784-2
NOTE I	Harmonized as EN 61784-5 (all parts)
NOTE I	Harmonized as EN 61800-5-2
NOTE I	Harmonized as EN 61918
NOTE I	Harmonized as prEN 62443 (all parts)
NOTE I	Harmonized as CLC/TR 62685
NOTE I	Harmonized as EN ISO 10218-1
NOTE I	Harmonized as EN ISO 12100
NOTE I	Harmonized as EN ISO 13849-1
NOTE I	Harmonized as EN ISO 13849-2
	NOTE NOTE NOTE NOTE NOTE NOTE NOTE NOTE

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies. NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here:

www.cenelec.eu				
Publication IEC 60204-1	<u>Year</u> -	<u>Title</u> Safety of machinery - Electrical equipment	<u>EN/HD</u> : -	<u>Year</u> -
		of machines - Part 1: General requirements		
IEC 61131-2	2007	Programmable controllers Part 2:	EN 61131-2	2007
IEC 61158	series	Equipment requirements and tests Industrial communication networks -	EN 61158	series
		Fieldbus specifications - Part 1: Overview and guidance for the IEC 61158 and IEC		
IEC 61158-2		61784 series	EN 61158-2	
IEC 01136-2	-	Industrial communication networks - Fieldbus specifications - Part 2: Physical	EN 01130-2	-
IEC 61158-3-18	_	layer specification and service definition Industrial communication networks -	EN 61158-3-18	_
120 01 100 0 10		Fieldbus specifications - Part 3-18: Data-	LIV 01100 0 10	
		link layer service definition - Type 18		
IEC 61158-4-18		elements	EN 61158-4-18	
IEC 01130-4-10	-	Industrial communication networks - Fieldbus specifications Part 4-18: Data-	EN 01130-4-10	-
		link layer protocol specification - Type 18		
IEO 04450 5 40		elements	EN 04450 5 40	
IEC 61158-5-18	-	Industrial communication networks - Fieldbus specifications Part 5-18:	EN 61158-5-18	-
		Application layer service definition - Type		
		18 elements		
IEC 61158-5-23	-	Industrial communication networks - Fieldbus specifications - Part 5-23:	EN 61158-5-23	-
		Application layer service definition - Type		
		23 elements		
IEC 61158-6-18	-	Industrial communication networks -	EN 61158-6-18	-
		Fieldbus specifications - Part 6-18: Application layer protocol specification -		
		Type 18 elements		
IEC 61158-6-23	-	Industrial communication networks -	EN 61158-6-23	-
		Fieldbus specifications - Part 6-23: Application layer protocol specification -		
		Type 23 elements		
IEC 61326-3-1	-	Electrical equipment for measurement,	EN 61326-3-1	-
		control and laboratory use - EMC requirements - Part 3-1: Immunity		
		requirements for safety-related systems		
		and for equipment intended to perform		
		safety-related functions (functional safety)		
		 General industrial applications 		

		and the land land and the second and		
		control and laboratory use - EMC		
		requirements - Part 3-2: Immunity		
		requirements for safety-related systems		
		and for equipment intended to perform		
		safety-related functions (functional safety)		
		- Industrial applications with specified		
	_	electromagnetic environment		_
IEC 61508	series	Functional safety of	EN 61508	series
		electrical/electronic/programmable		
		electronic safety-related systems Part 1:		
		General requirements		
IEC 61511	series	Functional safety - Safety instrumented	EN 61511	series
		systems for the process industry sector -		
		Part 1: Framework, definitions, system,		
		hardware and application programming		
		requirements		
IEC 61784-1	-	Industrial communication networks -	EN 61784-1	-
		Profiles - Part 1: Fieldbus profiles		
IEC 61784-2	_	Industrial communication networks -	EN 61784-2	_
		Profiles - Part 2: Additional fieldbus profile	S	
		for real-time networks based on ISO/IEC		
		8802-3		
IEC 61784-3	_	Industrial communication networks -	EN 61784-3	_
		Profiles - Part 3: Functional safety		
		fieldbuses - General rules and profile		
		definitions		
IEC 62061	_	Safety of machinery - Functional safety of	FN 62061	_
120 02001		safety-related electrical, electronic and	2.1.0200.	
		programmable electronic control systems		
IEEE 802.3	_	IEEE Standard for Information technology		_
ILLL 002.0		Specific requirements - Part 3: Carrier		
		Sense Multiple Access with Collision		
		Detection (CMSA/CD) Access Method and	1	
		Physical Layer Specifications	A .	
		i nysicai Layer opecinications		



Edition 2.0 2016-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE



Industrial communication networks – Profiles –
Part 3-8: Functional safety fieldbuses – Additional specifications for CPF 8

Réseaux de communication industriels – Profils – Partie 3-8: Bus de terrain de sécurité fonctionnelle – Spécifications supplémentaires pour CPF 8



CONTENTS

FC	R	EWO	RD	7
0		Intro	duction	9
	0	.1	General	9
	0	.2	Patent declaration	11
1		Scop	e	12
2		Norm	native references	12
3		Term	s, definitions, symbols, abbreviated terms and conventions	13
	3	.1	Terms and definitions	13
		3.1.1	Common terms and definitions	14
		3.1.2	CPF 8: Additional terms and definitions	20
	3	.2	Symbols and abbreviated terms	21
		3.2.1	Common symbols and abbreviated terms	21
		3.2.2	CPF 8: Additional symbols and abbreviated terms	22
	3	.3	Conventions	22
4		Over	view	22
5		Gene	eral	22
6		Safe	ty communication layer services	23
7		Safe	ty communication layer protocol	23
8		Safe	ty communication layer management	23
9			em requirements	
10		•	ssment	
11			P 8/1	
•		1.1	Scope – FSCP 8/1	
		1.2	Normative references – FSCP 8/1	
		1.3	Terms, definitions, symbols, abbreviated terms and conventions – FSCP 8/1	
		1.4	Overview of FSCP 8/1 (CC-Link Safety™)	
		1.5	General – FSCP 8/1	
		11.5.		
		11.5.		
		11.5.	3 Safety measures	24
		11.5.	4 Safety communication layer structure	26
		11.5.	5 Relationships with FAL (and DLL, PhL)	26
	1	1.6	Safety communication layer services for FSCP 8/1	27
		11.6.		
		11.6.	2 SASEs	27
		11.6.		
		11.6.		
	1	1.7	Safety communication layer protocol for FSCP 8/1	
		11.7.	,	
	,	11.7.	•	
	1	1.8	Safety communication layer management for FSCP 8/1	
		11.8.		
		11.8.	i S	
	4	11.8.	•	
	1	1.9	System requirements for FSCP 8/1	42

11.9	.1	Indicators and switches	42
11.9	.2	Installation guidelines	43
11.9	.3	Safety function response time	43
11.9	.4	Duration of demands	45
11.9	.5	Constraints for calculation of system characteristics	45
11.9	.6	Maintenance	46
11.9	.7	Safety manual	47
11.10	Ass	essment for FSCP 8/1	47
12 FSC	P 8/2		47
12.1	Sco	pe – FSCP 8/2	47
12.2	Nori	native references – FSCP 8/2	47
12.3		ms, definitions, symbols, abbreviated terms and conventions – FSCP 8/2	
12.4		rview of FSCP 8/2 (CC-Link IE™ Safety communication function)	
12.5		eral – FSCP 8/2	
12.5		External documents providing specifications for the profile	
12.5		Safety functional requirements	
12.5		Safety measures	
12.5		Safety communication layer structure	
12.5		Relationships with FAL (and DLL, PhL)	
		ety communication layer services for FSCP 8/2	
12.6		General	
12.6		Connection reestablishment services	
12.6		Data transmission services	
12.6		Connection termination notification services	
		ety communication layer protocol for FSCP 8/2	
12.7		Safety PDU format	
12.7		Safety FAL service protocol machine (SFSPM)	
		ety communication layer management for FSCP 8/2	
12.8		Parameter Definitions	
12.8		Parameter Setup	
12.8		Management Services	
12.9		tem requirements for FSCP 8/2	
12.9	•	Indicators and switches	
12.9		Installation guidelines	
12.9		Safety function response time	
12.9		Duration of demands	
12.9		Constraints for calculation of system characteristics	
12.9		Maintenance	
12.9		Safety manual	
		essment for FSCP 8/2	
		mative) Additional information for functional safety communication	90
		= 8	99
A.1	Has	h function calculation for FSCP 8/1	99
A.2		h function calculation for FSCP 8/2	
A.3	Mea	ning of response time calculation formula for FSCP 8/2	99
		mative) Information for assessment of the functional safety	
		n profiles of CPF 8	
Bibliogra	phv		101

Figure 1 – Relationships of IEC 61784-3 with other standards (machinery)	9
Figure 2 – Relationships of IEC 61784-3 with other standards (process)	10
Figure 3 – Relationship between SCL and the other layers of IEC 61158 Type 18	26
Figure 4 – State diagram	37
Figure 5 – Detection of unintended repetition	50
Figure 6 – Detection of incorrect sequence	51
Figure 7 – Detection of loss	51
Figure 8 – Detection of unacceptable delay by time stamps	52
Figure 9 – Detection of unacceptable delay by timer	53
Figure 10 – Protocol Hierarchy	54
Figure 11 – Safety PDU Structure	57
Figure 12 – CTRL Configuration	57
Figure 13 – SASE-M and SASE-S TS	60
Figure 14 – S-Data during safety refresh	60
Figure 15 – S-Data not during safety refresh	61
Figure 16 – S-Data header configuration	61
Figure 17 – CRC calculation	62
Figure 18 – Communication models	62
Figure 19 – SFSPM state transition diagram	
Figure 20 – Connection establishment sequence	65
Figure 21 – Communication sequence during safety refresh communication	65
Figure 22 – Offset measurement and generation sequence during safety refresh communication	66
Figure 23 – SFSPM-M state transition diagram	
Figure 24 – Sequence other than during safety refresh	
Figure 25 – S-Connect-req	
Figure 26 – S-InitConfirmNetPrm-req	
Figure 27 – net prm list	
Figure 28 – S-InitVerifyStnPrm-req	
Figure 29 – stn prm list	
Figure 30 – S-InvokeFunc-req	
Figure 31 – S-WriteErrorInfo-req	
Figure 32 – date and time of occurence	
Figure 33 – SFSPM-S state transition diagram	
Figure 34 – Sequence other than during safety refresh	
Figure 35 – S-Connect-rsp	80
Figure 36 – S-InitConfirmNetPrm-rsp.	81
Figure 37 – S-InitVerifyStnPrm-rsp	81
Figure 38 – S-InvokeFunc-rsp	82
Figure 39 – Offset calculation procedure of safety clock	83
Figure 40 – Relationship between transmission interval fluctuation and transmission_interval	86
Figure 41 – Calculation of allowable_refresh_interval	
Figure 42 – Calculation of allowable_delay	89

Figure 43 – Calculation of response time between safety PLCs	94
Figure 44 – Relationship between safety connections and residual error rate	97
Figure A.1 – allowable_delay and offset calculation deviation	99
Table 1 – Selection of the various measures for possible errors	25
Table 2 – M1 safety device manager attribute format	
Table 3 – S1 safety device manager attribute format	
Table 4 – M1 safety connection manager attribute format	
Table 5 – S1 safety connection manager attribute format	
Table 6 – M1 safety cyclic transmission attribute format	
Table 7 – S1 safety cyclic transmission attribute format	
Table 8 – M1 safety device manager attribute encoding	
Table 9 – S1 safety device manager attribute encoding	
Table 10 – M1 safety connection manager attribute encoding	
Table 11 – S1 safety connection manager attribute encoding	
Table 12 – M1 safety cyclic transmission attribute encoding	
Table 13 – S1 safety cyclic transmission attribute encoding	
Table 14 – Safety master monitor timer operation	
Table 15 – Safety slave monitor timer operation	
Table 16 – Safety data monitor timer operation	
Table 17 – Details of connection establishment and confirmation processing	
Table 18 – Details of slave information verification processing	
Table 19 – Details of safety slave parameter transmission processing	
Table 20 – Monitor LEDs	
Table 21 – Safety function response time calculation	
Table 22 – Safety function response time definition of terms	
Table 23 – Number of occupied slots and safety data	
Table 24 – Residual error rate Λ (occupied slots = 1)	46
Table 25 – Residual error rate Λ (occupied slots = 2)	46
Table 26 – Selection of the various measures for possible errors	49
Table 27 – SS-Start	54
Table 28 – SS-Restart	55
Table 29 – SS-InvokeFunc	55
Table 30 – SS-Read	55
Table 31 – SS-Write	56
Table 32 – SS-Terminate	56
Table 33 – Safety PDU elements	57
Table 34 – CTRL Elements	58
Table 35 – State list	63
Table 36 – SFSPM-M timers	67
Table 37 – SFSPM-M state transition table	67
Table 38 – support_functions	71
Table 39 – error_category	74

Table 40 – error_category for AL errors	74
Table 41 – error_code	74
Table 42 – SFSPM-S timers	76
Table 43 – SFSPM-S state transition table	76
Table 44 – Parameters used by safety communication layer	85
Table 45 – SM-SetSafetyStationInfo	89
Table 46 – Safety station information setting parameters of SM-SetSafetyStationInfo	90
Table 47 – SM-SetSafetyNetworkParameter	90
Table 48 – Safety network parameters of SM-SetSafetyNetworkParameter	90
Table 49 – SM-GetSafetyStationInfo	91
Table 50 – Safety station information parameters of SM-GetSafetyStationInfo (Request)	91
Table 51 – Safety station information parameters of SM-GetSafetyStationInfo (Response)	91
Table 52 – SM-GetSafetyNetworkParameter	92
Table 53 – Parameters of SM-GetSafetyNetworkParameter request	92
Table 54 – Parameters of SM-GetSafetyNetworkParameter response	92
Table 55 – Monitor LEDs	93
Table 56 – Communication port monitor LEDs	03

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

Part 3-8: Functional safety fieldbuses – Additional specifications for CPF 8

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

International Standard IEC 61784-3-8 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This second edition cancels and replaces the first edition published in 2010. This edition constitutes a technical revision. This edition includes the following significant technical changes with respect to the previous edition:

- Added FSCP 8/2;
- Added FSCP 8/2 Clause 12;
- Added content for FSCP 8/2 to Clauses 1 to 3 (scope, references, terms);
- Moved previous FSCP 8/1 to Clause 11 (demoting all old heading levels by one);
- Restructured old Clauses 4 to 10 to point to appropriate subclauses as appropriate.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/851/FDIS	65C/854/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61784-3 series, published under the general title *Industrial* communication networks – Profiles – Functional safety fieldbuses, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- · amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.


0 Introduction

0.1 General

The IEC 61158 fieldbus standard together with its companion standards IEC 61784-1 and IEC 61784-2 defines a set of communication protocols that enable distributed control of automation applications. Fieldbus technology is now considered well accepted and well proven. Thus fieldbus enhancements continue to emerge, addressing applications for areas such as real time, safety-related and security-related applications.

This standard explains the relevant principles for functional safety communications with reference to IEC 61508 series and specifies several safety communication layers (profiles and corresponding protocols) based on the communication profiles and protocol layers of IEC 61784-1, IEC 61784-2 and the IEC 61158 series. It does not cover electrical safety and intrinsic safety aspects.


Figure 1 shows the relationships between this standard and relevant safety and fieldbus standards in a machinery environment.



NOTE Subclauses 6.7.6.4 (high complexity) and 6.7.8.1.6 (low complexity) of IEC 62061 specify the relationship between PL (Category) and SIL.

Figure 1 – Relationships of IEC 61784-3 with other standards (machinery)

Figure 2 shows the relationships between this standard and relevant safety and fieldbus standards in a process environment.



For specified electromagnetic environments; otherwise IEC 61326-3-1 or IEC 61000-6-7.

Figure 2 – Relationships of IEC 61784-3 with other standards (process)

Safety communication layers which are implemented as parts of safety-related systems according to IEC 61508 series provide the necessary confidence in the transportation of messages (information) between two or more participants on a fieldbus in a safety-related system, or sufficient confidence of safe behaviour in the event of fieldbus errors or failures.

Safety communication layers specified in this standard do this in such a way that a fieldbus can be used for applications requiring functional safety up to the Safety Integrity Level (SIL) specified by its corresponding functional safety communication profile.

The resulting SIL claim of a system depends on the implementation of the selected functional safety communication profile (FSCP) within this system – implementation of a functional safety communication profile in a standard device is not sufficient to qualify it as a safety device.

This standard describes:

 basic principles for implementing the requirements of IEC 61508 series for safetyrelated data communications, including possible transmission faults, remedial measures and considerations affecting data integrity;

b EN ratified.

 functional safety communication profiles for several communication profile families in IEC 61784-1 and IEC 61784-2, including safety layer extensions to the communication service and protocols sections of the IEC 61158 series.

0.2 Patent declaration

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning FSCP 8/2 given in Clause 12 as follows:

JP 2012-533784 US 13/821733 DE 112010005881.4 KR 10-2013-7006469 CN 201080069108.6	[MEC]	Communication method	apparatus	and	delay	detecting
--	-------	----------------------	-----------	-----	-------	-----------

IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the IEC that he/she is willing to negotiate licences either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with IEC. Information may be obtained from:

[MEC]	Mitsubishi Electric Corporation Corporate Licensing Division 2-7-3 Marunouchi, Chiyoda-ku Tokyo 100-8310 Japan
-------	---

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

ISO (www.iso.org/patents) and IEC (http://patents.iec.ch) maintain on-line data bases of patents relevant to their standards. Users are encouraged to consult the data bases for the most up-to-date information concerning patents.

INDUSTRIAL COMMUNICATION NETWORKS – PROFILES –

Part 3-8: Functional safety fieldbuses – Additional specifications for CPF 8

1 Scope

This part of the IEC 61784-3 series specifies a safety communication layer (services and protocol) based on CPF 8 of IEC 61784-1, IEC 61784-2 and IEC 61158 Type 18 and Type 23. It identifies the principles for functional safety communications defined in IEC 61784-3 that are relevant for this safety communication layer. This safety communication layer is intended for implementation in safety devices only.

NOTE 1 It does not cover electrical safety and intrinsic safety aspects. Electrical safety relates to hazards such as electrical shock. Intrinsic safety relates to hazards associated with potentially explosive atmospheres.

This part ¹ defines mechanisms for the transmission of safety-relevant messages among participants within a distributed network using fieldbus technology in accordance with the requirements of IEC 61508 series² for functional safety. These mechanisms may be used in various industrial applications such as process control, manufacturing automation and machinery.

This part provides guidelines for both developers and assessors of compliant devices and systems.

NOTE 2 The resulting SIL claim of a system depends on the implementation of the selected functional safety communication profile within this system – implementation of a functional safety communication profile according to this part in a standard device is not sufficient to qualify it as a safety device.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60204-1, Safety of machinery – Electrical equipment of machines – Part 1: General requirements

IEC 61131-2:2007, Programmable controllers - Part 2: Equipment requirements and tests

IEC 61158 (all parts), Industrial communication networks – Fieldbus specifications

IEC 61158-2, Industrial communication networks – Fieldbus specifications – Part 2: Physical layer specification and service definition

IEC 61158-3-18, Industrial communication networks — Fieldbus specifications — Part 3-18: Data-link layer service definition — Type 18 elements

¹ In the following pages of this standard, "this part" will be used for "this part of the IEC 61784-3 series".

² In the following pages of this standard, "IEC 61508" will be used for "IEC 61508 series".

IEC 61158-4-18, Industrial communication networks — Fieldbus specifications — Part 4-18: Data-link layer protocol specification — Type 18 elements

IEC 61158-5-18, Industrial communication networks — Fieldbus specifications — Part 5-18: Application layer service definition — Type 18 elements

IEC 61158-5-23, Industrial communication networks – Fieldbus specifications – Part 5-23: Application layer service definition – Type 23 elements

IEC 61158-6-18, Industrial communication networks — Fieldbus specifications — Part 6-18: Application layer protocol specification — Type 18 elements

IEC 61158-6-23, Industrial communication networks — Fieldbus specifications — Part 6-23: Application layer protocol specification — Type 23 elements

IEC 61326-3-1, Electrical equipment for measurement, control and laboratory use — EMC requirements — Part 3-1: Immunity requirements for safety-related systems and for equipment intended to perform safety-related functions (functional safety) — General industrial applications

IEC 61326-3-2, Electrical equipment for measurement, control and laboratory use — EMC requirements — Part 3-2: Immunity requirements for safety-related systems and for equipment intended to perform safety-related functions (functional safety) — Industrial applications with specified electromagnetic environment

IEC 61508 (all parts), Functional safety of electrical/electronic/programmable electronic safety-related systems

IEC 61511 (all parts), Functional safety – Safety instrumented systems for the process industry sector

IEC 61784-1, Industrial communication networks – Profiles – Part 1: Fieldbus profiles

IEC 61784-2, Industrial communication networks – Profiles – Part 2: Additional fieldbus profiles for real-time networks based on ISO/IEC 8802-3

IEC 61784-3:—3, Industrial communication networks – Profiles – Part 3: Functional safety fieldbuses – General rules and profile definitions

IEC 62061, Safety of machinery – Functional safety of safety-related electrical, electronic and programmable electronic control systems

IEEE 802.3, IEEE Standard for Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Specific requirements Part 3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method And Physical Layer Specifications

³ To be published.