This is a preview of "DS/EN IEC 62271-200:...". Click here to purchase the full version from the ANSI store.

Højspændingskoblingsudstyr – Del 200: Metalkapslet AC-koblingsudstyr til mærkespændinger over 1 kV og til og med 52 kV

High-voltage switchgear and controlgear – Part 200: AC metal-enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV

DANSK STANDARD
Danish Standards Association

Göteborg Plads 1
DK-2150 Nordhavn

Tel: +45 39 96 61 01
dansk.standard@ds.dk
www.ds.dk

© Dansk Standard – Eftertryk uden tilladelse forbudt

This is a preview of "DS/EN IEC 62271-200:...". Click here to purchase the full version from the ANSI store.

DS projekt: M340594
ICS: 29.130.10

Første del af denne publikations betegnelse er:
DS/EN IEC, hvilket betyder, at det er en international standard, der har status som europæisk og dansk standard.

Denne publikations overensstemmelse er:
IDT med: IEC 62271-200:2021 ED3
IDT med: EN IEC 62271-200:2021

DS-publikationen er på engelsk.

Denne publikation erstatter: DS/EN 62271-200:2012, DS/EN 62271-200:2012/AC:2015

DS-publikationstyper
Dansk Standard udgiver forskellige publikationstyper.
Typen på denne publikation fremgår af forsiden.

Der kan være tale om:

Dansk standard
- standard, der er udarbejdet på nationalt niveau, eller som er baseret på et andet lands nationale standard, eller
- standard, der er udarbejdet på internationalt og/eller europæisk niveau, og som har fået status som dansk standard

DS-information
- publikation, der er udarbejdet på nationalt niveau, og som ikke har opnået status som standard, eller
- publikation, der er udarbejdet på internationalt og/eller europæisk niveau, og som ikke har fået status som standard, fx en teknisk rapport, eller
- europæisk præstandard

DS-håndbog
- samling af standarder, eventuelt suppleret med informativt materiale

DS-hæfte
- publikation med informativt materiale

Til disse publikationstyper kan endvidere udgives
- tillæg og rettelsesblade

DS-publikationsform
Publikationstyperne udgives i forskellig form som henholdsvis
- fuldtekstpublikation (publikationen er trykt i sin helhed)
- godkendelsesblad (publikationen leveres i kopi med et trykt DS-omslag)
- elektronisk (publikationen leveres på et elektronisk medie)

DS-betegnelse
Alle DS-publikationers betegnelse begynder med DS efterfulgt af et eller flere præfikser og et nr., fx **DS 383**, **DS/EN 5414** osv. Hvis der efter nr. er angivet et **A** eller **Cor**, betyder det, enten at det er et **tillæg** eller et **rettelsesblad** til hovedstandarden, eller at det er indført i hovedstandarden.
DS-betegnelse angives på forsiden.

Overensstemmelse med anden publikation:
Overensstemmelse kan enten være IDT, EQV, NEQ eller MOD
- **IDT:** Når publikationen er identisk med en given publikation.
- **EQV:** Når publikationen teknisk er i overensstemmelse med en given publikation, men præsentationen er ændret.
- **NEQ:** Når publikationen teknisk eller præsentationsmæssigt ikke er i overensstemmelse med en given standard, men udarbejdet på baggrund af denne.
- **MOD:** Når publikationen er modificeret i forhold til en given publikation.

EUROPEAN STANDARD **EN IEC 62271-200**

This is a preview of "DS/EN IEC 62271-200:...". Click here to purchase the full version from the ANSI store.

EUROPÄISCHE NORM

July 2021

ICS 29.130.10

Supersedes EN 62271-200:2012 and all of its amendments and corrigenda (if any)

English Version

High-voltage switchgear and controlgear - Part 200: AC metal-enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV (IEC 62271-200:2021)

Appareillage à haute tension - Partie 200: Appareillage sous enveloppe métallique pour courant alternatif de tensions assignées supérieures à 1 kV et inférieures ou égales à 52 kV (IEC 62271-200:2021)

Hochspannungs-Schaltgeräte und -Schaltanlagen - Teil 200: Metallgekapselte Wechselstrom-Schaltanlagen für Bemessungsspannungen über 1 kV bis einschließlich 52 kV (IEC 62271-200:2021)

This European Standard was approved by CENELEC on 2021-07-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2021 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN IEC 62271-200:2021 E

This is a preview of "DS/EN IEC 62271-200:...". Click here to purchase the full version from the ANSI store.

European foreword

The text of document 17C/782/FDIS, future edition 3 of IEC 62271-200, prepared by SC 17C "Assemblies" of IEC/TC 17 "High-voltage switchgear and controlgear" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62271-200:2021.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2022–04–01
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2024–07–01

This document supersedes EN 62271-200:2012 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 62271-200:2021 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 62271-214:2019	NOTE Harmonized as EN IEC 62271-214:2019 (not modified)
IEC 60059:1999	NOTE Harmonized as EN 60059:1999 (not modified)
IEC 60243-1:2013	NOTE Harmonized as EN 60243-1:2013 (not modified)
IEC/TR 62271-307:2015	NOTE Harmonized as CLC IEC/TR 62271-307:2019 (not modified)
IEC 60909-0:2016	NOTE Harmonized as EN 60909-0:2016 (not modified)

This is a preview of "DS/EN IEC 62271-200:...". Click here to purchase the full version from the ANSI store.

(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

Publication	Year	Title	EN/HD	Year
IEC 60050-151	-	International Electrotechnical Vocabulary - Part 151: Electrical and magnetic devices	-	-
IEC 60050-441	-	International Electrotechnical Vocabulary. Switchgear, controlgear and fuses	-	-
IEC 60060-1	2010	High-voltage test techniques - Part 1: General definitions and test requirements	EN 60060-1	2010
IEC 60270	2000	High-voltage test techniques - Partial discharge measurements	EN 60270	2001
+ A1	2015		+ A1	2016
IEC 60529	1989	Degrees of protection provided by enclosures (IP Code)	EN 60529	1991
-	-		+ corrigendum May	1993
+ A1	1999		+ A1	2000
+ A2	2013		+ A2	2013
IEC 62262	2002	Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)	EN 62262	2002
IEC 62271-1	2017	High-voltage switchgear and controlgear - Part 1: Common specifications for alternating current switchgear and controlgear	EN 62271-1	2017
IEC 62271-100	2021	High-voltage switchgear and controlgear - Part 100: Alternating-current circuit-breakers	EN IEC 62271-100	2021
IEC 62271-102	2018	High-voltage switchgear and controlgear - Part 102: Alternating current disconnectors and earthing switches	EN IEC 62271-102	2018
IEC 62271-103	2021	High-voltage switchgear and controlgear - Part 103: Switches for rated voltages above 1 kV up to and including 52 kV	-	-

This is a preview of "DS/EN IEC 62271-200:...". Click here to purchase the full version from the ANSI store.

		Part 105: Alternating current switch-fuse combinations for rated voltages above 1 kV up to and including 52 kV		
IEC 62271-106	2021	High-voltage switchgear and controlgear - Part 106: Alternating current contactors, contactor-based controllers and motor-starters	EN IEC 62271-106	2021
IEC 62271-107	2019	High-voltage switchgear and controlgear - Part 107: Alternating current fused circuit-switchers for rated voltages above 1 kV up to and including 52 kV	EN IEC 62271-107	2019
IEC 62271-201	2014	High-voltage switchgear and controlgear - Part 201: AC solid-insulation enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV	EN 62271-201	2014
IEC 62271-203	2011	High-voltage switchgear and controlgear - Part 203: Gas-insulated metal-enclosed switchgear for rated voltages above 52 kV	EN 62271-203	2012
IEC 62271-213	2021	High-voltage switchgear and controlgear - Part 213: Voltage detecting and indicating system	EN IEC 62271-213	2021
IEC 62271-215	2021	High-voltage switchgear and controlgear - Part 215: Phase comparator used with VDIS	EN IEC 62271-215	2021
IEC IEEE 62271-37-013	2015	High-voltage switchgear and controlgear - Part 37–013: Alternating-current generator circuit-breakers		

This is a preview of "DS/EN IEC 62271-200:...". Click here to purchase the full version from the ANSI store.

Edition 3.0 2021-05

INTERNATIONAL STANDARD

colour inside

High-voltage switchgear and controlgear – Part 200: AC metal-enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV

IEC 62271-200:2021-05(en)

This is a preview of "DS/EN IEC 62271-200:...". Click here to purchase the full version from the ANSI store.

THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2021 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
info@iec.ch
www.iec.ch

About the IEC
The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications
The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigendum or an amendment might have been published.

IEC publications search - webstore.iec.ch/advsearchform
The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee, …). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished
Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and once a month by email.

IEC Customer Service Centre - webstore.iec.ch/csc
If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: sales@iec.ch.

IEC online collection - oc.iec.ch
Discover our powerful search engine and read freely all the publications previews. With a subscription you will always have access to up to date content tailored to your needs.

Electropedia - www.electropedia.org
The world's leading online dictionary on electrotechnology, containing more than 22 000 terminological entries in English and French, with equivalent terms in 18 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

This is a preview of "DS/EN IEC 62271-200:...". Click here to purchase the full version from the ANSI store.

Edition 3.0 2021-05

INTERNATIONAL STANDARD

colour inside

High-voltage switchgear and controlgear – Part 200: AC metal-enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 29.130.10

ISBN 978-2-8322-9793-3

Warning! Make sure that you obtained this publication from an authorized distributor.

® Registered trademark of the International Electrotechnical Commission

This is a preview of "DS/EN IEC 62271-200:...". Click here to purchase the full version from the ANSI store.

CONTENTS

FOREWORD 6
INTRODUCTION 9
1 Scope 10
2 Normative references 10
3 Terms and definitions 11
3.1 General terms and definitions 11
3.2 Assemblies of switchgear and controlgear 13
3.3 Parts of assemblies 13
3.4 Switching devices 13
3.5 Parts of switchgear and controlgear 13
3.6 Operational characteristics of switchgear and controlgear 16
3.7 Characteristic quantities 18
3.8 Index of definitions 19
4 Normal and special service conditions 20
5 Ratings 21
5.1 General 21
5.2 Rated voltage (U_r) 21
5.3 Rated insulation level (U_d, U_p, U_s) 21
5.4 Rated frequency (f_r) 21
5.5 Rated continuous current (I_r) 21
5.6 Rated short-time withstand currents (I_k, I_{ke}) 21
5.7 Rated peak withstand currents (I_p, I_{pe}) 22
5.8 Rated durations of short-circuit (t_k, t_{ke}) 22
5.9 Rated supply voltage of auxiliary and control circuits (U_a) 23
5.10 Rated supply frequency of auxiliary and control circuits 23
5.11 Rated pressure of compressed gas supply for controlled pressure systems 23
5.101 Classification of earthing function through main switching device 23
5.102 Rated cable test voltages ($U_{ct\ (AC)}$, $U_{ct\ (DC)}$) 23
5.103 Ratings of the internal arc classification (IAC) 23
6 Design and construction 25
6.1 Requirements for liquids in switchgear and controlgear 25
6.2 Requirements for gases in switchgear and controlgear 25
6.3 Earthing of switchgear and controlgear 25
6.4 Auxiliary and control equipment and circuits 26
6.5 Dependent power operation 26
6.6 Stored energy operation 26
6.7 Independent unlatched operation (independent manual or power operation) 26
6.8 Manually operated actuators 26
6.9 Operation of releases 26
6.10 Pressure/level indication 27
6.11 Nameplates 27
6.12 Locking devices 28
6.13 Position indication 29

This is a preview of "DS/EN IEC 62271-200:...". Click here to purchase the full version from the ANSI store.

6.14 Degrees of protection provided by enclosures 29
6.15 Creepage distances for outdoor insulators 30
6.16 Gas and vacuum tightness 30
6.17 Tightness for liquid systems 30
6.18 Fire hazard (flammability) 30
6.19 Electromagnetic compatibility (EMC) 30
6.20 X-ray emission 30
6.21 Corrosion 30
6.22 Filling levels for insulation, switching and/or operation 30
6.101 General requirements for assemblies 31
6.102 Metal enclosure 31
6.103 High-voltage compartments 33
6.104 Removable parts 37
6.105 Provisions for dielectric tests on cables 37
6.106 Internal arc fault 38
7 Type tests 38
7.1 General 38
7.2 Dielectric tests 39
7.3 Radio interference voltage (RIV) test 43
7.4 Resistance measurement 43
7.5 Continuous current tests 43
7.6 Short-time withstand current and peak withstand current tests 45
7.7 Verification of the protection 47
7.8 Tightness tests 47
7.9 Electromagnetic compatibility tests (EMC) 48
7.10 Additional tests on auxiliary and control circuits 48
7.11 X-radiation test for vacuum interrupters 48
7.101 Verification of making and breaking capacities 48
7.102 Mechanical operation tests 50
7.103 Pressure withstand test for gas-filled compartments 51
7.104 Tests to verify the protection of persons against dangerous electrical effects 52
7.105 Internal arc test 53
8 Routine tests 57
8.1 General 57
8.2 Dielectric test on the main circuit 57
8.3 Tests on auxiliary and control circuits 57
8.4 Measurement of the resistance of the main circuit 58
8.5 Tightness test 58
8.6 Design and visual checks 58
8.101 Partial discharge measurement 58
8.102 Mechanical operation tests 58
8.103 Pressure tests of gas-filled compartments 59
8.104 Tests after erection on site 59
8.105 Measurement of fluid condition after filling on site 59
9 Guide to the selection of switchgear and controlgear (informative) 59
9.1 General 59
9.2 Selection of rated values 60
9.3 Cable-interface considerations 60

This is a preview of "DS/EN IEC 62271-200:...". Click here to purchase the full version from the ANSI store.

9.4 Continuous or temporary overload due to changed service conditions 60
9.5 Environmental aspects 60
9.101 Selection of design and construction 60
9.102 Ratings related to earthing circuits 64
9.103 Internal arc fault 65
9.104 Summary of technical requirements, ratings and optional tests 71
10 Information to be given with enquiries, tenders and orders (informative) 73
10.1 General 73
10.2 Information with enquiries and orders 73
10.3 Information with tenders 74
11 Transport, storage, installation, operating instructions and maintenance 75
11.1 General 75
11.2 Conditions during transport, storage and installation 75
11.3 Installation 75
11.4 Operating instructions 75
11.5 Maintenance 76
12 Safety 76
12.101 Procedures 76
12.102 Internal arc aspects 76
13 Influence of the product on the environment 77
Annex A (normative) Internal arc fault – Method to verify the internal arc classification (IAC) 78
A.1 Room simulation 78
A.2 Indicators (for assessing the thermal effects of the gases) 80
A.3 Tolerances for geometrical dimensions of test arrangements 82
A.4 Test parameters 82
A.5 Test procedure 83
Annex B (normative) Partial discharge measurement 95
B.1 General 95
B.2 Application 95
B.3 Test circuits and measuring instruments 95
B.4 Test procedure 96
B.5 Maximum permissible partial discharge quantity 97
Annex C (informative) List of notes concerning certain countries 101
Annex D (normative) Flowchart categorization procedure for LSC for a given functional unit FU1 with connection compartment 102
Bibliography 103

Figure 1 – LSC1 63
Figure 2 – LSC2 63
Figure 3 – LSC2 63
Figure 4 – LSC2 64
Figure 5 – LSC2A 64
Figure 6 – LSC2B 64
Figure 7 – LSC2B 64
Figure 8 – LSC1 64

This is a preview of "DS/EN IEC 62271-200:...". Click here to purchase the full version from the ANSI store.

Figure 9 – No LSC assigned 64
Figure A.1 – Mounting frame for vertical indicators 86
Figure A.2 – Horizontal indicator 86
Figure A.3 – Position of the indicators 87
Figure A.4 – Room simulation and indicator positioning for accessibility type A, classified rear side, ceiling above 2 000 mm, functional unit of any height 88
Figure A.5 – Room simulation and indicator positioning for accessibility type A, non-accessible rear side, ceiling at 2 000 mm, so functional unit ≤ 1 800 mm high 89
Figure A.6 – Room simulation and indicator positioning for accessibility type B, classified rear side, functional unit ≥ 1 900 mm high 90
Figure A.7 – Room simulation and indicator positioning for accessibility type B, classified rear side, functional unit < 1 900 mm high 91
Figure A.8 – Ceiling height stated from the floor or false floor level where the assembly is actually placed 92
Figure A.9 – Indicator positioning in case of protrusion at < 2 000 mm height, at classified side 93
Figure A.10 – Indicator positioning in case a bottom exhaust duct belonging to the assembly is defined as a walkable integrated part of the false floor 94
Figure B.1 – Partial discharge test circuit (three-phase arrangement) 99
Figure B.2 – Partial-discharge test circuit (system without earthed neutral) 100
Figure D.1 – Flowchart categorization procedure for LSC for a given functional unit FU1 with connection compartment 102

Table 1 – Nameplate information 27
Table 2 – Locations, causes and examples of measures to decrease the probability of internal arc faults 67
Table 3 – Single-phase-to-earth arc fault current depending on the network neutral earthing 69
Table 4 – Summary of technical requirements, ratings and optional tests for assemblies 71
Table A.1 – Parameters for internal arc test according to compartment construction 85
Table B.1 – Test circuits and procedures 98

This is a preview of "DS/EN IEC 62271-200:...". Click here to purchase the full version from the ANSI store.

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

Part 200: AC metal-enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62271-200 has been prepared by subcommittee 17C: Assemblies, of IEC technical committee 17: High-voltage switchgear and controlgear. It is an International Standard.

This third edition cancels and replaces the second edition published in 2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

a) clause numbering aligned with IEC 62271-1:2017, including the adoption of the subclause names of Clause 3;
b) in Clause 3 specific definitions are added for "in service", "normal operating condition" and "normal use";
c) internal arc testing on pole-mounted switchgear is taken out of this document, as it is now covered by the specific standard IEC 62271-214:2019;

This is a preview of "DS/EN IEC 62271-200:...". Click here to purchase the full version from the ANSI store.

d) a more precise description of earthing circuit is given with the inclusion of ratings and test requirements;

e) number of mechanical tests on interlocks is reduced for type testing; a more precise description of forces to apply during type testing is given (refer to 7.102);

f) resistance measuring on main circuit is only needed before continuous current tests (as reference for routine tests) and no longer needed after this continuous current test. Rationale for this deletion is that this measured resistance does not mean anything; as the temperature rise test was just finished, a new temperature rise test will not give new information;

g) IEC 62271-100:2021, IEC 62271-103:2021, IEC 62271-105:2021 and IEC 62271-106:2021 are referred to in the document;

h) IEC 62271-107:2019 and IEC IEEE 62271-37-013:2015 are also considered in 7.101.2;

i) a more precise description of LSC category is given with the inclusion of an explanatory flowchart (Annex D);

j) examples not covered by the IAC test are transferred from Clause 6 to 9.103;

k) the term "assembly" is defined in Clause 3 and used as synonym for "metal-enclosed switchgear and controlgear" in this document;

l) "metallic" is replaced by "metal" where applicable;

m) 6.105 is now covered by 7.7;

n) a 1 s rule was introduced for Criterion 4 during IAC tests regarding hot gases versus glowing particles as cause of ignition;

o) a more precise description of internal arc tests for switchgear with protrusions is given in Annex A.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
17C/782/FDIS	17C/792/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/standardsdev/publications.

This document should be read in conjunction with IEC 62271-1:2017, to which it refers and which is applicable unless otherwise specified. In order to simplify the indication of corresponding requirements, the same numbering of clauses and subclauses is used as in IEC 62271-1:2017. Amendments to these clauses and subclauses are given under the same numbering, whilst additional subclauses, are numbered from 101.

The reader's attention is drawn to the fact that Annex C lists all of the "in-some-country" clauses on differing practices of a less permanent nature relating to the subject of this document.

A list of all parts in the IEC 62271 series, published under the general title *High-voltage switchgear and controlgear*, can be found on the IEC website.

This is a preview of "DS/EN IEC 62271-200:...". Click here to purchase the full version from the ANSI store.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

This is a preview of "DS/EN IEC 62271-200:...". Click here to purchase the full version from the ANSI store.

INTRODUCTION

High-voltage (IEC 60050-601:1985, 601-01-27) switchgear refers to rated voltages above 1 kV. However, medium-voltage is commonly used for distribution systems with rated voltages above 1 kV and generally applied up to and including 52 kV; refer to IEC 60050-601:1985, 601-01-28 [1][1].

Although primarily dedicated to three-phase systems, this document can also be applied to single-phase and two-phase systems.

Switchgear and controlgear assemblies having a solid-insulation enclosure are covered by IEC 62271-201.

[1] Numbers in square brackets refer to the Bibliography.

This is a preview of "DS/EN IEC 62271-200:...". Click here to purchase the full version from the ANSI store.

HIGH-VOLTAGE SWITCHGEAR AND CONTROLGEAR –

Part 200: AC metal-enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV

1 Scope

This part of IEC 62271 is applicable to prefabricated metal-enclosed switchgear and controlgear assemblies designed for:

– alternating current;
– rated voltages above 1 kV and up to and including 52 kV;
– service frequencies up to and including 60 Hz;
– indoor and outdoor installation.

The assembly can include air-insulated and/or fluid-filled compartments.

For components installed in a metal-enclosed switchgear and controlgear, this document supplements or even replaces in some cases, the requirements as stated by the individual product standards.

The list of components which can be inside the metal-enclosed switchgear and controlgear is not limited to the ones explicitly cited in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-151, *International Electrotechnical Vocabulary (IEV) – Part 151: Electrical and magnetic devices* (available at http://www.electropedia.org)

IEC 60050-441, *International Electrotechnical Vocabulary (IEV) – Part 441: Switchgear, controlgear and fuses* (available at http://www.electropedia.org)

IEC 60060-1:2010, *High-voltage test techniques – Part 1: General definitions and test requirements*

IEC 60270:2000, *High-voltage test techniques – Partial discharge measurements*
IEC 60270:2000/AMD1:2015

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*
IEC 60529:1989/AMD1:1999
IEC 60529:1989/AMD2:2013

IEC 62262:2002, *Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)*

IEC 62271-1:2017, *High-voltage switchgear and controlgear – Part 1: Common specifications for alternating current switchgear and controlgear*

This is a preview of "DS/EN IEC 62271-200:...". Click here to purchase the full version from the ANSI store.

IEC 62271-100:2021, *High-voltage switchgear and controlgear – Part 100: Alternating-current circuit-breakers*

IEC 62271-102:2018, *High-voltage switchgear and controlgear – Part 102: Alternating current disconnectors and earthing switches*

IEC 62271-103:2021, *High-voltage switchgear and controlgear – Part 103: Switches for rated voltages above 1 kV up to and including 52 kV*

IEC 62271-105:2021, *High-voltage switchgear and controlgear – Part 105: Alternating current switch-fuse combinations for rated voltages above 1 kV up to and including 52 kV*

IEC 62271-106:2021, *High-voltage switchgear and controlgear – Part 106: Alternating current contactors, contactor-based controllers and motor-starters*

IEC 62271-107:2019, *High-voltage switchgear and controlgear – Part 107: Alternating current fused circuit-switchers for rated voltages above 1 kV up to and including 52 kV*

IEC 62271-201:2014, *High-voltage switchgear and controlgear – Part 201: AC solid-insulation enclosed switchgear and controlgear for rated voltages above 1 kV and up to and including 52 kV*

IEC 62271-203:2011, *High-voltage switchgear and controlgear – Part 203: Gas-insulated metal-enclosed switchgear for rated voltages above 52 kV*

IEC 62271-213:2021, *High-voltage switchgear and controlgear – Part 213: Voltage detecting and indicating system*

IEC 62271-215:2021, *High-voltage switchgear and controlgear – Part 215: Phase comparator used with VDIS*

IEC IEEE 62271-37-013:2015, *High-voltage switchgear and controlgear – Part 37-013: Alternating-current generator circuit-breakers*