

This is a preview of "DS/ISO 14739-1:2014". [Click here to purchase the full version from the ANSI store.](#)

# Dokumentstyring – 3D-anvendelse af PRC-format (product representation compact) – Del 1: PRC 10001

Document management – 3D use of Product Representation  
Compact (PRC) format – Part 1: PRC 10001



**DANSK STANDARD**  
Danish Standards Association

Göteborg Plads 1  
DK-2150 Nordhavn  
Tel: +45 39 96 61 01  
dansk.standard@ds.dk  
www.ds.dk

This is a preview of "DS/ISO 14739-1:2014". [Click here to purchase the full version from the ANSI store.](#)

DS projekt: M344362

ICS: 35.240.30

**Første del af denne publikations betegnelse er:**

**DS/ISO, hvilket betyder, at det er en international standard, der har status som dansk standard.**

**Denne publikations overensstemmelse er:**

**IDT med: ISO 14739-1:2014**

**DS-publikationen er på engelsk.**

---

### **DS-publikationstyper**

Dansk Standard udgiver forskellige publikationstyper.

Typen på denne publikation fremgår af forsiden.

Der kan være tale om:

#### **Dansk standard**

- standard, der er udarbejdet på nationalt niveau, eller som er baseret på et andet lands nationale standard, eller
- standard, der er udarbejdet på internationalt og/eller europæisk niveau, og som har fået status som dansk standard

#### **DS-information**

- publikation, der er udarbejdet på nationalt niveau, og som ikke har opnået status som standard, eller
- publikation, der er udarbejdet på internationalt og/eller europæisk niveau, og som ikke har fået status som standard, fx en teknisk rapport, eller
- europæisk præstandard

#### **DS-håndbog**

- samling af standarder, eventuelt suppleret med informativt materiale

#### **DS-hæfte**

- publikation med informativt materiale

Til disse publikationstyper kan endvidere udgives

- tillæg og rettelsesblade

### **DS-publikationsform**

Publikationstyperne udgives i forskellig form som henholdsvis

- fuldtekstpublikation (publikationen er trykt i sin helhed)
- godkendelsesblad (publikationen leveres i kopi med et trykt DS-omslag)
- elektronisk (publikationen leveres på et elektronisk medie)

### **DS-betegnelse**

Alle DS-publikationers betegnelse begynder med DS efterfulgt af et eller flere præfikser og et nr., fx **DS 383**, **DS/EN 5414** osv. Hvis der efter nr. er angivet et **A** eller **Cor**, betyder det, enten at det er et **tillæg** eller et **rettelsesblad** til hovedstandard, eller at det er indført i hovedstandard.

DS-betegnelse angives på forsiden.

### **Overensstemmelse med anden publikation:**

Overensstemmelse kan enten være IDT, EQV, NEQ eller MOD

- **IDT:** Når publikationen er identisk med en given publikation.
- **EQV:** Når publikationen teknisk er i overensstemmelse med en given publikation, men præsentationen er ændret.
- **NEQ:** Når publikationen teknisk eller præsentationsmæssigt ikke er i overensstemmelse med en given standard, men udarbejdet på baggrund af denne.
- **MOD:** Når publikationen er modificeret i forhold til en given publikation.

This is a preview of "DS/ISO 14739-1:2014". [Click here to purchase the full version from the ANSI store.](#)

First edition  
2014-12-15

---

---

## **Document management — 3D use of Product Representation Compact (PRC) format —**

### **Part 1: PRC 10001**

*Gestion de documents — Utilisation en 3D du format compact de  
représentation de produit (PRC) —*

*Partie 1: PRC 10001*



Reference number  
ISO 14739-1:2014(E)

© ISO 2014

This is a preview of "DS/ISO 14739-1:2014". [Click here to purchase the full version from the ANSI store.](#)



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

This is a preview of "DS/ISO 14739-1:2014". [Click here to purchase the full version from the ANSI store.](#)

<b>Contents</b>	<b>Page</b>
<b>Contents</b> .....	<b>iii</b>
<b>Foreword</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>2</b>
<b>4 Document syntax conventions</b> .....	<b>2</b>
<b>4.1 Conventions</b> .....	<b>2</b>
<b>4.2 Example Structure</b> .....	<b>2</b>
<b>5 PRC file concepts</b> .....	<b>3</b>
<b>5.1 The PRC file</b> .....	<b>3</b>
<b>5.2 Versioning</b> .....	<b>5</b>
<b>5.3 Unique identifiers</b> .....	<b>6</b>
<b>5.4 Current data values</b> .....	<b>7</b>
<b>5.5 Userdata</b> .....	<b>7</b>
<b>5.6 Units</b> .....	<b>8</b>
<b>5.7 Tolerances</b> .....	<b>8</b>
<b>5.8 Compressed file sections</b> .....	<b>9</b>
<b>5.9 Compressed geometry</b> .....	<b>9</b>
<b>5.10 Compressed tessellation</b> .....	<b>9</b>
<b>6 PRC file contents</b> .....	<b>9</b>
<b>6.1 Fileheader</b> .....	<b>9</b>
<b>6.2 Filestructure</b> .....	<b>11</b>
<b>6.3 PRC Schema</b> .....	<b>13</b>
<b>7 PRC basic types</b> .....	<b>13</b>
<b>7.1 General</b> .....	<b>13</b>
<b>7.2 Uncompressed types</b> .....	<b>14</b>
<b>7.3 Compressed types</b> .....	<b>15</b>
<b>8 Base entities</b> .....	<b>21</b>
<b>8.1 General</b> .....	<b>21</b>
<b>8.2 Abstract root types</b> .....	<b>21</b>
<b>8.3 Structure and assembly</b> .....	<b>25</b>
<b>8.4 Miscellaneous Data</b> .....	<b>45</b>
<b>8.5 Graphics</b> .....	<b>56</b>
<b>8.6 Representation items</b> .....	<b>72</b>
<b>8.7 Markup</b> .....	<b>77</b>
<b>8.8 Tessellation</b> .....	<b>83</b>
<b>8.9 Topology</b> .....	<b>114</b>
<b>8.10 Curve</b> .....	<b>150</b>
<b>8.11 Surface</b> .....	<b>182</b>
<b>8.12 Mathematical Operator</b> .....	<b>209</b>
<b>9 Schema Definition</b> .....	<b>213</b>
<b>9.1 General</b> .....	<b>213</b>
<b>9.2 Enumeration Of Schema Tokens</b> .....	<b>214</b>

This is a preview of "DS/ISO 14739-1:2014". [Click here to purchase the full version from the ANSI store.](#)

9.3	Schema Processing .....	216
9.4	Schema Requirements and Examples.....	222
10	I/O Algorithms .....	225
10.1	Getnumberofbitsusedtostoreunsignedinteger .....	225
10.2	Makeportable32bitsunsigned .....	225
10.3	Writebits .....	225
10.4	Writestring.....	226
10.5	Writefloatasbytes.....	226
10.6	Writecharacterarray.....	227
10.7	Writeshortarray .....	228
10.8	Writecompressedintegerarray .....	229
10.9	Writecompressedindicearray .....	229
10.10	Writeunsignedinteger .....	230
10.11	Writeinteger .....	230
10.12	Writeintegerwithvariablebitnumber .....	230
10.13	Writeunsignedintegerwithvariablebitnumber.....	231
10.14	Writedoublewithvariablebitnumber.....	231
10.15	Writenumberofbitsthenunsignedinteger .....	232
10.16	Writecompressedentitytype .....	232
10.17	Writedouble.....	233
10.18	Procedure For Writedouble .....	270
11	Tessellation Compression Support .....	274
11.1	General.....	274
11.2	Huffman Algorithm.....	275
11.3	Basis Pseudocode.....	277
	Annex A (informative) Example: Triangle .....	281
	Annex B (informative) List of figures and tables .....	283
	Bibliography .....	284

This is a preview of "DS/ISO 14739-1:2014". [Click here to purchase the full version from the ANSI store.](#)

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 171, *Document management applications*, Subcommittee SC 2, *Application issues*.

This is a preview of "DS/ISO 14739-1:2014". [Click here to purchase the full version from the ANSI store.](#)

## **Introduction**

The data representations in PRC allows 3D design data, typically created in CAD and PLM systems, to be viewed and interrogated by visualization applications and to be integrated into complex documents.

This document specifies a wide range of data forms. The wide range is necessary to:

- Achieve a high fidelity, visually equivalent representation of 3D design data produced by an advanced CAD or PLM system without requiring the original application.
- Allow applications to compute high accuracy product shape measurements.

PRC is intended to complement native or open standard CAD and PLM formats as a compact, concise binary form for visualization and documentation. PRC is not intended as a data format for CAD interoperability or use in factory automation systems, e.g. automated manufacturing and inspection systems, which is addressed by the ISO 10303 standards.



This is a preview of "DS/ISO 14739-1:2014". Click here to purchase the full version from the ANSI store.

# Document management — 3D use of Product Representation Compact (PRC) format —

## Part 1: PRC 10001

### 1 Scope

This International Standard describes PRC 10001 of a product representation compact (PRC) file format for three dimensional (3D) content data. This format is designed to be included in PDF (ISO 32000) and other similar document formats for the purpose of 3D visualization and exchange. It can be used for creating, viewing, and distributing 3D data in document exchange workflows. It is optimized to store, load, and display various kinds of 3D data, especially that coming from computer aided design (CAD) systems.

This International Standard does not apply to:

- Method of electronic distribution
- Converting CAD system generated datasets to the PRC format
- Specific technical design, user interface, implementation, or operational details of rendering
- Required computer hardware and/or operating systems

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 12651:1999, *Electronic imaging — Vocabulary*

ISO 24517-1:2008, *Document management — Engineering document format using PDF — Part 1: Use of PDF 1.6 (PDF/E-1)*

ISO 32000, *Document management — Portable document format*

IEEE 754, *Floating-Point Arithmetic*

*The OpenGL Graphics System, A Specification, Version 4.1 (Core Profile), July 25, 2010*<sup>1</sup>

---

<sup>1</sup> Available at <http://www.opengl.org/registry/doc/glspec41.core.20100725.pdf>