

This is a preview of "DS/ISO 19659-3:2022". [Click here to purchase the full version from the ANSI store.](#)

Jernbaner – Varme-, ventilations- og airconditionanlæg beregnet til rullende materiel – Del 3: Energieffektivitet

Railway applications – Heating, ventilation and air conditioning systems for rolling stock – Part 3: Energy efficiency

DANSK STANDARD
Danish Standards Association

Göteborg Plads 1
DK-2150 Nordhavn

Tel: +45 39 96 61 01
dansk.standard@ds.dk
www.ds.dk

This is a preview of "DS/ISO 19659-3:2022". [Click here to purchase the full version from the ANSI store.](#)

DS projekt: M350644

ICS: 45.060.01

Første del af denne publikations betegnelse er:

DS/ISO, hvilket betyder, at det er en international standard, der har status som dansk standard.

Denne publikations overensstemmelse er:

IDT med: ISO 19659-3:2022

DS-publikationen er på engelsk.

DS-publikationstyper

Dansk Standard udgiver forskellige publikationstyper.

Typen på denne publikation fremgår af forsiden.

Der kan være tale om:

Dansk standard

- standard, der er udarbejdet på nationalt niveau, eller som er baseret på et andet lands nationale standard, eller
- standard, der er udarbejdet på internationalt og/eller europæisk niveau, og som har fået status som dansk standard

DS-information

- publikation, der er udarbejdet på nationalt niveau, og som ikke har opnået status som standard, eller
- publikation, der er udarbejdet på internationalt og/eller europæisk niveau, og som ikke har fået status som standard, fx en teknisk rapport, eller
- europæisk præstandard

DS-håndbog

- samling af standarder, eventuelt suppleret med informativt materiale

DS-hæfte

- publikation med informativt materiale

Til disse publikationstyper kan endvidere udgives

- tillæg og rettelsesblade

DS-publikationsform

Publikationstyperne udgives i forskellig form som henholdsvis

- fuldtekstpublikation (publikationen er trykt i sin helhed)
- godkendelsesblad (publikationen leveres i kopi med et trykt DS-omslag)
- elektronisk (publikationen leveres på et elektronisk medie)

DS-betegnelse

Alle DS-publikationers betegnelse begynder med DS efterfulgt af et eller flere præfikser og et nr., fx **DS 383**, **DS/EN 5414** osv. Hvis der efter nr. er angivet et **A** eller **Cor**, betyder det, enten at det er et **tillæg** eller et **rettelsesblad** til hovedstandard, eller at det er indført i hovedstandard.

DS-betegnelse angives på forsiden.

Overensstemmelse med anden publikation:

Overensstemmelse kan enten være IDT, EQV, NEQ eller MOD

- **IDT:** Når publikationen er identisk med en given publikation.
- **EQV:** Når publikationen teknisk er i overensstemmelse med en given publikation, men præsentationen er ændret.
- **NEQ:** Når publikationen teknisk eller præsentationsmæssigt ikke er i overensstemmelse med en given standard, men udarbejdet på baggrund af denne.
- **MOD:** Når publikationen er modificeret i forhold til en given publikation.

First edition
2022-10

Railway applications — Heating, ventilation and air conditioning systems for rolling stock —

Part 3: Energy efficiency

*Applications ferroviaires — Systèmes de chauffage, ventilation et
climatisation pour le matériel roulant —*

Partie 3: Efficacité énergétique



Reference number
ISO 19659-3:2022(E)

© ISO 2022

This is a preview of "DS/ISO 19659-3:2022". [Click here to purchase the full version from the ANSI store.](#)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2022, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

This is a preview of "DS/ISO 19659-3:2022". [Click here to purchase the full version from the ANSI store.](#)

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms, definitions and abbreviated terms	1
3.1 Terms and definitions.....	1
3.2 Abbreviated terms.....	1
4 Train mode	2
4.1 General.....	2
4.2 Train in-service mode (TISM).....	2
4.3 Train ready for service mode (TRSM).....	2
4.4 Pre-conditioning mode (PCM).....	2
4.5 Parking mode (PM)	2
4.6 Operating timetable, hours for each mode and category	3
5 Principles	3
5.1 General.....	3
5.2 Methods	4
5.2.1 General.....	4
5.2.2 Method I [with climatic facility / ISO 19659-2]	4
5.2.3 Method II [without climatic facility]	4
5.3 Climatic and operational boundary conditions	4
5.3.1 General.....	4
5.3.2 Operational point matrix	4
5.3.3 Weather data analysis	6
6 Assessment methods	8
6.1 General.....	8
6.2 Simulation and calculation	8
6.2.1 Simulation	8
6.2.2 Calculation of the total annual energy consumption.....	8
6.2.3 Calculation of the total annual energy efficiency	9
6.2.4 Documentation.....	10
6.3 Verification	10
6.3.1 General.....	10
6.3.2 Test rules.....	10
6.3.3 Documentation.....	11
6.4 Post-processing	11
Annex A (informative) Procedure for decision of operational point matrix	14
Annex B (informative) Procedure for weather data analysis	17
Bibliography	24

This is a preview of "DS/ISO 19659-3:2022". [Click here to purchase the full version from the ANSI store.](#)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 269, *Railway applications, Subcommittee SC 2, Rolling Stock*.

A list of all parts in the [ISO 19659 series](#) can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This is a preview of "DS/ISO 19659-3:2022". [Click here to purchase the full version from the ANSI store.](#)

Introduction

The world's energy resources are being consumed at a significant rate that will result in the depletion of non-renewable resources. It is imperative that energy be conserved. Conservation of energy in railway vehicles can result in a slowdown of non-renewable resource usage and consequently of the build-up of greenhouse gases.

The HVAC (heating, ventilation and air-conditioning) system is one of the main energy consumers on a train, and its energy efficiency is a key issue to reduce the environmental impact of public transport.

As most railway vehicles are designed to last for a long period (15 y to 40 y), lower energy consumption can also be considered a means of reducing the cost to railway operators and authorities.

The energy consumption of the HVAC systems is affected by multiple parameters therefore, a common guideline is essential for comparative assessment of energy efficiency between different systems.

This document offers methodologies to deliver comparable energy consumption values of the HVAC system without unnecessary lead times and costs by suggesting appropriate conditions for simulation or testing.

In general, this document describes the conditions that should be considered:

- train mode,
- principles such as measurements, climatic and operational boundary conditions,
- assessment methods such as simulation, calculation, verification and post-processing.

These can be used to assess the effectiveness of energy efficiency measures to evaluate different cars and/or HVAC concepts and to provide an indication of the annual HVAC energy consumption for the whole train (except driver's cab).

The specifications in this document are to be considered together with the national/regional standards, which take different preferences, local weather and operational conditions into account.

This is a preview of "DS/ISO 19659-3:2022". [Click here to purchase the full version from the ANSI store.](#)

This is a preview of "DS/ISO 19659-3:2022". Click here to purchase the full version from the ANSI store.

Railway applications — Heating, ventilation and air conditioning systems for rolling stock —

Part 3: Energy efficiency

1 Scope

This document is applicable to the calculation, measurement and/or verification of energy consumption of railway vehicle HVAC (heating, ventilation and air-conditioning) systems.

The HVAC system energy consumption is simulated, calculated, measured and validated in accordance with the requirements of thermal comfort defined in [ISO 19659-2](#), considering the same category of passenger railway vehicles as detailed in [ISO 19659-2](#), Clause 4:

- Category 1 (e.g. main line, intercity, long distance, high speed);
- Category 2 (e.g. suburban, commuter, regional);
- Category 3 (e.g. urban, LRV, tram, metro/subway).

This document only covers the passenger area HVAC systems. Driver's cab HVAC systems are excluded but could be treated in a similar way.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

[ISO 19659-1](#), *Railway applications — Heating, ventilation and air conditioning systems for rolling stock — Part 1: Terms and definitions*

[ISO 19659-2](#), *Railway applications — Heating, ventilation and air conditioning systems for rolling stock — Part 2: Thermal comfort*