

This is a preview of "DS/ISO 27186:2020". [Click here to purchase the full version from the ANSI store.](#)

# Aktivt implantabelt medicinsk udstyr – Firepolet stikforbindelsessystem til implantabelt udstyr til hjerterytmeovervågning – Dimensions- og prøvningskrav

Active implantable medical devices – Four-pole connector system for implantable cardiac rhythm management devices – Dimensional and test requirements

**DANSK STANDARD**  
Danish Standards Association

Göteborg Plads 1  
DK-2150 Nordhavn

Tel: +45 39 96 61 01  
[dansk.standard@ds.dk](mailto:dansk.standard@ds.dk)  
[www.ds.dk](http://www.ds.dk)

This is a preview of "DS/ISO 27186:2020". [Click here to purchase the full version from the ANSI store.](#)

DS projekt: M352099

ICS: 11.040.40

**Første del af denne publikations betegnelse er:**

**DS/ISO, hvilket betyder, at det er en international standard, der har status som dansk standard.**

**Denne publikations overensstemmelse er:**

**IDT med: ISO 27186:2020**

**DS-publikationen er på engelsk.**

---

### **DS-publikationstyper**

Dansk Standard udgiver forskellige publikationstyper.

Typen på denne publikation fremgår af forsiden.

Der kan være tale om:

#### **Dansk standard**

- standard, der er udarbejdet på nationalt niveau, eller som er baseret på et andet lands nationale standard, eller
- standard, der er udarbejdet på internationalt og/eller europæisk niveau, og som har fået status som dansk standard

#### **DS-information**

- publikation, der er udarbejdet på nationalt niveau, og som ikke har opnået status som standard, eller
- publikation, der er udarbejdet på internationalt og/eller europæisk niveau, og som ikke har fået status som standard, fx en teknisk rapport, eller
- europæisk præstandard

#### **DS-håndbog**

- samling af standarder, eventuelt suppleret med informativt materiale

#### **DS-hæfte**

- publikation med informativt materiale

Til disse publikationstyper kan endvidere udgives

- tillæg og rettelsesblade

### **DS-publikationsform**

Publikationstyperne udgives i forskellig form som henholdsvis

- fuldtekstpublikation (publikationen er trykt i sin helhed)
- godkendelsesblad (publikationen leveres i kopi med et trykt DS-omslag)
- elektronisk (publikationen leveres på et elektronisk medie)

### **DS-betegnelse**

Alle DS-publikationers betegnelse begynder med DS efterfulgt af et eller flere præfikser og et nr., fx **DS 383**, **DS/EN 5414** osv. Hvis der efter nr. er angivet et **A** eller **Cor**, betyder det, enten at det er et **tillæg** eller et **rettelsesblad** til hovedstandard, eller at det er indført i hovedstandard.

DS-betegnelse angives på forsiden.

### **Overensstemmelse med anden publikation:**

Overensstemmelse kan enten være IDT, EQV, NEQ eller MOD

- **IDT:** Når publikationen er identisk med en given publikation.
- **EQV:** Når publikationen teknisk er i overensstemmelse med en given publikation, men præsentationen er ændret.
- **NEQ:** Når publikationen teknisk eller præsentationsmæssigt ikke er i overensstemmelse med en given standard, men udarbejdet på baggrund af denne.
- **MOD:** Når publikationen er modificeret i forhold til en given publikation.

This is a preview of "DS/ISO 27186:2020". [Click here to purchase the full version from the ANSI store.](#)

Second edition  
2020-11-30

---

---

## **Active implantable medical devices — Four-pole connector system for implantable cardiac rhythm management devices — Dimensional and test requirements**

*Dispositifs médicaux actifs implantables — Systèmes de branchement  
à quatre pôles pour dispositifs implantables de gestion du rythme  
cardiaque — Exigences de dimensions et d'essai*



Reference number  
ISO 27186:2020(E)

© ISO 2020

This is a preview of "DS/ISO 27186:2020". [Click here to purchase the full version from the ANSI store.](#)



## **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2020, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

This is a preview of "DS/ISO 27186:2020". [Click here to purchase the full version from the ANSI store.](#)

## Contents

Page

<b>Foreword</b> .....	<b>v</b>
<b>Introduction</b> .....	<b>vi</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>2</b>
<b>4 Requirements</b> .....	<b>5</b>
4.1 General.....	5
4.2 Lead connector physical requirements.....	5
4.2.1 Dimensions.....	5
4.2.2 Materials.....	10
4.2.3 Lead connector electrical connections.....	10
4.2.4 Lead marking.....	10
4.2.5 Lead package labels and literature.....	12
4.3 Lead connector functional requirements.....	12
4.3.1 Functional dimensional check.....	12
4.3.2 Tensile loads.....	13
4.3.3 Deformation due to pin contact forces.....	13
4.3.4 Deformation due to ring contact forces.....	13
4.3.5 Seal zone requirement.....	14
4.3.6 Electrical isolation requirement.....	14
4.3.7 Dielectric strength requirement.....	15
4.3.8 Current-carrying requirement.....	15
4.3.9 Corrosion/environmental.....	15
4.4 Connector cavity physical requirements.....	15
4.4.1 Dimensions.....	15
4.4.2 Connector cavity electrical connections.....	17
4.4.3 Connector cavity/pulse generator marking.....	18
4.4.4 Pulse generator labels and literature.....	19
4.5 Connector cavity functional requirements.....	19
4.5.1 Insertion force.....	19
4.5.2 Retention force.....	20
4.5.3 Withdrawal force.....	21
4.5.4 Ring contact load.....	21
4.5.5 Seal zone load requirement.....	22
4.5.6 Electrical isolation requirement.....	22
4.5.7 Dielectric strength requirement.....	22
4.5.8 Current-carrying requirement (high-voltage connector cavity).....	22
4.5.9 Contact resistance/stability.....	22
<b>Annex A (normative) Electrical isolation test</b> .....	<b>23</b>
<b>Annex B (informative) Rational for Annex A</b> .....	<b>28</b>
<b>Annex C (normative) Dielectric strength test</b> .....	<b>30</b>
<b>Annex D (informative) Rational for Annex C</b> .....	<b>35</b>
<b>Annex E (normative) Current-carrying test high-voltage types</b> .....	<b>39</b>
<b>Annex F (informative) Rational for Annex E</b> .....	<b>44</b>
<b>Annex G (informative) Lead connector fatigue strength test</b> .....	<b>46</b>
<b>Annex H (informative) Lead connector seal zone materials</b> .....	<b>47</b>
<b>Annex I (informative) Seal zone creep</b> .....	<b>49</b>
<b>Annex J (informative) Contact resistance stability</b> .....	<b>54</b>

This is a preview of "DS/ISO 27186:2020". [Click here to purchase the full version from the ANSI store.](#)

<b>Annex K</b> (informative) <b>Rational for Annex J</b> .....	<b>58</b>
<b>Annex L</b> (informative) <b>Selection of contact materials</b> .....	<b>60</b>
<b>Annex M</b> (normative) <b>Lead connector contact material requirements</b> .....	<b>62</b>
<b>Annex N</b> (informative) <b>Rational for Annex M</b> .....	<b>66</b>
<b>Annex O</b> (informative) <b>Rationale for requirements in this document</b> .....	<b>72</b>
<b>Annex P</b> (informative) <b>Connector products</b> .....	<b>79</b>
<b>Bibliography</b> .....	<b>81</b>

This is a preview of "DS/ISO 27186:2020". [Click here to purchase the full version from the ANSI store.](#)

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared jointly by Technical Committee ISO/TC 150, *Implants for surgery*, Subcommittee SC 6, *Active implants*, and Technical Committee IEC/SC 62D, *Electromedical equipment*. The draft was circulated for voting to the national bodies of both ISO and IEC.

This second edition cancels and replaces the first edition ([ISO 27186:2010](#)), which has been technically revised.

The main changes compared to the previous edition are as follows:

- minor typographical errors have been corrected;
- the notch feature on lead connector pins has been made optional whereas previously it was required;
- the use of the notch feature for retention is no longer permitted;
- a clarification has been made to verify the functional sealing and functional contact zone requirements in [4.4.1.2](#) and [4.4.1.3](#).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

This is a preview of "DS/ISO 27186:2020". [Click here to purchase the full version from the ANSI store.](#)

## **Introduction**

The four-pole connector was created to reduce the number of individual lead connectors, to reduce pocket bulk associated with existing bifurcated or trifurcated leads, to reduce interaction of the lead bodies in the pocket and to reduce set screw connections.

The intent of this document is to define a four-pole connector assembly that provides interchangeability between implantable leads and pulse generators from different manufacturers.

This document establishes two types of connector assembly: a “high-voltage connector” and a “low-voltage only connector”, each of which has several configurations. The high-voltage connectors either have two low-voltage contacts combined with one or two high-voltage contacts, or they have only two high-voltage contacts. The low-voltage only connectors have either three or four low-voltage contacts.

The high-voltage and low-voltage only connectors and their voltage configurations are not intended to be interchangeable. This document specifies a dimensional lockout feature that prevents the low-voltage contacts of the lead connectors from contacting the high-voltage contacts of high-voltage connector cavities.

This is a preview of "DS/ISO 27186:2020". [Click here to purchase the full version from the ANSI store.](#)

# Active implantable medical devices — Four-pole connector system for implantable cardiac rhythm management devices — Dimensional and test requirements

**WARNING** — The low-voltage only connector cavity specified in this document is not to be used if the implantable pulse generator is capable of introducing dangerous non-pacing stimuli (e.g. defibrillation shocks) through the contacts of that connector cavity. Likewise, the high-voltage lead connector specified in this document is not to be used on leads intended for low-voltage only therapy.

## 1 Scope

This document specifies a four-pole connector system for implantable cardiac rhythm management (CRM) devices which have pacing, electrogram sensing and/or defibrillation functions. This document includes requirements for the connector portion of an implantable lead as well as for the mating connector cavity attached to an implantable pulse generator. Essential dimensions and performance requirements are specified together with appropriate test methods.

**NOTE** — The safety, reliability, biocompatibility, biostability and function of any particular part are the responsibility of the manufacturer.

This document is not intended to replace or provide alternatives for unipolar or bipolar connector standards that currently exist (such as [ISO 11318](#) and [ISO 5841-3](#)).

This document is not applicable to high-voltage systems with intended outputs greater than 1 000 V and/or 50 A. This document is not applicable to systems which include sensors or unique electrodes that are not capable of conventional pacing, electrogram sensing and/or defibrillation functions.

This document does not specify all connector features.

This document does not address all aspects of functional compatibility, safety or reliability of leads and pulse generators assembled into a system.

**NOTE** — Lead and pulse generator connector systems not conforming to this document can be safe and reliable and can have clinical advantages.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

[ISO 7436](#), *Slotted set screws with cup point*

[ASTM B348](#), *Standard Specification for Titanium and Titanium Alloy Bars and Billets*

[ASTM F562](#), *Standard Specification for Wrought 35Cobalt-35Nickel-20Chromium-10Molybdenum Alloy for Surgical Implant Applications*

[ASTM F746-04](#), *Standard Test Method for Pitting or Crevice Corrosion of Metallic Surgical Implant Materials*