

This is a preview of "DS/EN 15940:2023". [Click here to purchase the full version from the ANSI store.](#)

Motorbrændstof – Dieselolie baseret på syntesegas eller hydrogenbehandling – krav og prøvningsmetode

Automotive fuels – Paraffinic diesel fuel from synthesis or hydrotreatment – Requirements and test methods

DANSK STANDARD
Danish Standards Association

Göteborg Plads 1
DK-2150 Nordhavn
Tel: +45 39 96 61 01
dansk.standard@ds.dk
www.ds.dk

This is a preview of "DS/EN 15940:2023". [Click here to purchase the full version from the ANSI store.](#)

DS projekt: M355378

ICS: 75.160.20

Første del af denne publikations betegnelse er:

DS/EN, hvilket betyder, at det er en europæisk standard, der har status som dansk standard.

Denne publikations overensstemmelse er:

IDT med: EN 15940:2023

DS-publikationen er på engelsk.

Denne publikation erstatter: [DS/EN 15940:2016+A1+AC:2019](#)

I tilfælde af redaktionelle fejl i DS-publikationen kan der skrives til:

editorial-mistakes@ds.dk

ADVARSEL: DS-publikationer revideres over tid. Derudover kan sådanne publikationer ændres ved rettelserblade og/eller tillæg. Der kan også udgives rettelserblade, der udelukkende angår oversættelsen af en publikation. Det er derfor vigtigt at sikre sig, at man benytter en gældende udgave, medmindre fx lovgivning kræver andet. Den enkelte publikations status fremgår af <https://webshop.ds.dk/>. Her kan man desuden tilmelde sig en gratis notifikationservice og følge en udgivet DS-publikations udvikling ved at klikke på "Følg standarden".

En oversigt over forskellige DS-publikationstyper og -betegnelser findes her:

<https://www.ds.dk/publikationstyper>.

This is a preview of "DS/EN 15940:2023". [Click here to purchase the full version from the ANSI store.](#)

EUROPÄISCHE NORM

May 2023

ICS 75.160.20

Supersedes EN 15940:2016+A1:2018+AC:2019

English Version

Automotive fuels - Paraffinic diesel fuel from synthesis or hydrotreatment - Requirements and test methods

Carburants pour automobiles - Gazoles
paraffiniques de synthèse ou obtenus par
hydrotraitement - Exigences et méthodes d'essais

Kraftstoffe - Paraffinischer Dieseldieselkraftstoff
von Synthese oder Wasserstoffbearbeitung
- Anforderungen und Prüfverfahren

This European Standard was approved by CEN on 10 April 2023.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

This is a preview of "DS/EN 15940:2023". [Click here to purchase the full version from the ANSI store.](#)

Contents

Page

European foreword	3
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	8
4 Sampling	8
5 Pump marking	8
6 Requirements and test methods	8
6.1 Dyes and markers	8
6.2 Additives	8
6.2.1 General	8
6.2.2 Methylcyclopentadienyl Manganese Tricarbonyl (MMT)	8
6.3 Fatty acid methyl ester (FAME)	9
6.4 Generally applicable requirements and related test methods	9
6.5 Climate dependent requirements and related test methods	12
6.6 Precision and dispute	13
Annex A (normative) Details of interlaboratory test programme	14
Annex B (normative) Measurements and constants for paraffinic fuel products and components	15
Bibliography	19

This is a preview of "DS/EN 15940:2023". [Click here to purchase the full version from the ANSI store.](#)

European foreword

This document ([EN 15940:2023](#)) has been prepared by Technical Committee CEN/TC 19 "Gaseous and liquid fuels, lubricants and related products of petroleum, synthetic and biological origin", the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2023, and conflicting national standards shall be withdrawn at the latest by November 2023.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document will supersede [EN 15940:2016+A1:2018+AC:2019](#).

Significant technical changes between this document and the previous version are [EN 15940:2016+A1:2018+AC:2019](#):

- a) update of the note in the scope explaining the product approval for vehicle purpose;
- b) removal of the former A-deviation for Belgium due to change of legislation in the meantime;
- c) update to the normative references towards undated versions where they don't concern requirements originating from European Directives (in line with decisions by CEN/TC 19 in coordination with the European Commission), and updating the effective publication dates where required;
- d) inclusion of the amended [EN 14214](#) FAME specification;
- e) addition of micro-distillation ([EN 17306](#)) as an alternative test method to distillation by [EN ISO 3405](#) and [EN ISO 3924](#);
- f) addition of the ICN technique ([EN 17155](#)) as alternative methods for cetane number determination by [EN ISO 5165](#);
- g) addition of automated method ([EN ISO 22995](#)) as an alternative test method to cloud point by [EN ISO 3015](#);
- h) addition of the Stabinger viscometer ([ISO 23581](#)) as an alternative test method to viscosity by [EN ISO 3104](#);
- i) addition of EDXRF spectrometry method ([EN ISO 13032](#)) as an alternative test method to sulfur determination;
- j) replacement of the clauses setting requirements for cavitation prevention and seizure control, plus the seizure protection Annex, by adapting the improved lubricity requirement in [Table 1](#), by removal from [Table 1](#) of the reporting requirement for IBP, and by introduction of a shorter cautionary statement under [6.4.6](#);
- k) addition of oxidation stability by rapid small scale oxidation method ([EN 16091](#)) as an alternative test method to oxidation stability by [EN 15751](#) for diesel fuel containing FAME above 2,0 % (V/V);
- l) introduction of instructions how to apply bias correction;
- m) deletion of the reference to an alternative correlation equation in [EN 15195](#) for results outside the method scope range;
- n) updating of [Annex A](#) based on recent test method standard updates;
- o) considerations around use of this document for heating fuel application have been introduced in the Introduction;

This is a preview of "DS/EN 15940:2023". [Click here to purchase the full version from the ANSI store.](#)

- p) update of reference [EN 15195](#);
- r) allowance of blending [EN 590](#) diesel.

In this document, all relevant characteristics, requirements and test methods are specified. These specifications are relevant for the driveability of the vehicles and are currently known to prevent harm to the vehicles and their powertrains. Climate dependent requirements of this document may vary according to national adoptions of [EN 590](#) and [EN 14214](#), and should be indicated by a specific National Annex.

Requirements following amendment 2003/17/EC [[11](#)], 2009/30/EC [[12](#)], 2011/63/EU [[13](#)] and 2014/77/EU [[14](#)] to the European Fuels Quality Directive 98/70/EC [[10](#)], are taken into account. Dates are included with all normative test method references in order to comply with the requirements of the European Commission; with the accompanying assurance by CEN/TC 19 that any referenced updated versions will always give at least the same accuracy and at least the same level of precision (see [[12](#)]).

The marking at the pump of this product is in line with the requirements of the Fuels Quality Directive and the Alternative Fuels Infrastructure Directive [[15](#)].

Several assessments of test methods for paraffinic diesel fuel have been executed and the results thereof [[8](#)] led to conclusions regarding the applicability of each of the test methods as required in [Clause 6](#). The conclusion of these assessments, partially funded by the European Commission, led to the possibility to upgrade the original Technical Specification into a full European Standard. Although it is its main actual use, the product is now no longer limited to captive fleet usage, but the scope defines the need to check the use of the product with the vehicle manufacturer. There are no EU legislative needs to limit the product to captive fleets. Such restriction is not for the specification but for the market to decide upon. Therefore, and in the light of the need to check the use of the product with the vehicle manufacturer, all restrictions towards captive fleet from the CEN/TS text have been deleted.

This document is based on current knowledge at the time of publishing, but will require review based on further experiences with the use of paraffinic diesel fuel or when the specification for either regular automotive diesel fuel, [EN 590](#), or FAME, [EN 14214](#), has been determined (revised) by CEN/TC 19 or based on further experiences with the use of paraffinic diesel fuel according to this document. Further background can be found in [CEN/TR 16389](#) [[4](#)].

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

This is a preview of "DS/EN 15940:2023". [Click here to purchase the full version from the ANSI store.](#)

Introduction

This document has been laid down to specify a standard with requirements for diesel fuel on the basis of synthesis gas or of hydrotreated bio-oils, -fats or other suitable feedstock. Paraffinic diesel fuel does not meet the automotive diesel fuel standard, [EN 590](#) [1]. Its density can be outside the limits for automotive diesel fuel, and the described class A type fuel has a higher cetane number. Paraffinic diesel fuel is extensively available and has been increasingly approved for usage in vehicles since the first publication of [EN 15940](#). However it is not released for all vehicles, consult vehicle manufacturer before use.

As some production processes result in a fuel containing cyclo-paraffins, as well as n-paraffins and iso-paraffins, they show different cetane number compared to other paraffinic diesel fuels. Hence, in this document, two classes have been specified, one class showing improved ignition quality compared to automotive diesel fuel meeting [EN 590](#).

Blending of paraffinic diesel fuel with fatty acid methyl ester (FAME) is covered in this document. Against the background of the EU Renewable Energy Directive (RED, 2018/2001/EC [9]) and also the latest developments regarding the European automotive diesel fuel standard, there is now a pressing requirement to allow for FAME blend variations of those paraffinic fuels, which are not already classified as being from renewable resources.

Paraffinic diesel fuel is also used as a blending component in automotive diesel fuel. In that case it does not have to meet [EN 15940](#) requirements since composition and properties of diesel fuel blends are specified in the respective automotive diesel fuel standards, e.g. [EN 590](#) and [EN 16734](#) (see [EN 590:2022](#), 6.4 and [EN 16734:2022](#), 6.4 [3]).

The document will be usable on a voluntary basis for engine clearance, fuel acceptance and fuelling station allowance, supporting both local regulations and international trade. See also [CEN/TR 16389](#) [4].

For heating application of paraffinic diesel fuel specific national standards apply.

This is a preview of "DS/EN 15940:2023". [Click here to purchase the full version from the ANSI store.](#)

Automotive fuels – Paraffinic diesel fuel from synthesis or hydrotreatment – Requirements and test methods

1 Scope

This document describes requirements and test methods for paraffinic diesel fuel marketed and delivered as such, containing a level of up to 7,0 % (V/V) fatty acid methyl ester (FAME). It is applicable to fuel for use in diesel engines and vehicles compatible with paraffinic diesel fuel. It specifies two classes of paraffinic diesel fuel: high cetane and normal cetane.

Paraffinic diesel fuel originates from synthesis or hydrotreatment processes.

NOTE 1 For general diesel engine warranty, the vehicle manufacturer needs to be consulted before use. Paraffinic automotive diesel fuel may need a validation step to confirm the compatibility of the fuel with the vehicle, which for some existing engines may still need to be done (see also the Introduction to this document). However, it is noted that paraffinic diesel fuel is extensively available and has been increasingly approved by vehicle manufacturers for usage in vehicles since the first publication of this document.

NOTE 2 For the purposes of this document, the terms “% (m/m)” and “% (V/V)” are used to represent respectively the mass fraction and the volume fraction.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

[EN 116](#), *Diesel and domestic heating fuels — Determination of cold filter plugging point — Stepwise cooling bath method*

[EN 12662](#), *Liquid petroleum products — Determination of total contamination in middle distillates, diesel fuels and fatty acid methyl esters*

[EN 12916:2019+A1:2022](#), *Petroleum products — Determination of aromatic hydrocarbon types in middle distillates — High performance liquid chromatography method with refractive index detection*

[EN 14078:2014](#), *Liquid petroleum products — Determination of fatty acid methyl ester (FAME) content in middle distillates — Infrared spectrometry method*

[EN 14214:2012+A2:2019](#), *Liquid petroleum products — Fatty acid methyl esters (FAME) for use in diesel engines and heating applications — Requirements and test methods*

[EN 15195:2023](#), *Liquid petroleum products — Determination of ignition delay and derived cetane number (DCN) of middle distillate fuels by combustion in a constant volume chamber*

[EN 15751](#), *Automotive fuels — Fatty acid methyl ester (FAME) fuel and blends with diesel fuel — Determination of oxidation stability by accelerated oxidation method*

[EN 16329](#), *Diesel and domestic heating fuels — Determination of cold filter plugging point — Linear cooling bath method*

[EN 16906:2017](#), *Liquid petroleum products — Determination of the ignition quality of diesel fuels — BASF engine method*

[EN 16942](#), *Fuels — Identification of vehicle compatibility — Graphical expression for consumer information*

[EN 17155:2018](#), *Liquid petroleum products — Determination of indicated cetane number (ICN) of middle distillate fuels — Primary reference fuels calibration method using a constant volume combustion chamber*

This is a preview of "DS/EN 15940:2023". [Click here to purchase the full version from the ANSI store.](#)

[EN 17306:2019](#), *Liquid petroleum products — Determination of distillation characteristics at atmospheric pressure — Micro-distillation*

[EN ISO 3015](#), *Petroleum and related products from natural or synthetic sources — Determination of cloud point (ISO 3015)*

[EN ISO 2160](#), *Petroleum products — Corrosiveness to copper — Copper strip test (ISO 2160)*

[EN ISO 2719](#), *Determination of flash point — Pensky-Martens closed cup method (ISO 2719)*

[EN ISO 3104](#), *Petroleum products — Transparent and opaque liquids — Determination of kinematic viscosity and calculation of dynamic viscosity (ISO 3104)*

[EN ISO 3170](#), *Petroleum liquids — Manual sampling (ISO 3170)*

[EN ISO 3171](#), *Petroleum liquids — Automatic pipeline sampling (ISO 3171)*

[EN ISO 3405:2019](#), *Petroleum and related products from natural or synthetic sources — Determination of distillation characteristics at atmospheric pressure (ISO 3405:2019)*

[EN ISO 3675:1998](#), *Crude petroleum and liquid petroleum products — Laboratory determination of density — Hydrometer method (ISO 3675:1998)*

[EN ISO 3924:2019](#), *Petroleum products — Determination of boiling range distribution — Gas chromatography method (ISO 3924:2019)*

[EN ISO 4259-2](#), *Petroleum and related products — Precision of measurement methods and results — Part 2: Interpretation and application of precision data in relation to methods of test (ISO 4259-2)*

[EN ISO 5165:2020](#), *Petroleum products — Determination of the ignition quality of diesel fuels — Cetane engine method (ISO 5165:2020)*

[EN ISO 6245](#), *Petroleum products — Determination of ash (ISO 6245)*

[EN ISO 10370](#), *Petroleum products — Determination of carbon residue — Micro method (ISO 10370)*

[EN ISO 12156-1](#), *Diesel fuel — Assessment of lubricity using the high-frequency reciprocating rig (HFRR) — Part 1: Test method (ISO 12156-1)*

[EN ISO 12185:1996](#), *Crude petroleum and petroleum products — Determination of density — Oscillating U-tube method (ISO 12185:1996)*

[EN ISO 12205](#), *Petroleum products — Determination of the oxidation stability of middle-distillate fuels (ISO 12205)*

[EN ISO 12937](#), *Petroleum products — Determination of water — Coulometric Karl Fischer titration method (ISO 12937)*

[EN ISO 13032:2012](#), *Petroleum products — Determination of low concentration of sulfur in automotive fuels — Energy-dispersive X-ray fluorescence spectrometric method (ISO 13032:2012)*

[EN ISO 13759](#), *Petroleum products — Determination of alkyl nitrate in diesel fuels — Spectrometric method (ISO 13759)*

[EN ISO 20846:2019](#), *Petroleum products — Determination of sulfur content of automotive fuels — Ultraviolet fluorescence method (ISO 20846:2019)*

[EN ISO 20884](#), *Petroleum products — Determination of sulfur content of automotive fuels — Wavelength-dispersive X-ray fluorescence spectrometry (ISO 20884)*

[EN ISO 22995](#), *Petroleum products — Determination of cloud point — Automated step-wise cooling method (ISO 22995)*

This is a preview of "DS/EN 15940:2023". [Click here to purchase the full version from the ANSI store.](#)

[ISO 23581](#), *Petroleum products and related products — Determination of kinematic viscosity — Method by Stabinger type viscometer*