


Informationsteknologi – Telekommunikation og udveksling mellem informationsteknologisystemer – Lokal- og storbynetværk – Del 1AC: MAC-servicedefinition

Information technology – Telecommunications and information exchange between systems – Local and metropolitan area networks – Part 1AC: Media access control (MAC) service definition



DANSK STANDARD
Danish Standards Association

Göteborg Plads 1
DK-2150 Nordhavn
Tel: +45 39 96 61 01
dansk.standard@ds.dk
www.ds.dk

DS projekt: M373120

ICS: 35.110

Første del af denne publikations betegnelse er:

DS/ISO/IEC, hvilket betyder, at det er en international standard, der har status som dansk standard.

Denne publikations overensstemmelse er:

IDT med: ISO/IEC/IEEE 8802-1AC:2018/Cor 1:2020

DS-publikationen er på engelsk.

DS-publikationstyper

Dansk Standard udgiver forskellige publikationstyper.

Typen på denne publikation fremgår af forsiden.

Der kan være tale om:

Dansk standard

- standard, der er udarbejdet på nationalt niveau, eller som er baseret på et andet lands nationale standard, eller
- standard, der er udarbejdet på internationalt og/eller europæisk niveau, og som har fået status som dansk standard

DS-information

- publikation, der er udarbejdet på nationalt niveau, og som ikke har opnået status som standard, eller
- publikation, der er udarbejdet på internationalt og/eller europæisk niveau, og som ikke har fået status som standard, fx en teknisk rapport, eller
- europæisk præstandard

DS-håndbog

- samling af standarder, eventuelt suppleret med informativt materiale

DS-hæfte

- publikation med informativt materiale

Til disse publikationstyper kan endvidere udgives

- tillæg og rettelsesblade

DS-publikationsform

Publikationstyperne udgives i forskellig form som henholdsvis

- fuldtekstpublikation (publikationen er trykt i sin helhed)
- godkendelsesblad (publikationen leveres i kopi med et trykt DS-omslag)
- elektronisk (publikationen leveres på et elektronisk medie)

DS-betegnelse

Alle DS-publikationers betegnelse begynder med DS efterfulgt af et eller flere præfikser og et nr., fx **DS 383**, **DS/EN 5414** osv. Hvis der efter nr. er angivet et **A** eller **Cor**, betyder det, enten at det er et **tillæg** eller et **rettelsesblad** til hovedstandard, eller at det er indført i hovedstandard.

DS-betegnelse angives på forsiden.

Overensstemmelse med anden publikation:

Overensstemmelse kan enten være IDT, EQV, NEQ eller MOD

- **IDT:** Når publikationen er identisk med en given publikation.
- **EQV:** Når publikationen teknisk er i overensstemmelse med en given publikation, men præsentationen er ændret.
- **NEQ:** Når publikationen teknisk eller præsentationsmæssigt ikke er i overensstemmelse med en given standard, men udarbejdet på baggrund af denne.
- **MOD:** Når publikationen er modificeret i forhold til en given publikation.

8802-1AC

First edition
2018-04

Information technology — Telecommunications and information exchange between systems — Local and metropolitan area networks —

Part 1AC: Media access control (MAC) service definition

*Technologies de l'information — Télécommunications et échange
d'information entre systèmes — Réseaux locaux et métropolitains —*

Partie 1AC: Définition du service de contrôle d'accès au support (MAC)

This is a preview of "DS/ISO/IEC/IEEE 8802...". Click [here](#) to purchase the full version from the ANSI store.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

This is a preview of "DS/ISO/IEC/IEEE 8802...". Click [here](#) to purchase the full version from the ANSI store.

Contents

Page

Introduction	iv
<i>Change Table 12-2 as shown.</i>	1
12. Protocol discrimination and media	1
12.2 M_UNITDATA.indication data transformation for LPD media	1

This is a preview of "DS/ISO/IEC/IEEE 8802...". Click here to purchase the full version from the ANSI store.

Introduction

This introduction is not part of [IEEE Std 802.1AC-2016/Cor 1-2018](#), IEEE Standard for Local and Metropolitan Area Networks—Media Access Control (MAC) Service Definition Corrigendum 1: Logical Link Control (LLC) Encapsulation EtherType.

This standard contains state-of-the-art material. The area covered by this standard is undergoing evolution. Revisions are anticipated within the next few years to clarify existing material, to correct possible errors, and to incorporate new related material. Information on the current revision state of this and other [IEEE 802](#) standards may be obtained from

Secretary, IEEE-SA Standards Board
445 Hoes Lane
Piscataway, NJ 08854-4141
USA

This is a preview of "DS/ISO/IEC/IEEE 8802...". Click here to purchase the full version from the ANSI store.

Information technology — Telecommunications and information exchange between systems — Local and metropolitan area networks —

Part 1AC:

Media access control (MAC) service definition

NOTE—The editing instructions contained in this amendment define how to merge the material contained here into the base document and its other amendments to form the new comprehensive standard.

Editing instructions are shown *bold italic*. Four editing instructions are used: change, delete, insert, and replace. *Change* is used to make corrections in existing text or tables. The editing instruction specifies the location of the change and describes what is being changed by using either ~~striketrough~~ (to remove old material) or underscore (to add new material). *Delete* removes existing material. *Insert* adds new material without disturbing the existing material. Insertions may require renumbering. If so, renumbering instructions are given in the editing instruction. *Replace* is used to make large changes in existing text, subclauses, tables, or figures by removing existing material and replacing it with new material. Editorial notes will not be carried over into future editions because the changes will be incorporated into the base standard.

Change [Table 12-2](#) as shown.

12. Protocol discrimination and media

12.2 M_UNITDATA.indication data transformation for LPD media

Table 12-2—LLC encapsulation EtherType

Assignment	Value
LLC encapsulation EtherType	C9-D1 <u>88-70</u>

Insert NOTE 2 after the existing NOTE, renumbering that as NOTE 1.

NOTE 2—The [IEEE 802.1AC-2016](#) revision of this standard added the LLC encapsulation EtherType. Efforts to contact the assignee of the EtherType 88-70, already used for this purpose, were unsuccessful, so the standard was published with the value C9-D1. Following publication, the assignee granted permission for use of EtherType 88-70, and [IEEE Std 802.1AC-2016/Cor-1](#) substituted this value in [Table 12-2](#) to avoid interoperability issues.

This is a preview of "DS/ISO/IEC/IEEE 8802...". [Click here to purchase the full version from the ANSI store.](#)