This is a preview of DS/EN 16005:2023+A1:2024. Click here to purchase the full version from the ANSI store.

Automatiske døre – Sikkerhed ved brug – Krav og prøvningsmetoder

Power operated pedestrian doorsets – Safety in use – Requirements and test methods

DANSK STANDARD
Danish Standards Association

Göteborg Plads 1
DK-2150 Nordhavn

Tel: +45 39 96 61 01
dansk.standard@ds.dk
www.ds.dk

© Dansk Standard - Eftertryk uden tilladelse forbudt

This is a preview of DS/EN 16005:2023+A1:2024. Click here to purchase the full version from the ANSI store.

DS projekt: M384547
ICS: 91.060.50

Første del af denne publikations betegnelse er:
DS/EN, hvilket betyder, at det er en europæisk standard, der har status som dansk standard.

Denne publikations overensstemmelse er:
IDT med: EN 16005:2023+A1:2024

DS-publikationen er på engelsk.

Denne publikation erstatter: DS/EN 16005:2023

I tilfælde af redaktionelle fejl i DS-publikationen kan der skrives til:
editorial-mistakes@ds.dk

ADVARSEL: DS-publikationer revideres over tid. Derudover kan sådanne publikationer ændres ved rettelsesblade og/eller tillæg. Der kan også udgives rettelsesblade, der udelukkende angår oversættelsen af en publikation. Det er derfor vigtigt at sikre sig, at man benytter en gældende udgave, medmindre fx lovgivning kræver andet. Den enkelte publikations status fremgår af https://webshop.ds.dk/. Her kan man desuden tilmelde sig en gratis notifikationsservice og følge en udgivet DS-publikations udvikling ved at klikke på "Følg standarden".

En oversigt over forskellige DS-publikationstyper og -betegnelser findes her:
https://www.ds.dk/publikationstyper.

This is a preview of DS/EN 16005:2023+A1:2024. Click here to purchase the full version from the ANSI store.

EUROPEAN STANDARD EN 16005:2023+A1

NORME EUROPÉENNE

EUROPÄISCHE NORM March 2024

ICS 91.060.50

English Version

Power operated pedestrian doorsets - Safety in use - Requirements and test methods

Blocs-portes motorisés pour piétons - Sécurité d'utilisation - Exigences et méthodes d'essai

Kraftbetätigte Türen - Nutzungssicherheit - Anforderungen und Prüfverfahren

This European Standard was approved by CEN on 20 November 2023 and includes Amendment 1 approved by CEN on 7 February 2024.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

© 2024 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members

This is a preview of DS/EN 16005:2023+A1:2024. Click here to purchase the full version from the ANSI store.

Contents

Page

European foreword **5**
Introduction **6**
1 Scope **7**
2 Normative references **8**
3 Terms and definitions **8**
4 List of significant hazards **11**
4.1 General 11
4.2 Hazards caused by inadequate functional safety 11
4.3 Hazards caused by source of energy and power controls 11
4.4 Hazards caused by materials and shape of the door leaves 11
4.4.1 Materials 11
4.4.2 Shape of door leaves 12
4.5 Hazards caused by uncontrolled movement of the door leaves 12
4.6 Hazards caused by manual operation 12
4.7 Hazards caused by activation of the movement of the door leaf 12
4.8 Hazards which can cause crushing, impact, shearing and drawing-in 12
4.9 Hazards related to peripheral speed of revolving doorsets 12
4.10 Hazards related to lighting of swept area of revolving doorsets 12
4.11 Hazards related to entrapment in the passage area of revolving doorsets 13
4.12 Hazards related to the use of the doorsets in escape routes and emergency exits 13
5 Safety requirements and/or protective/risk reduction measures **13**
5.1 General 13
5.2 Functional safety 13
5.3 Source of energy and power controls 13
5.3.1 General 13
5.3.2 Emergency stop function for revolving doorsets 14
5.4 Material and shape of door leaves 14
5.4.1 Materials 14
5.4.2 Shape of door leaves 14
5.5 Movement of the door leaves 15
5.6 Manual operation 15
5.7 Activation of the movement of the door leaf 15
5.7.1 Automatic activation 15
5.7.2 Manual activation devices 15
5.7.3 Remote activation 16
5.8 Crushing, impact, shearing and drawing-in 16
5.8.1 General 16
5.8.2 Guards 16
5.8.3 Barriers 17
5.8.4 Power operated sliding doorsets 17
5.8.5 Power-operated swing doorsets 19
5.8.6 Power operated balanced doorsets 20
5.8.7 Power operated folding doorsets 20
5.8.8 Power operated revolving doorsets 21
5.8.9 Low energy movement 23
5.8.10 Limitation of impact forces 24
5.8.11 Protective device(s) 25
5.8.12 Safety distances 26
5.9 Additional requirements for doorsets in escape routes and emergency exits 26
5.9.1 Operating mode selection 26
5.9.2 Power operated doorsets with break-out function 26
5.9.3 Power operated sliding and folding doorsets without a break-out function 27

This is a preview of DS/EN 16005:2023+A1:2024. Click here to purchase the full version from the ANSI store.

5.9.4 Power operated swing doorsets without a break-out function 27
5.9.5 Power operated revolving doors 27
5.10 Durability 29

6 Verification of the safety requirements and/or protective/risk reduction measures 29
6.1 General 29
6.1.1 General 29
6.1.2 Dynamic force measuring equipment 29
6.1.3 Field dynamic force measuring equipment 30
6.2 Functional safety 30
6.3 Source of energy and power controls 30
6.3.1 General 30
6.3.2 Emergency stop function for revolving doorsets 30
6.4 Material and shape of door leaves 30
6.4.1 Materials 30
6.4.2 Shape of door leaves 30
6.5 Movement of the door leaves 30
6.6 Manual operation 30
6.7 Activation of the movement of the door leaf 31
6.8 Crushing, impact, shearing and drawing-in 31
6.8.1 General 31
6.8.2 Guards 31
6.8.3 Barriers 31
6.8.4 Power operated sliding doorsets 31
6.8.5 Power-operated swing doorsets 31
6.8.6 Power operated balanced doorsets 31
6.8.7 Power operated folding doorsets 31
6.8.8 Power operated revolving doorsets 31
6.8.9 Low energy movement 31
6.8.10 Limitation of impact forces 31
6.8.11 Protective device(s) 32
6.8.12 Safety distances 32
6.9 Doorsets in escape routes and emergency exits 32
6.10 Durability test 32
6.10.1 General 32
6.10.2 Testing at ambient temperature 32
6.10.3 Testing at extreme temperature 32
6.10.4 Additional test for doorsets in escape routes and emergency exits with a break-out facility 33
6.10.5 Additional test for doorsets in escape routes and emergency exits without a break-out facility 33

7 Information for use 33
7.1 General 33
7.2 Instruction handbook 33
7.3 Marking 34

Annex A (informative) Illustration of some essential terms for various types of doorsets 36
Annex B (normative) Measuring points 37
Annex C (normative) Tests for protective device(s) 40
Annex D (informative) Graphical symbol for disabled or handicapped persons 49
Annex E (informative) Emergency break-out sign 50
Annex F (normative) Low energy doorsets 51
Annex G (normative) Safeguarding of power operated swing doorsets 54
Annex H (informative) Danger points at revolving doorsets 56
Annex I (informative) Maintenance documentation 59

This is a preview of DS/EN 16005:2023+A1:2024. Click here to purchase the full version from the ANSI store.

Annex ZA (informative) **Relationship between this European standard and the Essential Requirements of Directive 2006/42/EC aimed to be covered** **60**

Bibliography **62**

This is a preview of DS/EN 16005:2023+A1:2024. Click here to purchase the full version from the ANSI store.

European foreword

This document (EN 16005:2023+A1:2024) has been prepared by Technical Committee CEN/TC 33 “Doors, windows, shutters, building hardware and curtain walling”, the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2024, and conflicting national standards shall be withdrawn at the latest by September 2024.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1 approved by CEN on 7 February 2024.

This document supersedes A1 EN 16005:2023 A1.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

This document has been prepared under a standardization request addressed to CEN by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

For the relationship with EU Legislation, see informative Annex ZA, which is an integral part of this document.

Compared with EN 16005:2012, the following changes have been made:

— scope revised;

— normative references updated;

— Clause 4 added; following clauses renumbered accordingly;

— Clause 5 (former Clause 4) revised;

— Clause 6 (former Clause 5) revised;

— Annex C revised;

— Annex J deleted;

— Annex ZA revised;

— Bibliography revised;

— various figures updated and revised;

— editorially revised.

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

This is a preview of DS/EN 16005:2023+A1:2024. Click here to purchase the full version from the ANSI store.

Introduction

This document is a type C standard as stated in EN ISO 12100:2010.

This document is of relevance, in particular, for the following stakeholder groups representing the market players with regard to machinery safety:

— machine manufacturers (small, medium and large enterprises);

— health and safety bodies (regulators, accident prevention organizations, market surveillance etc.).

Others can be affected by the level of machinery safety achieved with the means of the document by the above-mentioned stakeholder groups:

— machine users/employers (small, medium and large enterprises);

— machine users/employees (e.g. trade unions, organizations for people with special needs);

— service providers, e.g. for maintenance (small, medium and large enterprises);

— consumers (in case of machinery intended for use by consumers).

The above-mentioned stakeholder groups have been given the possibility to participate at the drafting process of this document.

The machinery concerned and the extent to which hazards, hazardous situations and hazardous events are covered are indicated in the scope of this document.

When requirements of this type-C standard are different from those which are stated in type-A or type-B standards, the requirements of this type C standard take precedence over the requirements of the other standards for machines that have been designed and built according to the provisions of this type-C standard.

This is a preview of DS/EN 16005:2023+A1:2024. Click here to purchase the full version from the ANSI store.

Power operated pedestrian doorsets – Safety in use – Requirements and test methods

1 Scope

This document specifies requirements regarding design and test methods for power operated pedestrian doorsets. Examples of how the doorset constructions may be operated include: electro-mechanically, electro-hydraulically, electro-magnetically or pneumatically.

This document covers safety in use of power operated pedestrian doorsets used for normal access as well as in emergency and escape routes and as fire resistance and/or smoke control doorsets.

The type of doorsets covered include power operated pedestrian sliding, swing and revolving doorsets, including balanced doorsets and folding doorsets with a horizontally moving door leaf.

This document deals with all significant hazards, hazardous situations and events relevant to power operated doorsets when they are used as intended and under conditions of misuse which are reasonably foreseeable by the manufacturer.

All lifetime phases of the power operated pedestrian doorsets including transportation, assembly, dismantling, disabling and scrapping are considered by this document.

This document does not apply to:

— vertically moving doors;

— doors on lifts;

— doors on vehicles;

— power operated doors or gates mainly intended for vehicular traffic or access for goods;

— doors used in industrial processes;

— partition walls;

— doors outside the reach of people (such as crane gantry fences);

— turnstiles;

— platform doors;

— traffic barriers.

This document does not cover special functions of doorsets, such as security in banks, airports, etc. or fire and/or smoke compartmentation, where conformity of the specific function with requirements of the application is the preference.

This document does not deal with any specific requirements on noise emitted from power operated pedestrian doorsets as their noise emission is not considered to be a relevant hazard.

NOTE Noise emission of power operated pedestrian doorsets is not a significant hazard for the users of these products. It is a comfort aspect.

This document is not applicable to power operated pedestrian doorsets manufactured before the date of its publication.

This document does not cover operation in environments where there is a risk of explosion.

This is a preview of DS/EN 16005:2023+A1:2024. Click here to purchase the full version from the ANSI store.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12150-1:2015+A1:2019, *Glass in building — Thermally toughened soda lime silicate safety glass — Part 1: Definition and description*

EN 12433-1:1999, *Industrial, commercial and garage doors and gates — Terminology — Part 1: Types of doors*

EN 12433-2:1999, *Industrial, commercial and garage doors and gates — Terminology — Part 2: Parts of doors*

EN 12978:2003+A1:2009, *Industrial, commercial and garage doors and gates — Safety devices for power operated doors and gates — Requirements and test methods*

EN 14351-1:2006+A2:2016, *Windows and doors — Product standard, performance characteristics — Part 1: Windows and external pedestrian doorsets*

EN 60335-2-103:2015, *Household and similar electrical appliances — Safety — Part 2-103: Particular requirements for drives for gates, doors and windows*

EN 60529:1991,[1)] *Degrees of protection provided by enclosures (IP Code) (IEC 60529:1989)*

EN IEC 60664-1:2020,[2)] *Insulation coordination for equipment within low-voltage supply systems — Part 1: Principles, requirements and tests (IEC 60664-1:2020)*

EN ISO 4413:2010, *Hydraulic fluid power — General rules and safety requirements for systems and their components (ISO 4413:2010)*

EN ISO 4414:2010, *Pneumatic fluid power — General rules and safety requirements for systems and their components (ISO 4414:2010)*

EN ISO 12100:2010, *Safety of machinery — General principles for design — Risk assessment and risk reduction (ISO 12100:2010)*

EN ISO 13849-1:2015, *Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design (ISO 13849-1:2015)*

EN ISO 13850:2015, *Safety of machinery — Emergency stop function — Principles for design (ISO 13850:2015)*

EN ISO 13854:2019, *Safety of machinery — Minimum gaps to avoid crushing of parts of the human body (ISO 13854:2017)*

EN ISO 13856-2:2013, *Safety of machinery — Pressure-sensitive protective devices — Part 2: General principles for the design and testing of pressure-sensitive edges and pressure-sensitive bars (ISO 13856-2:2013)*

1) As impacted by EN 60529:1991/A1:2000, EN 60529:1991/A2:2013, EN 60529:1991/A2:2013/AC:2019-02 and EN 60529:1991/AC:2016-12.

2) As impacted by EN IEC 60664-1:2020/AC:2020-12.