


2026-07-06

Ufyrede trykbeholdere – Del 1: Generelt

Unfired pressure vessels – Part 1: General



DANSK STANDARD
Danish Standards Association

Göteborg Plads 1
DK-2150 Nordhavn

Tel: +45 39 96 61 01
dansk.standard@ds.dk
www.ds.dk

DS/EN 13445-1:2026

København

DS projekt: M403081

ICS: 23.020.30

Første del af denne publikations betegnelse er:

DS/EN, hvilket betyder, at det er en europæisk standard, der har status som dansk standard.

Denne publikations overensstemmelse er:

IDT med: EN 13445-1:2026

Denne publikation erstatter: [DS/EN 13445-1:2021](#)

I tilfælde af redaktionelle fejl i DS-publikationen kan der skrives til:

editorial-mistakes@ds.dk

ADVARSEL: DS-publikationer revideres over tid. Derudover kan sådanne publikationer ændres ved rettelsesblade og/eller tillæg. Der kan også udgives rettelsesblade, der udelukkende angår oversættelsen af en publikation. Det er derfor vigtigt at sikre sig, at man benytter en gældende udgave, medmindre fx lovgivning kræver andet. Den enkelte publikations status fremgår af <https://webshop.ds.dk/>. Her kan man desuden tilmelde sig en gratis notifikationservice og følge en udgivet DS-publikations udvikling ved at klikke på "Følg".

En oversigt over forskellige DS-publikationstyper og -betegnelser findes her:

<https://www.ds.dk/publikationstyper>

Indholdet i dette dokument er ophavsretligt beskyttet, herunder tekst, grafik, billeder og lyd. Fonden Dansk Standard forbeholder sig udtrykkeligt alle rettigheder til at udnytte indholdet til tekst- og datamining, jf. ophavsretslovens § 11 b, stk. 2, og artikel 4 i direktiv (EU) 2019/790. Enhver udnyttelse af indholdet i dette dokument til tekst- og dataminingformål kræver forudgående skriftlig, specifik tilladelse fra Fonden Dansk Standard.

In case of editorial errors in the DS publication, please write to:

editorial-mistakes@ds.dk

NOTICE: DS publications are revised over time. In addition, such publications may be altered by corrigenda and/or amendments. Also, corrigenda may be published solely in relation to the translation of a publication. It is therefore important to ensure that the edition used is valid, unless, for example, legislation requires otherwise. The status of each publication can be found at <https://webshop.ds.dk/>. Here you can also sign up for a free notification service and follow the progress of a published DS publication by clicking on "Follow".

An overview of different DS publication types and designations can be found here:

<https://www.ds.dk/publikationstyper>

The content of this document, including text, graphics, images, and audio, is protected by copyright. The Danish Standards Foundation explicitly reserves all rights regarding the use of its content for text and data mining purposes in accordance with Section 11b(2) of the Danish Copyright Act and Article 4 of Directive (EU) 2019/790. Any use of the content of this document for text and data mining purposes requires prior, written, specific permission from the Danish Standards Foundation.

EUROPÄISCHE NORM

July 2026

ICS 23.020.30

Supersedes EN 13445-1:2021

English Version

Unfired pressure vessels - Part 1: General

Réceptacles sous pression non soumis à la flamme -
Partie 1: Généralités

Unbefeuerte Druckbehälter - Teil 1: Allgemeines

This European Standard was approved by CEN on 24 June 2026.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

This is a preview of DS/EN 13445-1:2026. [Click here to purchase the full version from the ANSI store.](#)

Contents	Page
European foreword	3
Introduction	4
1 Scope	6
2 Normative references	6
3 Terms and definitions	7
4 Interdependency of the parts of the series	9
5 Quantities, symbols and units	9
6 Risk assessment and handling	12
Annex A (informative) Using the standard	14
Annex B (informative) Index	30
Annex X (informative) List of Essential Safety Requirements	51
Annex Y (informative) History of EN 13445-1	60
Annex ZA (informative) Relationship between this European Standard and the essential requirements of Directive 2014/68/EU aimed to be covered	61
Bibliography	62

This is a preview of DS/EN 13445-1:2026. [Click here to purchase the full version from the ANSI store.](#)

European foreword

This document (EN 13445-1:2026) has been prepared by Technical Committee CEN/TC 54 “Unfired pressure vessels”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2026, and conflicting national standards shall be withdrawn at the latest by December 2026.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13445-1:2021.

Annex Y provides details of significant technical changes between this European Standard and the previous edition.

This document has been prepared under a standardization request addressed to CEN by the European Commission. The Standing Committee of the EFTA States subsequently approves these requests for its Member States.

For the relationship with EU Legislation, see informative Annex ZA, which is an integral part of this document.

A list of all parts in the EN 13445 series can be found on the CEN website.

Although these Parts may be obtained separately, it should be recognized that the Parts are interdependent. As such, the manufacture of unfired pressure vessels requires the application of all the relevant Parts in order for the requirements of the Standard to be satisfactorily fulfilled.

Corrections to the standard interpretations where several options seem possible are conducted through the Migration Help Desk (MHD). Information related to the Help Desk can be found at <https://unm.fr/en/maintenance-agencies/maintenance-agency-en-13445/>. A form for submitting questions can be downloaded from the link to the MHD website. After subject experts have agreed an answer, the answer will be communicated to the questioner. Corrected pages will be given specific issue number and issued by CEN according to CEN Rules. Interpretation sheets will be posted on the website of the MHD.

Any feedback and questions on this document should be directed to the users’ national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

This is a preview of DS/EN 13445-1:2026. [Click here to purchase the full version from the ANSI store.](#)

Introduction

EN 13445 specifies the requirements for design, construction, inspection and testing of unfired pressure vessels. It defines terms, definitions and symbols applicable to unfired pressure vessels.

NOTE In EN 13445 the term pressure vessel includes the welded attachments up to and including the nozzle flanges, screwed or welded connections, or the edge to be welded at the first circumferential weld at connecting piping or other elements. The term unfired excludes vessels that are subject to direct generated heat or flame impingement from a fired process. This does not exclude vessels subject to electrical heating or heated process streams.

In Parts 2 to 5 only pressure vessels manufactured from steels and steel castings as detailed in Part 2 of this standard are covered. Parts 6, 8, 10, and 11 specifically deal with vessels of spheroidal graphite cast iron, aluminium, nickel, and titanium, respectively, where special considerations apply.

Part 1

EN 13445-1 contains general information on the scope of the standard as well as terms, definitions, quantities, symbols and units which are applied throughout the standard.

Part 2

EN 13445-2 deals with the general philosophy on materials, material grouping and low temperature behaviour. It is limited to steel with sufficient ductility and, for components operating in the creep range, sufficient creep ductility.

Part 2 also provides the general requirements for establishing technical delivery conditions and the requirements for marking of material.

Part 3

EN 13445-3 gives the rules to be used for design and calculation under internal and/or external pressure (as applicable), local loads and actions other than pressure. The rules provided are both design by formula (DBF), design by analysis (DBA) and design by experiment (DBE).

The part also sets the requirements for when fatigue analysis is performed and the rules to be followed when this is the case.

NOTE Collaborative work is in hand to harmonize flange design across European Standards.

Part 4

EN 13445-4 specifies requirements for the manufacture of unfired pressure vessels and their connections to non-pressure parts. It specifies requirements for material traceability, manufacturing tolerances, welding requirements, requirements for permanent joints other than welding, production tests, forming requirements, heat treatment, repairs and finishing operations.

This is a preview of DS/EN 13445-1:2026. [Click here to purchase the full version from the ANSI store.](#)

Part 5

EN 13445-5 covers all those inspection and testing activities associated with the verification of the pressure vessel for compliance with the standard, including design review by the manufacturer and supporting technical documentation, NDT and other inspection activities including document control, material traceability, joint preparation and welding.

The level of testing is driven by the selection of the vessel testing group. Basically, the testing group determines the level of NDT and the joint coefficient used in the design.

In terms of NDT, the overall philosophy has been the general adoption of EN ISO 5817:2014 quality level 'C' for predominantly non-cyclic loaded vessels and level 'B' for vessels subject to cyclic loadings.

Part 6

EN 13445-6 contains special rules for material, design, fabrication, inspection, and testing of pressure vessels made from spheroidal graphite cast iron. In general the rules in the relevant parts of parts 2–5 apply with additions and exceptions outlined in this part.

Part 7

CEN Technical Report CR 13445-7:2002 has been withdrawn.

Part 8

EN 13445-8 contains special rules for material, design, fabrication, inspection, and testing of pressure vessels made from aluminium and aluminium alloys. In general the rules in the relevant parts of parts 2–5 apply with additions and exceptions outlined in this part.

Part 9

CEN/TR 13445-9 details the conformance of the whole EN 13445 series to ISO 16528-1 "Boilers and pressure vessels — Part 1: Performance requirements". This is a CEN Technical Report. The first edition and second editions are limited to vessels of steel construction, but will be amended later to include spheroidal graphite cast iron, aluminium, nickel and titanium.

Part 10

EN 13445-10 contains special rules for material, design, fabrication, inspection, and testing of pressure vessels made from nickel and nickel alloys. In general, the rules in the relevant parts of parts 2–5 apply with additions and exceptions outlined in this part.

Part 11

EN 13445-11 contains special rules for material, design, fabrication, inspection, and testing of pressure vessels made from titanium and titanium alloys. In general, the rules in the relevant parts of parts 2–5 apply with additions and exceptions outlined in this part.

This is a preview of DS/EN 13445-1:2026. [Click here to purchase the full version from the ANSI store.](#)

1 Scope

This document defines the terms, definitions, quantities, symbols and units that are used throughout the EN 13445 series and gives general information on the design and manufacturing of vessels under this standard.

It also contains instructions on how to use the standard (Annex A) as well as an index which covers the whole standard (Annex B). This information is aimed to aid users of the EN 13445 series.

This document applies to unfired pressure vessels with a maximum allowable pressure greater than 0,5 bar gauge but may be used for vessels operating at lower pressures, including vacuum.

This document is not applicable to pressure vessels of the following types:

- vessels of riveted construction;
- vessels of lamellar cast iron or any other materials not included in Parts 2, 6, or 8 of the standard;
- multilayered, autofrettaged or pre-stressed vessels.

This document can be applied to the following pressure vessels, provided that account is taken of additional and/or alternative requirements resulting from the hazard analysis and from rules or instructions specific for:

- transportable vessels;
- items specifically designed for nuclear use;
- pressure vessels with a risk of overheating.

NOTE EN 14222 covers electrically fired boilers made from stainless steel and can be used as an example of additional requirements for such vessels.

Other European Standards apply to industrial piping (EN 13480 series) and to water tube and shell boilers (EN 12952 series and EN 12953 series).

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 764-1:2015+A1:2016, *Pressure equipment — Part 1: Vocabulary*

EN 764-2:2012, *Pressure equipment — Part 2: Quantities, symbols and units*

EN 13445-2:2026, *Unfired pressure vessels — Part 2: Materials*

EN 13445-3:2026, *Unfired pressure vessels — Part 3: Design*

This is a preview of DS/EN 13445-1:2026. Click here to purchase the full version from the ANSI store.

EN 13445-4:2026, *Unfired pressure vessels — Part 4: Fabrication*

EN 13445-5:2026, *Unfired pressure vessels — Part 5: Inspection and testing*

EN 13445-6:2026, *Unfired pressure vessels — Part 6: Requirements for the design and fabrication of pressure vessels and pressure parts constructed from spheroidal graphite cast iron*

EN 13445-8:2026, *Unfired pressure vessels — Part 8: Additional requirements for pressure vessels of aluminium and aluminium alloys*

EN 13445-10:2026, *Unfired pressure vessels — Part 10 Additional requirements for pressure vessels of nickel and nickel alloys*

EN 13445-11:2026, *Unfired pressure vessels — Part 11 Additional requirements for pressure vessels of titanium and titanium alloys*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 764-1:2015+A1:2016, EN 764-2:2012 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

NOTE To aid the user, some of the most important terms and definitions from EN 764-1 have been repeated here.

3.1 assembly

several pieces of pressure equipment assembled by a manufacturer to constitute an integrated and functional whole

3.2 fluid

gas, liquid and vapour in their pure phase as well as mixtures thereof

Note 1 to entry: A fluid may contain a suspension of solids.

3.3 hazard

potential source of harm

3.4 hazard category

category of the pressure vessel taking into account the potential hazards

3.5 joint coefficient

reduction coefficient, which is applied to the nominal design stress

Note 1 to entry: E.g. used for a welded joint and related to the testing group.

This is a preview of DS/EN 13445-1:2026. [Click here to purchase the full version from the ANSI store.](#)

3.6**main pressure bearing parts**

parts which constitute the envelope under pressure, essential for the integrity of the equipment

3.7**manufacturer**

individual or organization responsible for the design, fabrication, testing, installation where relevant, and compliance with the requirements of the relevant product standard, whether executed by him or a subcontractor

Note 1 to entry: The manufacturer may subcontract one or more of the above mentioned tasks under its responsibility.

3.8**material manufacturer**

individual or organization that produces material in the basic product form used in the manufacture of pressure components

3.9**maximum allowable pressure** **PS**

maximum pressure for which the pressure vessel is designed as specified by the manufacturer

3.10**maximum allowable temperature** **TS_{max}**

maximum temperature for which the pressure vessel is designed as specified by the manufacturer

3.11**minimum allowable temperature** **TS_{min}**

minimum temperature for which the pressure vessel is designed as specified by the manufacturer

3.12**pipelines**

piping or system of piping designed for the conveyance of any fluid or substance to or from an installation (onshore or offshore) starting from and including the first isolation device located within the installation and including all the annexed equipment designed specifically for pipelines

3.13**piping**

tubing, fittings, expansion joints, hoses or other pressure-bearing components, intended for the transport of fluid, connected together and integrated into a pressure system

3.14**pressure vessel**

housing and its direct attachments up to the coupling point connecting it to other equipment, designed and built to contain fluids under pressure

Note 1 to entry: A vessel may be composed of more than one chamber.

This is a preview of DS/EN 13445-1:2026. [Click here to purchase the full version from the ANSI store.](#)

3.15**required thickness**

thickness excluding corrosion or any other allowances specified in the EN 13445 series

Note 1 to entry: The minimum thickness that the component can have in service to fulfil the standard.

3.16**risk**

combination of the probability of occurrence of harm and the severity of that harm

3.17**significant hazard**

hazard which has been identified as associated with the pressure vessel and which requires specific action by the designer to eliminate or to reduce the risk according to the risk assessment

3.18**testing factor**

reduction factor taking into account the amount of NDT testing in castings, applied on the nominal design stress to take account of possible manufacturing deficiencies

3.19**testing group**

grouping which determines the appropriate level of non-destructive testing (NDT) on a welded joint

Note 1 to entry: The testing group of a vessel is not linked to the hazard category.

3.20**weldment**

weld metal, heat affected zone and adjacent base material(s)