

ANSI Z245.51 - 2008

American National Standard



ENVIRONMENTAL INDUSTRY ASSOCIATIONS

*for Equipment Technology and
Operations for Wastes and
Recyclable Materials –
Baling Equipment –
Safety Requirements*



WASTE EQUIPMENT TECHNOLOGY ASSOCIATION
A PART OF THE
ENVIRONMENTAL INDUSTRY ASSOCIATIONS

4301 CONNECTICUT AVENUE, NW • SUITE 300 • WASHINGTON, DC 20008
TELEPHONE: 202-244-4700 • FAX: 202-966-4824

ANSI Z245.51 - 2008

ANSI Z245.51 - 2008

American National Standard
for Equipment Technology and Operations
for Wastes and Recyclable Materials —

**Baling Equipment —
Safety Requirements**

Secretariat
Environmental Industry Associations

Approved February 27, 2008
American National Standards Institute, Inc.

American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute, 25 W. 42nd Street, New York, New York, 10036, Phone: 212-642-4900, Fax: 212-398-0023.

Published by

**Waste Equipment Technology Association
(Part of Environmental Industry Associations)
4301 Connecticut Ave., N. W., Washington, D.C. 20008**

Copyright © 2008 by the Environmental Industry Associations
All rights reserved

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior permission of the publisher.

Printed in the United States of America

Table of Contents

	Page
Foreword (informative).....	iv
0 Introduction (informative).....	1
1 Scope	2
2 Normative references	2
3 Definitions	2
4 Construction	
4.1 General.....	15
4.2 Component requirements.....	15
4.3 Construction requirements, tests and evaluation criteria	16
5 Safeguards and features	
5.1 Access covers	18
5.2 Service openings.....	18
5.3 Controls	18
5.4 Operating switches and sensors	18
5.5 Security switch.....	18
5.6 Emergency controls.....	19
5.7 Interlocks	19
5.8 Guarding.....	19
5.9 Container/cart lifting systems	20
5.10 Start-up alarms	21
5.11 Vertical downstroke balers – additional safety features.....	23
5.12 Vertical upstroke balers – additional safety features.....	23
5.13 Horizontal balers – additional safety features	24
6 Markings	
6.1 General	24
6.2 Marking of permanently connected equipment.....	25
6.3 Marking of cord connected equipment.....	26
6.4 Marking of components.....	26
6.5 Caution, warning and danger markings	27
6.6 Permanence of markings	28
7 Instructions	
7.1 General.....	29
7.2 Installation and operating instructions.....	29
Annexes	
A Bibliography (informative)	
A.1 American National Standards	31
A.2 U.S. Government Health & Safety Regulations	31
A.3 Standards for components.....	31

B	Construction requirements (normative)	
B.1	General	33
B.2	Mechanical enclosures and guards	33
B.3	Mechanical components and assembly	34
B.4	Rotating and moving parts	34
B.5	Hydraulic systems	34
B.6	Hydraulic system control valves.....	35
B.7	Hydraulic system pressure relief.....	35
B.8	Stability.....	36
B.9	Structural integrity	36
C	Electrical requirements (normative)	
C.1	General	37
C.2	Electrical enclosures	37
C.3	Access to uninsulated live parts and film-coated wire	37
C.4	Electrical components and assembly.....	41
C.5	Permanently connected equipment	42
C.6	Current-carrying parts	44
C.7	Insulating material.....	44
C.8	Internal wiring.....	44
C.9	Separation of circuits.....	45
C.10	Grounding	46
C.11	Heating elements	47
C.12	Motors	47
C.13	Overload- or thermal-protective devices	49
C.14	Switches, controls and interlocks.....	50
C.15	Spacings	50
D	Tests for evaluation of equipment and performance (normative)	
D.1	Starting current test.....	52
D.2	Leakage current test	52
D.3	Temperature tests	56
D.4	Dielectric voltage-withstand test	60
D.5	Strain-relief test	61
D.6	Push-back relief test.....	61
D.7	Stability test.....	61
D.8	Rotating or moving members test	62
E	Manufacturing and production tests (normative)	
E.1	Dielectric voltage-withstand test	63
E.2	Grounding continuity test	64
E.3	Hydraulic system test.....	64

Figures

1	Vertical downstroke baler	9
2	Vertical upstroke baler (chain driven).....	10
3	Horizontal extrusion baler.....	11
4	Horizontal closed-chamber baler.....	11
5	Two-stage vertical/horizontal (continuous) extrusion baler	12
6	Two-stage horizontal baler (two compression strokes).....	13
7	Two-ram horizontal baler with single-compression cylinder	14
8	Guard or loading hopper – minimum loading height for baler.....	20
C1	Articulate probe with web stop	39
C2	Probe for moving parts and uninsulated live parts.....	40
C3	Probe for film-coated wire	40
C4	Grounding symbol.....	47
D1	Typical leakage-current measurement criteria.....	55
D2	Measurement instrument for reaction (leakage) current.....	56

Tables

1	Mechanical construction requirements and performance evaluation criteria.....	16
2	Electrical construction requirements and performance evaluation criteria	17
3	Outlet-box marking.....	26
C1	Minimum required distance from an opening to a part that involves a risk of electric shock.....	38
C2	Acceptable flexible cords	41
C3	Rating of heating element	47
C4	Maximum rating or setting of overload protective device.....	49
C5	Spacings at other than field wiring terminals	50
C6	Spacings at wiring terminals	51
D1	Maximum temperature rises	58
D2	Maximum surface temperatures	60
E1	Production line test conditions	63

FOREWORD (This foreword is not part of American National Standard Z245.51 -2008)

This American National Standard is applicable to the safety requirements for the design and construction of commercial baling equipment commonly used in recycling, solid waste disposal and raw materials handling. A companion standard, ANSI Z245.5 –2008 establishes safety requirements for the installation, maintenance and operation of commercial baling equipment. Both these standards taken together revise and replace ANSI Z245.5-1997.

The effective date of this standard shall be 12 months after the approval date of this standard by the American National Standards Institute, Inc. For all baling equipment manufactured prior to 12 months after the approval date of this standard, please refer to the previous editions of the ANSI Z245.5 standard.

Inquiries, requests for interpretation and suggestions for the improvement of this standard should be directed to the Secretary, Accredited Standards Committee Z245, c/o Environmental Industry Associations, 4301 Connecticut Ave., NW, Suite 300, Washington, D.C. 20008.

This standard was processed and approved for submittal to ANSI by the Accredited Standards Committee Z245 on Equipment, Technology and Operations for Wastes and Recyclable Materials. Committee approval of this standard does not necessarily imply that all members of the committee voted for its approval. At the time it approved this standard, the Z245 Committee had the following members:

Gary Satterfield, Chairman

Lou Guilmette	City of Rochester
Karon Simoni (Alternate)	City of Rochester
Carl Hursh	Commonwealth of Pennsylvania (DEP)
Gary Satterfield	Waste Equipment Technology Association
John Gilstrap	Institute of Scrap Recycling Industries, Inc.
Brent Dieleman	Solid Waste Association of North America
Paul Moore	NIOSH
Ralph A. Ford	Waste Industries
Michael L. Knaub	Schaefer Systems International, Inc.
Jerald G. Zanzig	Zantec, Inc.
Denny Gill	Ameri-Kan
Thomas Stevens	Wolverine Recycling Services, Inc.
Denny Pool	SP Industries, Inc.
Steven M. Wienkes	Environmental Equipment Solutions
David E. Malter	Malter Associates, Inc.
W.A. Martin	Waste Management, Inc.
Susan Eppes	EST Solutions, Inc.
Gerald Van Beek	SACOM Safety Communications
Jeffrey D. Kaplan	City of Corpus Christi
Mark Johnson (Alternate)	Allied Waste Industries, Inc.
Garry Mosier, CSP	Allied Waste Industries, Inc.
Mike Schwalbach	Rehrig Pacific Company
Dave Carlisle	City of Tacoma

Accredited Standards Committee Z245 Subcommittee 5 on Baler Safety, which provided the draft of this standard to the Z245 Committee, had the following members:

Kent Spiers, Chairman

Michelle Andersen
Arthur Barham
Don Barnes
Steve Chytry
Bruce Clark
Ted Claunch
Ed Correale
Steve David
Dan Dominguez
Susan Eppes
John Etherton
Gary Fleming
Ralph Ford
Bill Geise
Shannon Harrop
Henry Jobe
Mark Johnson

Kim Kawasaki
Gene Kesler
Gus Koufonikos
William T. Lowther
W. A. Martin
Will Moss
Gerald Peters
Harvey Podolsky
Denny Pool
Robert Riethmiller
Jim Roseberry
Gary Satterfield
Michael Savage
Joe Szany
Jerry Van Beek
Sidney Wildes

American National Standard for Equipment Technology and Operations for Wastes and Recyclable Materials —

Baling Equipment — Safety Requirements

0 Introduction

This standard was developed by American National Standards Institute Accredited Standards Committee Z245 Subcommittee 5 on Balers and approved by Accredited Standards Committee Z245. Certain portions of this material have been reproduced, with permission, from Underwriters Laboratories Inc. (UL) draft standard 1237, *Commercial and Industrial Waste Compactors and Balers*. The effort and support of UL and the 1237 Standards Technical Panel are gratefully acknowledged.

This standard revises the baler safety requirements found in ANSI Z245.5-1997. The complementary safety requirements for users/operators, installers and maintenance/repair individuals can be found in ANSI Z245.5-2008.

The requirements contained in this standard pertain to new balers as produced by the manufacturer. New requirements and revisions are not intended to be retroactive for balers manufactured to comply with earlier revisions of this standard. Refer to the approved edition of ANSI Z245.5 in effect at the time of manufacture for those requirements.

The requirements contained in this standard are not intended to apply to other components of end-use applications where a stationary baler is part of a designed compacting system.

A baler that contains features, characteristics, components, materials, or systems new or different from those covered by the requirements in this standard, and involves a risk of fire, electric shock, or injury to persons shall be evaluated using the appropriate additional component and end-product requirements to determine that the level of safety as originally anticipated by the intent of this standard is maintained.

A baler whose features, characteristics, components, materials, or systems conflict with specific requirements or provisions of this standard shall not be judged to comply with this standard. Where appropriate, revision of requirements shall be proposed and adopted in conformance with the methods employed for development, revision, and implementation of this standard.

Exceptions and notes contained in the standard apply to the clause or sub-clause in which they are contained or to which they reference. Exceptions pertain to normative requirements. Notes are informative and provide guidance for the evaluation of a normative requirement.

The units of distance measurement used in this standard are in the inch-pound system. When a value for measurement is followed by a value in other units in parentheses, the second value is only approximate. The first value is the requirement.

1 Scope

1.1 This standard establishes requirements to minimize the risk of fire, electrical shock and injury to persons during operation and maintenance of baling equipment for use with wastes and recyclable materials by commercial businesses, apartment buildings, industrial plants, waste processing facilities, waste disposal and transfer industries, and recycling facilities.

1.2 The requirements of this standard apply to balers rated at 600 volts or less, for outdoor or indoor use, and are employed in accordance with the manufacturer's installation, operation, and maintenance instructions and procedures.

2 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this American National Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this American National Standard are encouraged to investigate the possibility of applying the most recent editions of the standards indicated below.

ANSI/NFPA 70-1999, *National Electrical Code - Edition 1999*
UL 20-1996, *Safety Standard for General-Use Snap Switches*
UL 50-1995, *Cabinets and Boxes*
UL 429-1999, *Electrically Operated Valves*
UL 746C-1995, *Polymeric Materials - Use in Electrical Equipment Evaluations*
UL 842-1999, *Valves for Flammable Liquids*
UL 969-1997, *Marking and Labeling Systems*
UL 1004-1994, *Electric Motors*
UL 1030-1994, *Sheathed Heating Elements*
UL 2111-1997, *Safety Standard for Overheating Protection for Motors*

3 Definitions

For the purposes of this American National Standard, the definitions below apply to terms used throughout this standard, unless the context clearly indicates otherwise.

3.1 access cover or door: A panel covering an opening that is designed to permit access to the interior of the baler.

3.2 access gate: A moveable barrier/guard that swings on hinges or moves in/on a track and is distinguished from a door by having openwork.

3.3 affected employee: An employee whose job functions place them in proximity to potential hazards related to work being performed by authorized employees.

3.4 authorized employee: A person who, on the basis of their specific experience and training, is permitted to perform certain designated duties.

3.5 automatic bale tying device: A device which installs wires or bands around a bale to maintain the bale's compressed state.

3.6 automatic start/cycling control: A control that uses an automatic actuator or sensor to initiate the operation of the baler on demand, when refuse is loaded into the loading chamber.