

ANSI E1.40 - 2011 Recommendations for the Planning of Theatrical Dust Effects

F&S/2010-3003r0.5

This is a preview of "ANSI E1.40 - 2011". Click here to purchase the full version from the ANSI store.

[blank page]



worldwide standards for the entertainment industries

ANSI E1.40 - 2011 Recommendations for the Planning of Theatrical Dust Effects

Copyright 2011 PLASA NA. All rights reserved. F&S/2010-3003r0.5

Approved as an American National Standard by the ANSI Board of Standards Review on 5 December 2011.

NOTICE and DISCLAIMER

PLASA does not approve, inspect, or certify any installations, procedures, equipment or materials for compliance with codes, recommended practices or standards. Compliance with a PLASA standard or an American National Standard developed by PLASA is the sole and exclusive responsibility of the manufacturer or provider and is entirely within their control and discretion. Any markings, identification or other claims of compliance do not constitute certification or approval of any type or nature whatsoever by PLASA.

PLASA neither guarantees nor warrants the accuracy or completeness of any information published herein and disclaims liability for any personal injury, property or other damage or injury of any nature whatsoever, whether special, indirect, consequential or compensatory, directly or indirectly resulting from the publication, use of, or reliance on this document. In issuing and distributing this document.

In issuing this document, PLASA does not either (a) undertake to render professional or other services for or on behalf of any person or entity, or (b) undertake any duty to any person or entity with respect to this document or its contents. Anyone using this document should rely on his or her own independent judgment or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstance.

Published by:

PLASA North America 630 Ninth Avenue, Suite 609 New York, NY 10036 USA

Phone: 1-212-244-1505 Fax: 1-212-244-1502

Email: standards.na@plasa.org

For additional copies of this document contact:

The ESTA Foundation 630 Ninth Avenue, Suite 609 New York, NY 10036 USA

Phone: 1-212-244-1505 Fax: 1-212-244-1502

http://www.estafoundation.org

The PLASA Technical Standards Program

The PLASA Technical Standards Program was created to serve the PLASA membership and the entertainment industry in technical standards related matters. The goal of the Program is to take a leading role regarding technology within the entertainment industry by creating recommended practices and standards, monitoring standards issues around the world on behalf of our members, and improving communications and safety within the industry. PLASA works closely with the technical standards efforts of other organizations within our industry, including USITT and VPLT, as well as representing the interests of PLASA members to ANSI, UL, and the NFPA. The Technical Standards Program is accredited by the American National Standards Institute.

The Technical Standards Council (TSC) was established to oversee and coordinate the Technical Standards Program. Made up of individuals experienced in standards-making work from throughout our industry, the Council approves all projects undertaken and assigns them to the appropriate working group. The Technical Standards Council employs a Technical Standards Manager to coordinate the work of the Council and its working groups as well as maintain a "Standards Watch" on behalf of members. Working groups include: Control Protocols, Electrical Power, Floors, Fog and Smoke, Followspot Position, Photometrics, Rigging, and Stage Lifts.

PLASA encourages active participation in the Technical Standards Program. There are several ways to become involved. If you would like to become a member of an existing working group, as have over four hundred people, you must complete an application which is available from the PLASA office. Your application is subject to approval by the working group and you will be required to actively participate in the work of the group. This includes responding to letter ballots and attending meetings. Membership in PLASA is not a requirement. You can also become involved by requesting that the TSC develop a standard or a recommended practice in an area of concern to you.

The Fog & Smoke Working Group, which authored this Standard, consists of a cross section of entertainment industry professionals representing a diversity of interests. PLASA is committed to developing consensus-based standards and recommended practices in an open setting.

Contact Information

Technical Standards Manager

Karl G. Ruling
PLASA North America
630 Ninth Avenue, Suite 609
New York, NY 10036
USA
1-212-244-1505
karl.ruling@plasa.org

Technical Standards Council Chairperson

Mike Garl
President and General Manager
Tomcat USA
2160 Commerce Drive
PO Box 550
Midland, TX 79703-7504
1-432-694-7070
mike.garl@tomcatusa.com

Fog & Smoke Working Group Chairperson

Larry Schoeneman Designlab Chicago, Inc. 328 N. Albany Avenue Chicago, IL 60612 1-773-265-1100 x13 Larry@dlabchicago.net

Acknowledgments

The Fog & Smoke Working Group members when this document was approved by the working group on 16 September 2011 are shown below.

Voting members:

Joshua Alemany; Rosco Laboratories; MP

Ron Bonner; PLASA EU; G

Matthew R. DeLong; Rosco Laboratories; MP

Mark Elliott; Walt Disney Company; U

Wendy Holt; Alliance of Motion Picture and Television Producers; U

Paul Jordan; NBC Universal; U

Edwin S. Kramer; I.A.T.S.E. Local 1; U

Larry Schoeneman; DesignLab Chicago, Inc.; DR

Eric Tishman; Rosco Laboratories; MP Mike Wood; Mike Wood Consulting LLC; G

Observer (non-voting) members: Clive Bailey; Martin Professional A/S; MP

Robert Barbagallo; Solotech Inc.; U

Marty Clausen; Safety & Health in Arts Production Entertainment; G

Jim Cooper; USITT; Ú Gary Crawford; C I T C; MP

Gary Fails; City Theatrical, Inc.; MP

Lowell Fowler; High End Systems Inc.; MP

Reuben Goldberg; Technic Services; U

Jerry Gorrell; Theatre Safety Programs; G

Kent H. Jorgensen; IATSE Local 80; G

Nathan Kahn; Look Solutions USA Ltd.; MP

Stephanie Kelly; City of Phoenix; G

Thomas V. Korder; University of Illinois; U

Peggy Lee Martindale; University of Texas, Austin; G

Greg Meeh; Jauchem & Meeh, Inc.; DR

Martin Michaud; MDG Fog Generators Ltd.; MP

Martin Moore: G

Don Phillips; Ultratec Special Effects Inc.; MP

Monona Rossol; G

Adrian Segeren; Ultratec Special Effects Inc.; MP Marnie Styles; Ultratec Special Effects Inc.; MP

Marrie Otyles, Officies opecial Effects inc., Mi

Stephen Vanciel; U

Florian von Hofen; VPLT; G

Colin Waters; TMB; G

Norman Wright; Group One; DR

Interest category codes:

CP = custom-market producer DE = designer

DR = dealer rental company G = general interest

MP = mass-market producer U = user

Table of Contents

Acknowledgments	IV
Table of Contents	V
Basic Dust Use Guidelines	1
1.0 Scope	2
2.0 Introduction	2
3.0 Major Categories of Dust	2
3.1 Organic	2
3.2 Inorganic	2
4.0 Potential Hazards of Dust	3
4.1 Exposure	3
4.1.1 Topical Exposure and Allergies	3
4.1.2 Inhalation	
4.2 Combustion	4
5.0 Risk Reduction	5
5.1 Product Selection	5
5.2 Product Usage	

Basic Dust Use Guidelines

- Determine the appropriate product for the application.
- Ensure you know the precise composition of the product you are using.
- Obtain an MSDS sheet for the product and abide by any associated exposure limits.
- Do not use anything that is a carcinogen or that is combustible.
- Use only as much dust as necessary.
- Use dust only where it is necessary.
- Use dust only when it is necessary.
- Avoid exposing unnecessary personnel.
- Monitor and control usage and ventilation throughout.
- Inform personnel on the products being used and post appropriate warnings.
- Follow manufacturers' instructions.
- Read this document and follow the recommendations listed.

1.0 Scope

A wide variety of products are used to create dust effects in entertainment productions. Such effects are most commonly used in motion picture and television production; However, they are also used in theatrical productions and within theme parks. The use of dust in this manner raises concerns for potential hazards including combustibility and health effects from inhalation or ingestion, which, although well known in some sectors of the industry, are poorly understood in others. This document provides recommendations for how to plan the use and assess the safety of such effects.

2.0 Introduction

The word *dust* is non-specific and means different things to different people. Dust is used in this document as a generic term referring to any solid particles scattered or suspended in the air where the common denominator is the use to which it is put - as a set dressing or as a special effect. Dust can be used in small quantities, such as to sprinkle on books or props to age them or to enhance artificial cobwebs, all the way up to extensive use on film sets where a complete realistic environment is being created. Dust use in film sets for special effects is very common, and the users in that industry are usually more familiar with the techniques than those in theatrical venues. However, the same basic principles of safe operation apply to everyone, no matter the application.

3.0 Major Categories of Dust

The dust used in theatrical effects can be broken down into two major categories, organic and inorganic, depending on the source of the dust.

3.1 Organic

Organic dusts are those based on naturally occurring products from plants or animals. Examples of common organic products that have been used as a theatrical dust effect include wheat flour, rice flour, corn starch, coffee creamers, and crushed nutshells.

Note: Dust from wood is also organic, but most wood dusts are confirmed carcinogens, refer to 4.1.2.3.

3.2 Inorganic

Inorganic dusts are usually mineral based and include fuller's earth, kaolin, aluminum magnesium silicate, pyrolite, pyrophyllite, and diatomaceous earth.

Note: Although diatomaceous earth is the fossilized remains of diatoms and hard-shelled algae, it is not an organic product. After fossilization only inorganic materials, particularly silica, remain.