



American National Standard for

Rotodynamic Submersible Pumps

for Hydraulic Performance, Hydrostatic Pressure,
Mechanical, and Electrical Acceptance Tests



ANSI/HI 11.6-2017

American National Standard for

Rotodynamic Submersible Pumps

for Hydraulic Performance, Hydrostatic Pressure,
Mechanical, and Electrical Acceptance Tests

Sponsor
Hydraulic Institute
www.Pumps.org

Approved September 1, 2017
American National Standards Institute, Inc.

American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgement of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Buyers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published By

Hydraulic Institute
6 Campus Drive, First Floor North
Parsippany, NJ 07054-4406

www.Pumps.org

Copyright © 2017 Hydraulic Institute
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission of the publisher.

Printed in the United States of America

ISBN 978-1-935762-47-8



Recycled
paper

Contents

	Page
Foreword	vii
11.6 Submersible pump tests	1
11.6.1 Introduction	1
11.6.2 Test types	4
11.6.3 Test conditions	6
11.6.4 Definitions	6
11.6.5 Performance test	11
11.6.6 Hydrostatic test	20
11.6.7 Net positive suction head (NPSHR) test	24
11.6.8 Submersible motor integrity tests	29
11.6.9 Vibration test	32
11.6.10 Instrumentation	35
11.6.11 Model tests	43
Appendix A Wire-to-water pump efficiency (informative)	45
A.1 Pump efficiency	45
A.2 Wire-to-water efficiency	46
A.3 Pump power and efficiency definitions and calculations	46
Appendix B Sample problems and formulas (informative)	48
B.1 Affinity rules (rotodynamic pumps)	48
B.2 Calculated performance based on change in pump speed (metric units)	49
B.3 Calculated performance based on change in pump impeller diameter (US customary units) ...	50
B.4 Calculation of NPSHA on a wet-pit pump (metric units)	51
B.5 Calculation of NPSHA on a dry-pit pump (US customary units)	52
B.6 Sample calculation of performance tolerance bands for pump acceptance according to grade 1E and 2B (US customary units)	53
Appendix C Determination, application, and calculation of instrument (systematic) uncertainty (informative)	55
C.1 Determination, application, and calculation of instrument (systematic) uncertainty	55
C.2 Distribution of probability	56
C.3 Examples of measurement uncertainty calculations	57
Appendix D Conversion factors	67
Appendix E Standards-setting organizations (informative)	69

Appendix F	Reporting of test results (informative)	70
F.1	Performance test report	70
Appendix G	Index	74
 Figures		
11.6.4.6a	— NPSH datum for horizontal pumps	8
11.6.4.6b	— NPSH datum for vertical pumps	8
11.6.5.2a	— Sample wet-pit performance test setup	13
11.6.5.2b	— Inlet submergence wet-pit test	13
11.6.5.2c	— Sample dry-pit performance test setup	14
11.6.5.4a	— Unilateral tolerance acceptance example	16
11.6.5.4b	— Bilateral tolerance acceptance example	16
11.6.5.4.2a	— Tolerance field for acceptance grades 1U and 2U	18
11.6.5.4.2b	— Tolerance field for acceptance grade 1E	18
11.6.5.4.2c	— Tolerance field for acceptance grades 1B, 2B, and 3B	18
11.6.5.5.2	— Pump performance (data plotted at test speed)	20
11.6.6.4	— Hydrostatic pressure test setup	21
11.6.7.2a	— Inlet throttling NPSHR test setup	25
11.6.7.2b	— Variable-lift NPSHR test setup	26
11.6.7.2c	— Closed-loop, dry-pit NPSHR test setup	26
11.6.7.2d	— Closed-loop, wet-pit NPSHR test setup	27
11.6.7.3a	— NPSH test with flow rate held constant	28
11.6.7.3b	— NPSH test with inlet head held constant	28
11.6.8.2.1	— Submersible motor integrity test setup using housing pressure test method	30
11.6.8.2.2	— Submersible motor integrity test setup using the housing vacuum test method	31
11.6.9.2.2	— Transducer location	33
11.6.9.4a	— Vibration limits (metric units)	34
11.6.9.4b	— Vibration limits (US customary units)	34
11.6.10.3.1a	— Requirements for static pressure tappings	40
11.6.10.3.1b	— Four pressure tappings connected by a ring manifold (grade 1)	41
11.6.10.3.1c	— One pressure tapping (general for grade 2 and 3)	41
11.6.10.3.2	— Gauge connectors	43
C.1	— Output signal vs. pressure value	64
F.1	— Sample pump test curve	71
F.2	— Pump test data sheet	73
 Tables		
11.6.1.3.1	— Symbols	3
11.6.1.3.2	— Subscripts	4
11.6.5.4	— Pump test acceptance grades and corresponding tolerance band	15
11.6.5.4.3	— Default acceptance grade	19

11.6.6.7 — Longer test periods	23
11.6.10.1.3 — Permissible amplitude of fluctuation as a percentage of mean value of quantity being measured.	35
11.6.10.1.4 — Maximum permissible measurement device uncertainty at guarantee point	36
11.6.10.1.6 — Instrument recalibration maximum intervals	37
11.6.10.2.1a — Straight pipe required before a venturi meter in diameters of pipe.	38
11.6.10.2.1b — Straight pipe required before a nozzle or orifice plate in diameters of pipe	38
11.6.10.2.1c — Straight pipe downstream of pressure tap of a nozzle or orifice plate meter in diameters of pipe.	39
C.1 — Lab pressure calibrator calibration data	58
C.3 — Lab precision DC current measurement device calibration data	59
C.2 — Published accuracy of lab calibration devices	59
C.5 — Pressure transducer calibration	60
C.4 — Lab DC current source calibration data	60
C.6 — DA system current measurement module (output) calibration data	61
C.7 — Calculation of percent uncertainty for the discharge pressure, full system of 300-psi pressure transducer and data acquisition system	62
C.8 — Differential pressure transducer information.	63
C.9 — Signal measurement device information.	63
C.10 — Venturi information - BIF 2-in s/n 12345	63
C.11 — Differential pressure transducer calibration data	64
C.12 — Differential pressure transducer calibration data analysis	64
C.13 — Venturi flowmeter calibration data and analysis	65
C.14 — Calculation of individual device uncertainty and total uncertainty.	66
D.1 — Conversion factors	67

This page intentionally blank.

Foreword (Not part of Standard)

Purpose and aims of the Hydraulic Institute

The purpose and aims of the Hydraulic Institute are to promote the advancement of the pump manufacturing industry and further the interests of the public and to this end, among other things:

- a) Develop and publish standards.
- b) Address pump systems.
- c) Expand knowledge and resources.
- d) Educate the marketplace.
- e) Advocate for the industry.

Purpose of Standards and Guidelines

- a) Hydraulic Institute Standards and Guidelines are adopted in the public interest and are designed to help eliminate misunderstandings between the manufacturer, the purchaser, and/or the user and to assist the purchaser in selecting and obtaining the proper product for a particular need.
- b) Use of Hydraulic Institute Standards and Guidelines is completely voluntary. Existence of Hydraulic Institute Standards does not in any respect preclude a member from manufacturing or selling products not conforming to the standards.

Definition of a Standard of the Hydraulic Institute

Quoting from Article XV, Standards, of the By-Laws of the Institute, Section B:

“An Institute Standard defines the product, material, process or procedure with reference to one or more of the following: nomenclature, composition, construction, dimensions, tolerances, safety, operating characteristics, performance, quality, rating, testing and service for which designed.”

Definition of a Hydraulic Institute Guideline

A Hydraulic Institute Guideline is not normative. The guideline is tutorial in nature, to help the reader better understand the subject matter.

Comments from users

Comments from users of this standard will be appreciated, to help the Hydraulic Institute prepare even more useful future editions. Questions arising from the content of this standard may be directed to the Technical Director of the Hydraulic Institute. If appropriate, the inquiry will then be directed to the appropriate technical committee for provision of a suitable answer.

Revisions

American National Standards of the Hydraulic Institute are subject to constant review, and revisions are undertaken whenever it is found necessary because of new developments and progress in the art. If no revisions are made for five years, the standards are reaffirmed using the ANSI canvass procedure.

Disclaimer

This document was prepared by a committee of the Hydraulic Institute and approved by following ANSI essential requirements. Neither the Hydraulic Institute, Hydraulic Institute committees, nor any person acting on behalf of the Hydraulic Institute: 1) makes any warranty, expressed or implied, with respect to the use of any information, apparatus, method, or process disclosed in this document or guarantees that such may not infringe privately owned rights; 2) assumes any liabilities with respect to the use of, or for damages resulting from the use of, any information, apparatus, method, or process disclosed in this guideline. The Hydraulic Institute is in no way responsible for any consequences to an owner, operator, user, or anyone else resulting from reference to the content of this document, its application, or use.