

ANSI®

Z124.1.2 - 2005

Revision and Harmonization of

ANSI Z124.1 - 1995 and

ANSI Z124.2 - 1995

**American National Standard
for Plastic Bathtub and Shower Units**



Secretariat
**International Association of
Plumbing and Mechanical Officials**

Approved July 18, 2005
American National Standards Institute, Inc.

American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when, in the judgement of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published by

**International Association of Plumbing and Mechanical Officials
5001 East Philadelphia Street, Ontario, CA 91761**

Copyright © 2005 by International Association of Plumbing and Mechanical Officials
All rights reserved.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission of the publisher.

Printed in the United States of America

Contents

	Page
Foreword.....	iii
1 Scope and Purpose	1
1.1 Scope	1
1.2 Purpose	1
1.3 Normative References	1
2 General Requirements	1
2.1 Materials	1
2.2 Dimensional Tolerances	2
2.3 Units for Testing.....	2
2.4 Installation Instructions	2
2.5 Care and Maintenance Instructions	2
2.6 Identification.....	2
2.7 Grab Bars.....	2
2.8 Raised Flanges and Tiling Beads	2
2.9 Commonly Used Nomenclature	2
3 Workmanship and Finish	2
3.1 Unit Preparation.....	2
3.2 Method of Inspection of the Unit Surface	2
3.3 Surface Test	2
3.4 Subsurface Test	3
4 Structural Integrity of Complete Units.....	4
4.1 Unit Preparation.....	4
4.2 Drain Fitting Connection.....	4
4.3 Point Impact Loads	4
4.4 Load on Seats	4
4.5 Loads on Rim and Bottom of Bathubs and on Theshold	4
and Bottom of Showers	4
4.6 Area Impact Load on Wall Surrounds	5
4.7 Loads on Wall Surrounds	6
4.8 Radd Load Test	6
4.9 Loads on Unsupported Bathtub Areas.....	6
5. Physical Characteristics of Materials	6
5.1 Colorfastness	6
5.2 Stain Resistance Test.....	6
5.3 Wear and Cleanability	7
5.4 Cigarette Test.....	9
5.5 Chemical Resistance Test.....	9
5.6 Ignition Test.....	9
6. Additional Material Tests.....	10
6.1 Water Resistance Test	10
6.2 Laboratory Test for Non-Integral Flange-Fixture Seal	10
6.3 Resistance to Fungi and Bacteria Growth (Type 6 Units).....	11
6.4 Puncture Resistance Test (Type 6 Units)	11
7 Provisions for Government Procurement.....	11

Tables

1 Appearance Requirements	3
2 Reagents Used in Stain Resistance Test	7

	Page
Figures	
1 Load Test for Drain Fitting Connections	12
2 Fixture for Measuring Tub Bottom Deflection/Load Test on Threshold and Bottom	13
3 Typical Test Stand	14
4 Load Test on Bathub Rim and Bottom, and Load on Unsupported Areas	14
5 Brush Holder (Sled) (Z124 Wear Test).....	15
6 Platform & Specimen Mounting Plate for Wear Tester.....	15
7 Brush Block Details	16
8 Boil Test Tank (Top View of Tank Without Screws).....	17
Boil Test Tank	18
9 Commonly Used Nomenclature.....	19
Appendix	
I Testing Equipment Suppliers	21
II Government Requirements	22
III Flammability	27

Foreword (This Foreword is not a part of American National Standard for Plastic Bathtub and Shower Units)

Production of gel-coated glass-fiber reinforced Plastic Plumbing Fixtures began in 1956. The immediate need for standard specifications was answered by the issuance, in 1959, of Commercial Standards CS 221-59 for bathtubs and CS 222-59 for shower receptors. These standards served as the basis of product acceptance by the Federal Housing Administration (FHA) and code writing agencies.

In 1962 the development of a needed industry standard was undertaken by the NAHB Research Institute and a Reinforced Plastics Industry Advisory Board with the cooperation and assistance of the Society of the Plastics Industry. In July 1963, the NAHB Research Institute issued a new standard for tub-shower units which constituted an extensive revision of CS 221-59 and was the first performance-type standard for such products.

In December 1965, the NAHB Research Foundation, Inc., continuing the work of the NAHB Research Institute, issued a revised standard for bathtub units and a standard for shower receptors and stalls. These standards were considered by those most interested to be worthy of approval as an American National Standard, and the need for their application nationally was self-evident. Accordingly, they were submitted to the Standards Institute in 1965 and approved on April 5, 1967 as American National Standard for Gel-Coated Glass-Fiber Reinforced Polyester Resin Bathtub Units, Z124.1-1967 and Gel-Coated Fiberglass Reinforced Polyester Resin Shower Receptors and Shower Stalls, Z124.2-1967.

The sponsor also asked for the establishment of an American National Standards Committee, which was approved as American National Standards Committee Z124.

Use of American National Standards Z124.1 and Z124.2 has resulted, over the years, in constructive suggestions which have been incorporated in these standards. Many of the requirements given in these standards evolved out of field experience with new materials and manufacturing techniques. Therefore, these standards have been expanded, listing separate areas of pertinent tests and performance requirements for such materials and techniques, and in 2005, both standards were harmonized. They also cover the revision and addition of test methods and performance requirements.

Historically, in October 1978, the International Association of Plumbing and Mechanical Officials (IAPMO) assumed the secretariat's position to continue the work already in progress.

The continuation of work resulted in the revision and updating of Z124.1 for Plastic Bathtubs and Z124.2 for Plastic Shower Receptors and Shower Stalls. These standards were forwarded to American National Standards Institute. Formal adoption was May 1, 1980.

Grab bars, slip resistance and fire and smoke are of prime concerns to the Z124 Committee. In 1985, reference to grab bars were included in both the bathtub and shower standards. In 1992, the Committee, after extensive study, decided to add an Appendix to the Z124 standards in regards to fire and smoke. At that time, the 1991 addendum was removed from the standards because no evidence was found that plastic plumbing fixtures contributed to or caused fires. Since the Appendix is not a formal part of the standard, it is for information only. The consensus of the Committee was that the combustibility concerns of plastic plumbing fixtures had been adequately addressed by the addition of the Appendix. Work is continuing on slip resistance and fire and smoke requirements.

A new standard for Plastic Lavatories, which had been started by a Task Group in early 1975, was also completed and forwarded to American National Standards Institute in September 1979. The formal adoption date was May 21, 1980, and resulted in American National Standard Z124.3 for Plastic Lavatories.

At the request of HUD, a Task Committee developed a standard for Plastic Water Closet

Bowls and Tanks. It was completed and forwarded to ANSI and formally adopted May 30, 1983, as American National Standard Z124.4.

The Standard for Plastic Toilet (Water Closet) Seats which was started in November 8, 1983 was completed and forwarded to the American National Standards Institute on February 15, 1989. The formal adoption date was August 24, 1989 and resulted in American National Standards Institute, Standard Z124.5 for Plastic Toilet (Water Closets) Seats.

The Standard for Plastic Sinks which was started in April 1986 was completed and forwarded to American National Standards Institute on July 1989. The formal adoption date was December 13, 1990 and resulted in American National Standard Z124.6 for Plastic Sinks.

The Standard for Plastic Bathtub Liners which was started in 1985 was completed and forwarded to the American National Standards Institute in June, 1990. The formal adoption date was October, 1990 and resulted in American National Standards Institute, Standard Z124.8 for Plastic Bathtub Liners.

Other standards which are appropriate for the scope of the Z124 Standards are also under development.

The Z124 Committee had grown from the original 1962 Committee of eleven industry members to a consensus Committee of thirty - three members.

Suggestions for improvement of these Z124 standards are always welcome. They should be sent to the American National Standards Institute, 11 West 42nd Street, New York, NY 10036.

This standard was processed and approved for submittal to ANSI by American National Standards Committee on Synthetic Organic Materials in Plumbing Fixtures, Z124. Committee approval of the standard does not necessarily imply that all Committee members voted for its approval. At the time it approved this standard, the Z124 Committee had the following members:

Charles Gross, Chairman
Steve Rouleau, Vice Chairman

<i>Organization Represented</i>	<i>Name of Representative</i>
American Institute of Architects	W. W. Aird
American Society of Plumbing Engineers	J. Ballanco
	S. Wolfson (Alt.)
American Society of Sanitary Engineers	S. Hazzard
American Standard Inc.	P. DeMarco
Aqua Bath Co.	G. McAllister
	W. Yeager (Alt.)
Aristech Chemical Corporation	E. Minghetti
ARKEMA.	R. Banyay
	E. Haswell (Alt.)
Better Bath Co.	B. Mitchell
Consultant	C. T. Hicks
Consultant	G. McAllister
Consumer	M. Klimboff
Fiat/Crane Plumbing	J. Murray
General Electric	G. P. Diehl
Gruber Systems	L. Garasi
Independent.....	S. Cavenaugh
International Cast Polymer Association	H. P. Toner
	B. Brody (Alt.)
Industrial Testing Laboratory	J. Zivic
International Association of Plumbing and Mechanical Officials	C. Gross
	M. Kobel (Alt.)

<i>Organization Represented</i>	<i>Name of Representative</i>
Koeller and Co. Consultants	J. Koeller
Kohler Co.....	S. Rawalpindiwala
Lucite® Sheet Division.....	R. Gano
	P. Hindle (Alt.)
MAAX	S. Rouleau
Masco Corporation	W. Pan
	S. Kapelanski (Alt.)
National Association of Home Builders	C. Arnold
	T. Kenny (Alt.)
National Association of Plumbing, Heating, and Cooling Contractors	R. E. White
National Association of Thermoformers for Manufactured Housing Industry	S. Richardson
National Sanitation Foundation	A. Ciechanowski
PSI Testing Lab.....	P. Medwig
P. W. Meikle Consultants	P. Meikle
SGS US Testing Co.	D. Holloway
	J. Simmons (Alt.)
Spartech.....	J. L. Payne
Taylor Industries	B. W. Taylor
	R. Taylor (Alt.)
Underwriters Lab	M. Carroll
Waterless Co.	K. Reichardt

Subcommittee Z124.1.2 on Plastic Bathtub and Shower Units, which developed this standard had the following members:

M. Kobel, Chairman	C. Arnold	E. Minghetti
A. Ciechanowski, Secretary	P. DeMarco	B. Mitchell
	G. Diehl	J. Murray
	R. Gano	S. Rawalpindiwala
	L. Garasi	H. Toner
	G. McAlister	J. Zivic

AMERICAN NATIONAL STANDARD FOR PLASTIC BATHTUB AND SHOWER UNITS

1. Scope and purpose

1.1 Scope. This standard covers physical requirements and test methods for performance requirements of materials and workmanship, and finish of plastic bathtub or shower units with or without walls manufactured integral with the bathtub or shower; or as a multi-piece unit distributed as part of the bathtub or shower unit. Such products shall meet the requirements as outlined in this standard.

While this standard covers the performance requirements of plastic bathtub or shower units and describes these performance requirements in terms of methods of test applicable to all such units, a number of different materials and methods of manufacture shall be permitted to be used to meet these requirements. Each of these materials and methods have different properties which will affect its end performance and suitability for the intended use. For this reason, portions of the standard are broken into separate requirements designed to identify these individual characteristics.

The materials and equipment which are listed as having been used to conduct the testing procedures in this standard are provided solely for informational reference. Materials and equipment of similar design, composition and specification shall only be used to conduct these testing procedures when they produce equivalent results.

1.2 Purpose. The purpose of this standard is to establish minimum performance requirements for plastic bathtub or shower units.

Conformance to this standard and test procedures herein shall indicate the acceptability of a plastic bathtub or shower unit as a plumbing fixture.

1.3 Normative references

The following standards contain provisions which, through reference in this text, constitute provisions of this American National Standard. At the time of publication, the editions indicated were valid. All standards are subject to revision, and parties to agreements based on this American National Standard are encouraged to investigate the possibility of applying most recent editions of the standards indicated below.

ASTM D 883-00, *Terminology Relating to Plastics*

ASTM D 2244-02^{e1}, *Practice for Calculation of Color Tolerances and Color Differences from Instrumentally Measured Color Coordinates*

ASTM D 2565-99, *Practice for Operating Xenon Arc Exposure of Plastics Intended for Outdoor Applications*

ASTM E 84-05 (NFPA 255-00), *Test Method for Surface Burning Characteristics of Building Materials*

ASTM E 162-98, *Test Method for Surface Flammability of Materials Using a Radiant Heat Energy Source*

ASTM E 662-03^{e1}, *Test Method for Specific Optical Density of Smoke Generated by Solid Materials*

ASTM F 446-85(2004^{e1}), *Consumer Safety Specification for Grab Bars and Accessories Installed in the Bathing Area*

ASTM G21-96(2002), *Practice For Determining Resistance Of Synthetic Polymeric Materials To Fungi*

NFPA 255-00, (See ASTM E 84)

NFPA 258-01, *Recommended Practice for Determining Smoke Generation of Solid Materials*

2. General requirements

2.1 Materials

2.1.1 Composition. The units shall be made of suitable grades of plastic resins and such other filling, coloring, reinforcing, and coating materials as will meet the performance requirements of this standard.

2.1.2 Finish. The finished surface of the unit shall be of a quality which meets all of the applicable requirements of the standard. Six common types of plastic finishes shall be as defined.

(1) Type 1 - No separate surface finish: The surface finish is the same as, and is usually integral with, the structural base. (Excluding Type 4.)

(2) Type 2 - Coated surface finish: These units are characterized by the presence of a surface coating which is applied to the structural base either prior to or after the molding process. (Excluding Type 4.)