

**ICC/ANSI
A117.1–2003**

American National Standard

**Accessible and Usable
Buildings and Facilities**

Secretariat

**International Code Council
Chicago District Office
4051 W. Flossmoor Road
Country Club Hills, IL 60478-5795**

Approved November 26, 2003

**American National Standards Institute, Inc.
25 West 43rd Street — Fourth Floor
New York, NY 10036**

First Printing: May 2004

First Published: May 2004

ISBN 1-58001-102-0

COPYRIGHT © 2004

By

INTERNATIONAL CODE COUNCIL, INC.

ALL RIGHTS RESERVED. This Accessible and Usable Buildings and Facilities (ICC/ANSI A117.1-2003) is a copyrighted work owned by the International Code Council, Inc. Without advance written permission from the copyright owner, no part of this book may be reproduced, distributed, or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying, or recording by or in an information storage retrieval system). For information on permission to copy material exceeding fair use, please contact: Publications, 4051 W. Flossmoor Road, Country Club Hills, IL 60478-5795.

Trademarks: "ICC," the International Code Council logo and "Accessible and Usable Buildings and Facilities (ICC/ANSI A117.1-2003)" are trademarks of the International Code Council, Inc.

PRINTED IN THE U.S.A.

American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria for approval have been met by the standards developer.

Consensus is established when in the judgement of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he or she has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

CAUTION NOTICE: This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken periodically to reaffirm, revise, or withdraw this standard. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

FOREWORD

(The information contained in this foreword is not part of this American National Standard (ANS) and has not been processed in accordance with ANSI's requirements for an ANS. As such, this foreword may contain material that has not been subjected to public review or a consensus process. In addition, it does not contain requirements necessary for conformance to the standard.)

Development

The 1961 edition of ANSI Standard A117.1 presented the first criteria for accessibility to be approved as an American National Standard and was the result of research conducted by the University of Illinois under a grant from the Easter Seal Research Foundation. The National Easter Seal Society and the President's Committee on Employment of People with Disabilities became members of the Secretariat, and the 1961 edition was reaffirmed in 1971.

In 1974, the U.S. Department of Housing and Urban Development joined the Secretariat and sponsored needed research, which resulted in the 1980 edition. After further revision that included a special effort to remove application criteria (scoping requirements), the 1986 edition was published and, when requested in 1987, the Council of American Building Officials (CABO) assumed the Secretariat. Central to the intent of the change in the Secretariat was the development of a standard that, when adopted as part of a building code, would be compatible with the building code and its enforcement. The 1998 edition largely achieved that goal. In 1998, CABO became the International Code Council (ICC).

2003 Edition

New to the 2003 edition are criteria for elements and fixtures primarily for children's use; enhanced reach range criteria; transportation facilities; additional provisions for assembly areas; and an addition and rearrangement for accessible dwelling and sleeping units. These new criteria are intended to provide a level of coordination between the accessible provisions of this standard and the Fair Housing Accessibility Guidelines (FHAG) and the Americans with Disabilities Act Accessibility Guidelines (ADAAG). Illustrative figures are numbered the same as corresponding text to simplify the use of the Standard. Unless specified otherwise, figures are not part of the Standard. Should a figure appear to illustrate criteria that differ with the text of the Standard, the criteria stated in the text govern.

ANSI Approval

This Standard was processed and approved for submittal to ANSI by the Accredited Standards Committee A117 on Architectural Features and Site Design of Public Buildings and Residential Structures for Persons with Disabilities. ANSI approved the 2003 edition on November 26, 2003. Committee approval of the Standard does not necessarily imply that all Committee members voted for its approval.

Adoption

ICC/ANSI A117.1–2003 is available for adoption and use by jurisdictions internationally. Its use within a governmental jurisdiction is intended to be accomplished through adoption by reference in accordance with proceedings establishing the jurisdiction's laws.

Formal Interpretations

Requests for Formal Interpretations on the provisions of ICC/ANSI A117.1–2003 should be addressed to: ICC, Chicago District Office, 4051 W. Flossmoor Road, Country Club Hills, IL 60478–5795.

Maintenance—Submittal of Proposals

All ICC standards are revised as required by ANSI. Proposals for revising this edition are welcome. Please visit the ICC website at www.iccsafe.org for the official "Call for proposals" announcement. A proposal form and instructions can also be downloaded from www.iccsafe.org.

ICC, its members and those participating in the development of ICC/ANSI A117.1–2003 do not accept any liability resulting from compliance or noncompliance with the provisions of ICC 300–2002. ICC does not have the power or authority to police or enforce compliance with the contents of this standard. Only the governmental body that enacts this standard into law has such authority.

**Accredited Standards Committee A117 on Architectural Features and
Site Design of Public Buildings and Residential Structures for
Persons with Disabilities**

At the time of ANSI approval, the A117.1 Committee consisted of the following members:

Chair	Kenneth M. Schoonover, PE
Vice Chair	Edward A. Donoghue, CPCA
A117 Committee Secretary	Lawrence Brown, CBO
Organizational Member	Representative
Accessibility Equipment Manufacturers Association (AEMA) (PD)	Kevin Brinkman Gregory L. Harmon (Alt)
American Bankers Association (ABA) (BO)	Nessa Feddis
American Council of the Blind (ACB) (CU)	Patricia Beattie Krista Merritt (Alt)
American Hotel and Lodging Association (AHLA) (BO)	Kevin Maher Jerry Gross (Alt)
American Institute of Architects (AIA) (P)	Mark W. Wales, Associate AIA, CBO Larry M. Schneider (Alt)
American Occupational Therapy Association (AOTA) (P)	S. Shoshana Shamberg
American Society of Interior Designers (ASID) (P)	Samantha McAskill, ASID Barbara J. Huelat, ASID, IIDA (Alt)
American Society of Plumbing Engineers (ASPE) (P)	Robert H. Evans, Jr., CIPE/CPD Julius A. Ballanco, P.E. (Alt)
American Society of Safety Engineers (ASSE) (P)	Dr. William Marletta, PhD, CSP John B. Schroering, P.E., C.S.P. (Alt)
American Society of Theatre Consultants (ASTC) (P)	William Conner, ASTC R. Duane Wilson, ASTC (Alt)
Association for Education & Rehabilitation of the Blind & Visually Impaired (AERBVI) (P)	Billie Louise "Beezy" Bentzen, PhD
Builders Hardware Manufacturers Association, Inc (BHMA) (PD)	Michael Tierney Richard Hudnut (Alt)
Building Owners and Managers Association International (BOMA) (BO)	Lawrence G. Perry, AIA Ron Burton (Alt)
Disability Rights Education and Defense Fund (DREDF) (CU)	Marilyn Golden Logan Hopper (Alt)
International Association of Amusement Parks and Attractions (IAAPA) (BO)	John Paul Scott, AIA, NCARB
International Code Council (ICC) (R)	Kimberly Paarlberg, AIA Phil Hahn, AIA (Alt)
International Sign Association (ISA) (PD)	Teresa Cox James L. Chapman (Alt) Muhammad Kahn (2nd Alt)
Little People of America, Inc. (LPA) (CU)	Tricia Mason C. Angela Van Etten, J.D.
Montgomery County Department of Permitting Services (MCDPS) (R)	Shahriar Amiri, CBO Thomas Heiderer (Alt)
National Apartment Association (NAA) (BO)	Ronald G. Nickson
National Association of Home Builders (NAHB) (BO)	Jeffrey T. Inks Richard A. Morris (Alt)
National Association of the Deaf (NAD) (CU)	Don Sievers Nancy J. Bloch (Alt)

National Conference of States on Building Codes and Standards (NCSBCS) (R)	Curt Wiehle
National Electrical Manufacturers Association (NEMA) (PD)	Rein Haus Scott Edwards (Alt) James Shuster (2nd Alt)
National Elevator Industry, Inc (NEII) (PD)	Edward A. Donoghue, CPCA George A. Kappenhagen (Alt) Barry Blackaby (2nd Alt)
National Fire Protection Association (NFPA) (R)	Allan B. Fraser Ron Coté, PE (Alt)
New Mexico Governor's Committee on Concerns of the Handicapped (NMGCCCH) (CU)	Hope Reed Anthony H. Alarid (Alt)
Paralyzed Veterans of America (PVA) (CU)	Carol Peredo Lopez, AIA Mark H. Lichter, AIA (Alt)
Plumbing Manufacturers Institute (PMI) (PD)	David Viola Barbara C. Higgins (Alt)
Self Help for Hard of Hearing People, Inc. (SHHH) (CU)	Brenda Battat Timothy P. Creagan (Alt)
Society for Environmental Graphic Design (SEGD) (P)	Kenneth A. Ethridge, Jr., AIA, RIBA Ann Makowski (Alt)
Stairway Manufacturers Association (SMA) (PD)	Tim Moss David Cooper (Alt)
U.S. Architectural & Transportation Barriers Compliance (Access) Board (ATBCB) (R)	Marsha K. Mazz Scott J. Windley (Alt)
U.S. Department of Agriculture (USDA) (R)	Larry B. Fleming Samuel Hodges, III (Alt)
U.S. Department of Housing and Urban Development (HUD) (R)	Cheryl D. Kent Louis F. Borray (Alt)
United Cerebral Palsy Association, Inc. (UCPA) (CU)	Robert Dale Lynch, FAIA Gus Estrella (Alt)
United Spinal Association (CU)	Brian D. Black Dominic Marinelli (Alt)
World Institute on Disability (WID) (CU)	Hale Zukas

Individual Members

- Todd Andersen (P)
- George P. McAllister, Jr. (P)
- Jake L. Pauls, CPE (P)
- John P. S. Salmen, AIA (P)
- Kenneth M. Schoonover, PE (P)

Acknowledgment

The updating of this standard over the past 5 years could only be accomplished by the hard work of not only the current committee members listed at the time of approval but also the many committee members who participated and contributed to the process over the course of development. ICC recognizes their contributions as well as those of the participants who, although not on the committee, provided valuable input during this update cycle.

INTEREST CATEGORIES

Builder/Owner/Operator (BO) – Members in this category include those in the private sector involved in the development, construction, ownership and operation of buildings or facilities; and their respective associations.

Consumer/User (CU) – Members in this category include those with disabilities, or others who require accessibility features in the built environment for access to buildings, facilities and sites; and their respective associations.

Producer/Distributor (PD) – Members in this category include those involved in manufacturing, distributing, or sales of products; and their respective associations.

Professional (P) – Members in this category include those qualified to engage in the development of the body of knowledge and policy relevant to their area of practice, such as research, testing, consulting, education, engineering or design; and their respective associations.

Regulatory (R) – Members in this category include federal agencies, representatives of regulatory agencies or organizations that promulgate or enforce codes or standards; and their respective associations.

Individual Expert (IE) (Nonvoting) – Members in this category are individual experts selected to assist the consensus body. Individual experts shall serve for a renewable term of one year and shall be subject to approval by vote of the consensus body. Individual experts shall have no vote.

Category	Number
Builder/Owner/Operator – (BO)	6
Consumer/User – (CU)	10
Professional – (P)	8
Producer/Distributor – (PD)	7
Regulatory – (R)	7
TOTAL	38

This is a preview of "ICC/ANSI A117.1-2003". [Click here to purchase the full version from the ANSI store.](#)

Contents

Chapter 1. Application and Administration.	1
101 Purpose	1
102 Anthropometric Provisions	1
103 Compliance Alternatives	1
104 Conventions	1
105 Referenced Standards	1
106 Definitions	3
Chapter 2. Scoping	5
201 General	5
202 Dwelling and Sleeping Units	5
203 Administration	5
Chapter 3. Building Blocks	7
301 General	7
302 Floor Surfaces	7
303 Changes in Level	7
304 Turning Space	7
305 Clear Floor Space	8
306 Knee and Toe Clearance	9
307 Protruding Objects	10
308 Reach Ranges	11
309 Operable Parts	12
Chapter 4. Accessible Routes	15
401 General	15
402 Accessible Routes	15
403 Walking Surfaces	15
404 Doors and Doorways	16
405 Ramps	22
406 Curb Ramps	24
407 Elevators	26
408 Limited–Use/Limited–Application Elevators	34
409 Private Residence Elevators	35
410 Platform Lifts	37
Chapter 5. General Site and Building Elements	39
501 General	39
502 Parking Spaces	39
503 Passenger Loading Zones	40
504 Stairways	41
505 Handrails	42
506 Windows	44
Chapter 6. Plumbing Elements and Facilities	45
601 General	45
602 Drinking Fountains	45
603 Toilet and Bathing Rooms	46
604 Water Closets and Toilet Compartments	46
605 Urinals	52
606 Lavatories and Sinks	52
607 Bathtubs	54
608 Shower Compartments	56
609 Grab Bars	61
610 Seats	62
611 Washing Machines and Clothes Dryers	63

Chapter 7. Communication Elements and Features	65
701 General	65
702 Alarms	65
703 Signs	65
704 Telephones.	70
705 Detectable Warnings.	71
706 Assistive Listening Systems	72
707 Automatic Teller Machines (ATMs) and Fare Machines	72
708 Two-Way Communication Systems	74
Chapter 8. Special Rooms and Spaces	75
801 General	75
802 Assembly Areas	75
803 Dressing, Fitting, and Locker Rooms	79
804 Kitchens and Kitchenettes	80
805 Transportation Facilities	81
806 Holding Cells and Housing Cells	83
807 Courtrooms	84
Chapter 9. Built-In Furnishings and Equipment	85
901 General	85
902 Dining Surfaces and Work Surfaces	85
903 Benches	85
904 Sales and Service Counters	85
.	87
905 Storage Facilities.	87
Chapter 10. Dwelling Units and Sleeping Units.	89
1001 General.	89
1002 Accessible Units	89
1003 Type A Units	90
1004 Type B Units	96
1005 Units with Accessible Communication Features	103

List of Figures

Chapter 1. Application and Administration.	1
Figure 104.2 Graphic Convention for Figures	2
Chapter 2. Scoping (No figures)	5
Chapter 3. Building Blocks	7
Figure 302.2 Carpet on Floor Surfaces.	7
Figure 302.3 Openings in Floor Surfaces	7
Figure 303.2 Vertical Changes in Level	7
Figure 303.3 Beveled Changes in Level	8
Figure 304.3 Size of Turning Space	8
Figure 305.3 Size of Clear Floor Space	8
Figure 305.5 Position of Clear Floor Space.	9
Figure 305.7 Maneuvering Clearance in an Alcove	9
Figure 306.2 Toe Clearance	10
Figure 306.3 Knee Clearance	10
Figure 307.2 Limits of Protruding Objects.	11
Figure 307.3 Post-Mounted Protruding Objects	11
Figure 307.4 Reduced Vertical Clearance	11
Figure 308.2.1 Unobstructed Forward Reach	12
Figure 308.2.2 Obstructed High Forward Reach	12
Figure 308.3.1 Unobstructed Side Reach	12
Figure 308.3.2 Obstructed High Side Reach	13
Chapter 4. Accessible Routes	15
Figure 403.5 Clear Width of an Accessible Route.	15
Figure 403.5.1 Clear Width at Turn	16
Figure 404.2.2 Clear Width of Doorways	17
Figure 404.2.3.1 Maneuvering Clearance at Manual Swinging Doors	18
Figure 404.2.3.2 Maneuvering Clearance at Sliding and Folding Doors	19
Figure 404.2.3.3 Maneuvering Clearance at Doorways without Doors	20
Figure 404.2.3.4 Maneuvering Clearance at Recessed Doors	20
Figure 404.2.5 Two Doors in a Series	21
Figure 405.7 Ramp Landings	23
Figure 405.9 Ramp Edge Protection	24
Figure 406.2 Counter Slope of Surfaces Adjacent to Curb Ramps	24
Figure 406.3 Sides of Curb Ramps	24
Figure 406.10 Diagonal Curb Ramps	25
Figure 406.11 Islands	26
Figure 407.2.1.1 Height of Elevator Call Buttons	27
Figure 407.2.1.7 Destination-oriented Elevator Indication	27
Figure 407.2.2.2 Elevator Visible Signals	28
Figure 407.2.3.1 Floor Designation	29
Figure 407.2.3.2 Destination-oriented Elevator Car Identification	29
Figure 407.4.1 Inside Dimensions of Elevator Cars.	31
Figure 407.4.6.2 Elevator Car Control Buttons	32
Figure 408.4.1 Inside Dimensions of Limited Use/Limited Application (LULA) Elevator Cars.	36
Figure 409.4.6.3 Location of Controls in Private Residence Elevators	37
Figure 410.2.1 Platform Lift Doors and Gates.	38
Chapter 5. General Site and Building Elements	39
Figure 502.2 Vehicle Parking Space Size	39
Figure 502.4 Parking Space Access Aisle	40
Figure 503.3 Passenger Loading Zone Access Aisle	41
Figure 504.2 Treads and Risers for Accessible Stairways.	41
Figure 504.5 Stair Nosings.	42
Figure 505.4 Handrail Height.	43

Figure 505.5	Handrail Clearance.	43
Figure 505.7	Handrail Cross Section	43
Figure 505.10.1	Top and Bottom Handrail Extensions at Ramps	44
Figure 505.10.2	Top Handrail Extensions at Stairs	44
Figure 505.10.3	Bottom Handrail Extensions at Stairs	44
Chapter 6. Plumbing Elements and Facilities.		45
Figure 602.5	Drinking Fountain Spout Location.	45
Figure 604.2	Water Closet Location	46
Figure 604.3	Size of Clearance for Water Closet	47
Figure 604.4	Water Closet Height	47
Figure 604.5.1	Side Wall Grab Bar for Water Closet.	48
Figure 604.5.2	Rear Wall Grab Bar for Water Closet	48
Figure 604.5.3	Swing-up Grab Bar for Water Closet	48
Figure 604.7	Dispenser Location	49
Figure 604.8.2	Wheelchair Accessible Toilet Compartments	50
Figure 604.8.3	Wheelchair Accessible Compartment Doors	50
Figure 604.8.5	Wheelchair Accessible Compartment Toe Clearance.	51
Figure 604.9	Ambulatory Accessible Compartment	51
Figure 604.10.2	Children's Water Closet Location	51
Figure 604.10.4	Children's Water Closet Height	52
Figure 604.10.7	Children's Dispenser Location	52
Figure 605.2	Height of Urinals	53
Figure 606.3	Height of Lavatories and Sinks	53
Figure 607.2	Clearance for Bathtubs.	54
Figure 607.4.1	Grab Bars for Bathtubs with Permanent Seats	55
Figure 607.4.2	Grab Bars for Bathtubs without Permanent Seats.	56
Figure 607.5	Location of Bathtub Controls	56
Figure 608.2.1	Transfer-Type Shower Compartment Size and Clearance	57
Figure 608.2.2	Standard Roll-in-Type Shower Compartment Size and Clearance	57
Figure 608.2.3 and Clearance	Alternate Roll-in-Type Shower Compartment Size 58	58
Figure 608.3.1	Grab Bars in Transfer-Type Showers	58
Figure 608.3.2	Grab Bars in Standard Roll-in-Type Showers	58
Figure 608.3.3	Grab Bars in Alternate Roll-in-Type Showers	59
Figure 608.5.1	Transfer-Type Shower Controls and Handshower Location	59
Figure 608.5.2	Standard Roll-in-Type Shower Control and Handshower Location	59
Figure 608.5.3	Alternate Roll-in-Type Shower Control and Handshower Location	60
Figure 609.2	Size of Grab Bars	61
Figure 609.3	Spacing of Grab Bars	61
Figure 610.2	Bathtub Seats	62
Figure 610.3.1	Rectangular Shower Compartment Seat	63
Figure 610.3.2	L-Shaped Shower Compartment Seat	63
Figure 611.4	Height of Laundry Equipment.	63
Chapter 7. Communication Elements and Features		65
Figure 703.3.5	Character Height	66
Figure 703.3.10	Height of Tactile Characters above Floor or Ground.	67
Figure 703.3.11	Location of Tactile Signs at Doors	68
Figure 703.4.3	Braille Measurement	68
Figure 703.4.4	Position of Braille.	69
Figure 703.5	Pictogram Field	69
Figure 703.6.3.1	International Symbol of Accessibility	70
Figure 703.6.3.2	International TTY Symbol	70
Figure 703.6.3.3	International Symbol of Access for Hearing Loss	70

Figure 703.6.3.4	Volume-Controlled Telephone	70
Figure 704.2.1	Clear Floor Space for Telephones.	71
Figure 705.5	Truncated Dome Size and Spacing	72
Figure 707.5	Numeric Key Layout	73
Chapter 8. Special Rooms and Spaces		75
Figure 802.3	Width of a Wheelchair Space in Assembly Areas	75
Figure 802.4	Depth of a Wheelchair Space in Assembly Areas	75
Figure 802.9.1.1	Lines of Sight over the Heads of Seated Spectators.	77
Figure 802.9.1.2	Lines of Sight between the Heads of Seated Spectators	77
Figure 802.9.2	Wheelchair Space Elevation	78
Figure 804.2.1	Pass-through Kitchen Clearance	80
Figure 804.2.2	U-Shaped Kitchen Clearance	81
Figure 805.2.2	Size of Bus Boarding and Alighting Areas.	82
Figure 805.3	Bus Shelters	83
Figure 805.10	Track Crossings	84
Chapter 9. Built-In Furnishings and Equipment		85
Figure 903	Benches	86
Figure 904.4.2	Height of Checkout Counters	87
Chapter 10. Dwelling Units and Sleeping Units.		89
Figure 1003.11.7	Water Closets in Type A Units	92
Figure 1003.11.8	Clearance for Bathtubs in Type A Units	93
Figure 1003.11.9	Standard Roll-in-Type Shower Compartment in Type A Units	93
Figure 1003.12.1.1	Minimum Kitchen Clearance in Type A Units	94
Figure 1003.12.1.2	U-Shaped Kitchen Clearance in Type A Units	94
Figure 1003.12.3	Work Surface in Kitchen for Type A Units	95
Figure 1003.12.4	Kitchen Sink for Type A Units	95
Figure 1004.11.3.1.1	Lavatory in Type B Units-Option A Bathrooms	98
Figure 1004.11.3.1.2	Water Closets in Type B Units	99
Figure 1004.11.3.1.3.1	Parallel Approach Bathtub in Type B Units- Option A Bathrooms	100
Figure 1004.11.3.1.3.2	Forward Approach Bathtub in Type B Units- Option A Bathrooms	100
Figure 1004.11.3.1.3.3	Transfer-Type Shower Compartment in Type B Units	100
Figure 1004.11.3.2.1	Lavatory in Type B Units-Option B Bathrooms	101
Figure 1004.11.3.2.3.1	Bathtub Clearance in Type B Units-Option B Bathrooms.	101
Figure 1004.12.1.1	Minimum Kitchen Clearance in Type B Units.	102
Figure 1004.12.1.2	U-Shaped Kitchen Clearance in Type B Units	103

This is a preview of "ICC/ANSI A117.1-2003". [Click here to purchase the full version from the ANSI store.](#)

Chapter 1. Application and Administration

101 Purpose

The technical criteria in Chapters 3 through 9, and Sections 1002, 1003 and 1005 of this standard make sites, facilities, buildings and elements accessible to and usable by people with such physical disabilities as the inability to walk, difficulty walking, reliance on walking aids, blindness and visual impairment, deafness and hearing impairment, incoordination, reaching and manipulation disabilities, lack of stamina, difficulty interpreting and reacting to sensory information, and extremes of physical size. The intent of these sections is to allow a person with a physical disability to independently get to, enter, and use a site, facility, building, or element.

Section 1004 of this standard provides criteria for Type B units. These criteria are intended to be consistent with the intent of the criteria of the U.S. Department of Housing and Urban Development (HUD) Fair Housing Accessibility Guidelines. The Type B units are intended to supplement, not replace, Accessible units or Type A units as specified in this standard.

This standard is intended for adoption by government agencies and by organizations setting model codes to achieve uniformity in the technical design criteria in building codes and other regulations.

101.1 Applicability. Sites, facilities, buildings, and elements required to be accessible shall comply with the applicable provisions of Chapters 3 through 9.

EXCEPTIONS:

1. Accessible units shall comply with Section 1002.
2. Type A units shall comply with Section 1003.
3. Type B units shall comply with Section 1004.
4. Dwelling units and sleeping units required to have accessible communication features shall comply with Section 1005.

102 Anthropometric Provisions

The technical criteria in this standard are based on adult dimensions and anthropometrics. This standard also contains technical criteria based on chil-

dren's dimensions and anthropometrics for drinking fountains, water closets, toilet compartments, lavatories and sinks, dining surfaces and work surfaces.

103 Compliance Alternatives

Nothing in this standard is intended to prevent the use of designs, products, or technologies as alternatives to those prescribed by this standard, provided they result in equivalent or greater accessibility and such equivalency is approved by the administrative authority adopting this standard.

104 Conventions

104.1 General. Where specific criteria of this standard differ from the general criteria of this standard, the specific criteria shall apply.

104.2 Dimensions. Dimensions that are not stated as "maximum" or "minimum" are absolute. All dimensions are subject to conventional industry tolerances.

104.3 Figures. Unless specifically stated, figures included herein are provided for informational purposes only and are not considered part of the standard.

104.4 Floor or Floor Surface. The terms floor or floor surface refer to the finish floor surface or ground surface, as applicable.

104.5 Referenced Sections. Unless specifically stated otherwise, a reference to another section or subsection within this standard includes all subsections of the referenced section or subsection.

105 Referenced Standards

105.1 General. The standards listed in Section 105.2 shall be considered part of this standard to the prescribed extent of each such reference. Where criteria in this standard differ from those of these referenced standards, the criteria of this standard shall apply.

105.2 Standards.

105.2.1 Manual on Uniform Traffic Control Devices: MUTCD – 2000 (The Federal Highway Administration, Office of Transportation Operations, Room 3408, 400 7th Street, S.W., Washington, DC 20590)