

*A Member of the International Code Family™*



# INTERNATIONAL EXISTING BUILDING CODE<sup>®</sup>

# 2003

2003 International Existing Building Code®

First Printing: January 2003

ISBN 1-892395-73-8 (soft)  
ISBN 1-892395-89-4 (e-document)

COPYRIGHT © 2003

by

INTERNATIONAL CODE COUNCIL, INC.

ALL RIGHTS RESERVED. This 2003 *International Existing Building Code*® is a copyrighted work owned by the International Code Council, Inc. Without advance written permission from the copyright owner, no part of this book may be reproduced, distributed, or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example and not limitation, photocopying, or recording by or in an information storage retrieval system). For information on permission to copy material exceeding fair use, please contact: Publications, 4051 West Flossmoor Road, Country Club Hills, IL 60478-5795 (Phone 800-214-4321).

Trademarks: "International Code Council," the "International Code Council" logo and the "International Existing Building Code" are trademarks of the International Code Council, Inc.

PRINTED IN THE U.S.A

## PREFACE

### Introduction

Internationally, code officials recognize the need for a modern, up-to-date code addressing repair, alteration, addition or change of occupancy in existing buildings. The *International Existing Building Code*<sup>®</sup>, in this 2003 edition, is designed to meet this need through model code regulations that safeguard the public health and safety in all communities, large and small.

This comprehensive existing building code establishes minimum regulations for existing buildings using prescriptive and performance-related provisions. It is founded on broad-based principles intended to encourage the use and reuse of existing buildings while requiring reasonable upgrades and improvements. This 2003 edition is fully compatible with all the *International Codes (I-Codes)*<sup>™</sup> published by the International Code Council (ICC)<sup>®</sup>, including the *International Building Code*<sup>®</sup>, *ICC Electrical Code*<sup>™</sup>, *International Energy Conservation Code*<sup>®</sup>, *International Fire Code*<sup>®</sup>, *International Fuel Gas Code*<sup>®</sup>, *International Mechanical Code*<sup>®</sup>, *ICC Performance Code for Buildings and Facilities*<sup>™</sup>, *International Plumbing Code*<sup>®</sup>, *International Private Sewage Disposal Code*<sup>®</sup>, *International Property Maintenance Code*<sup>®</sup>, *International Residential Code*<sup>®</sup>, *International Urban-Wildland Interface Code*<sup>™</sup> and *International Zoning Code*<sup>®</sup>.

The *International Existing Building Code* provisions provide many benefits, including the model code development process, which offers an international forum for building professionals to discuss performance and prescriptive code requirements. This forum provides an excellent arena to debate proposed revisions. This model code also encourages international consistency in the application of provisions.

### Development

This is the first edition of the *International Existing Building Code* and is the culmination of an effort initiated in 2000 by a development committee appointed by the ICC and consisting of representatives of the three statutory members of the International Code Council: Building Officials and Code Administrators International, Inc. (BOCA), International Conference of Building Officials (ICBO), and Southern Building Code Congress International (SBCCI). The intent was to draft a comprehensive set of regulations for existing buildings consistent with and inclusive of the scope of the existing model codes. Technical content of the latest model codes promulgated by BOCA, ICBO, and SBCCI as well as other rehabilitation codes was utilized as the basis for this code's development, followed by a public forum in 2001 and the publication of the 2001 Final Draft. This 2003 edition is based on the Final Draft with changes approved in the 2002 ICC code development process. A new edition such as this is promulgated every three years.

With the development and publication of the family of *International Codes* in 2000, the continued development and maintenance of the model codes individually promulgated by BOCA ("BOCA National Codes"), ICBO ("Uniform Codes"), and SBCCI ("Standard Codes") was discontinued. The 2003 *International Codes*, as well as their predecessors, the 2000 *International Codes*, are intended to succeed those codes previously developed by BOCA, ICBO, and SBCCI.

The development of a single family of comprehensive and coordinated *International Codes* was a significant milestone in the development of regulations for the built environment. The timing of this publication reflects a milestone in the change in structure of the model codes, namely, the pending consolidation of BOCA, ICBO, and SBCCI into the ICC. The activities and services previously provided by the individual model code organizations will be the responsibility of the consolidated ICC.

This code is founded on principles intended to encourage the use and reuse of existing buildings that adequately protect public health, safety, and welfare; provisions that do not unnecessarily increase construction costs; provisions that do not restrict the use of new materials, products, or methods of construction; and provisions that do not give preferential treatment to particular types or classes of materials, products, or methods of construction.

### Adoption

The *International Existing Building Code* is available for adoption and use by jurisdictions internationally. Its use within a governmental jurisdiction is intended to be accomplished through adoption by reference in accordance with proceedings establishing the jurisdiction's laws. At the time of adoption, jurisdictions should insert the appropriate information in provisions requiring specific local information, such as the name of the adopting jurisdiction. These locations are shown in bracketed words in small capital letters in the code and in the sample ordinance. The sample adoption ordinance on page v addresses several key elements of a code adoption ordinance, including the information required for insertion into the code text.

### Maintenance

The *International Existing Building Code* is kept up to date through the review of proposed changes submitted by code enforcement officials, industry representatives, design professionals, and other interested parties. Proposed changes are carefully considered through an open code development process in which all interested and affected parties may participate.

The contents of this work are subject to change both through the code development cycles and the governmental body that enacts the code into law. For more information regarding the code development process, contact the Code and Standard Development Department of the International Code Council.

While the development procedure of the *International Existing Building Code* assures the highest degree of care, ICC and the founding members of ICC—BOCA, ICBO, SBCCI, their members, and those participating in the development of this code do not accept any liability resulting from compliance or noncompliance with these provisions, because ICC and its founding members do not have the power or authority to police or enforce compliance with the contents of this code. Only the governmental body that enacts the code into law has such authority.

### **Letter Designations in Front of Section Numbers**

In each code development cycle, proposed changes to this code are considered at the Code Development Hearing by the International Existing Building Code Development Committee, whose action constitutes a recommendation to the voting membership for final action on the proposed change. Proposed changes to a code section whose number begins with a letter in brackets are considered by a different code development committee. For instance, proposed changes to code sections that are preceded by the letter [F] (e.g., [F] 1306.2), are considered by the International Fire Code Development Committee at the Code Development Hearing. Where this designation is applicable to the entire content of a main section of the code, the designation appears at the main section number and title and is not repeated at every subsection in that section.

The content of sections in this code that begin with a letter designation is maintained by another code development committee in accordance with the following: [B] = International Building Code Development Committee; [F] = International Fire Code Development Committee; [P] = International Plumbing Code Development Committee; and [FG] = International Fuel Gas Code Development Committee.

## ORDINANCE

The *International Codes* are designed and promulgated to be adopted by reference by ordinance. Jurisdictions wishing to adopt the 2003 *International Existing Building Code* as an enforceable regulation governing the use and reuse of existing buildings should ensure that certain factual information is included in the adopting ordinance at the time adoption is being considered by the appropriate governmental body. The following sample adoption ordinance addresses several key elements of a code adoption ordinance, including the information required for insertion into the code text.

### SAMPLE ORDINANCE FOR ADOPTION OF THE INTERNATIONAL EXISTING BUILDING CODE

#### ORDINANCE NO. \_\_\_\_\_

An ordinance of the **[JURISDICTION]** adopting the 2003 edition of the *International Existing Building Code*, regulating and governing the repair, alteration, change of occupancy, addition, and relocation of existing buildings, including historic buildings, in the **[JURISDICTION]**; providing for the issuance of permits and collection of fees therefor; repealing Ordinance No. \_\_\_\_\_ of the **[JURISDICTION]** and all other ordinances and parts of the ordinances in conflict therewith.

The **[GOVERNING BODY]** of the **[JURISDICTION]** does ordain as follows:

**Section 1.** That a certain document, three (3) copies of which are on file in the office of the **[TITLE OF JURISDICTION'S KEEPER OF RECORDS]** of **[NAME OF JURISDICTION]**, being marked and designated as the *International Existing Building Code*, 2003 edition, including Appendix Chapters **[FILL IN THE APPENDIX CHAPTERS BEING ADOPTED]** (see *International Existing Building Code* Section 101.7, 2003 edition), as published by the International Code Council, be and is hereby adopted as the Existing Building Code of the **[JURISDICTION]**, in the State of **[STATE NAME]** for regulating and governing the repair, alteration, change of occupancy, addition, and relocation of existing buildings, including historic buildings, as herein provided; providing for the issuance of permits and collection of fees therefor; and each and all of the regulations, provisions, penalties, conditions and terms of said Existing Building Code on file in the office of the **[JURISDICTION]** are hereby referred to, adopted, and made a part hereof, as if fully set out in this ordinance, with the additions, insertions, deletions and changes, if any, prescribed in Section 2 of this ordinance.

**Section 2.** The following sections are hereby revised:

Section 101.1. Insert: **[NAME OF JURISDICTION]**

Section 1201.2 Insert: **[DATE IN ONE LOCATION]**

**Section 3.** That Ordinance No. \_\_\_\_\_ of **[JURISDICTION]** entitled **[FILL IN HERE THE COMPLETE TITLE OF THE ORDINANCE OR ORDINANCES IN EFFECT AT THE PRESENT TIME SO THAT THEY WILL BE REPEALED BY DEFINITE MENTION]** and all other ordinances or parts of ordinances in conflict herewith are hereby repealed.

**Section 4.** That if any section, subsection, sentence, clause or phrase of this ordinance is, for any reason, held to be unconstitutional, such decision shall not affect the validity of the remaining portions of this ordinance. The **[GOVERNING BODY]** hereby declares that it would have passed this ordinance, and each section, subsection, clause or phrase thereof, irrespective of the fact that any one or more sections, subsections, sentences, clauses and phrases be declared unconstitutional.

**Section 5.** That nothing in this ordinance or in the Existing Building Code hereby adopted shall be construed to affect any suit or proceeding impending in any court, or any rights acquired, or liability incurred, or any cause or causes of action acquired or existing, under any act or ordinance hereby repealed as cited in Section 2 of this ordinance; nor shall any just or legal right or remedy of any character be lost, impaired or affected by this ordinance.

**Section 6.** That the **[JURISDICTION'S KEEPER OF RECORDS]** is hereby ordered and directed to cause this ordinance to be published. (An additional provision may be required to direct the number of times the ordinance is to be published and to specify that it is to be in a newspaper in general circulation. Posting may also be required.)

**Section 7.** That this ordinance and the rules, regulations, provisions, requirements, orders and matters established and adopted hereby shall take effect and be in full force and effect **[TIME PERIOD]** from and after the date of its final passage and adoption.

This is a preview of "ICC IEBC-2003". Click [here](#) to purchase the full version from the ANSI store.

## TABLE OF CONTENTS

<p><b>CHAPTER 1 ADMINISTRATION..... 1</b></p> <p>Section</p> <p>101 General ..... 1</p> <p>102 Applicability..... 1</p> <p>103 Department of Building Safety..... 2</p> <p>104 Duties and Powers of Code Official..... 2</p> <p>105 Permits ..... 3</p> <p>106 Construction Documents ..... 5</p> <p>107 Temporary Structures and Uses ..... 6</p> <p>108 Fees..... 6</p> <p>109 Inspections ..... 6</p> <p>110 Certificate of Occupancy ..... 7</p> <p>111 Service Utilities ..... 8</p> <p>112 Board of Appeals ..... 8</p> <p>113 Violations ..... 8</p> <p>114 Stop Work Order ..... 8</p> <p>115 Unsafe Buildings and Equipment..... 9</p> <p>116 Emergency Measures ..... 9</p> <p>117 Demolition ..... 9</p> <p><b>CHAPTER 2 DEFINITIONS..... 11</b></p> <p>Section</p> <p>201 General ..... 11</p> <p>202 General Definitions ..... 11</p> <p><b>CHAPTER 3 CLASSIFICATION OF WORK .... 13</b></p> <p>Section</p> <p>301 General ..... 13</p> <p>302 Repairs ..... 13</p> <p>303 Alteration—Level 1 ..... 13</p> <p>304 Alteration—Level 2 ..... 13</p> <p>305 Alteration—Level 3 ..... 13</p> <p>306 Change of Occupancy ..... 13</p> <p>307 Additions ..... 13</p> <p>308 Historic Buildings..... 13</p> <p>309 Relocated Buildings..... 13</p> <p><b>CHAPTER 4 REPAIRS ..... 15</b></p> <p>Section</p> <p>401 General ..... 15</p> <p>402 Special Use and Occupancy..... 15</p> <p>403 Building Elements and Materials ..... 15</p> <p>404 Fire Protection ..... 15</p> <p>405 Means of Egress ..... 15</p> <p>406 Accessibility..... 15</p>	<p>407 Structural..... 15</p> <p>408 Electrical ..... 16</p> <p>409 Mechanical ..... 16</p> <p>410 Plumbing ..... 17</p> <p><b>CHAPTER 5 ALTERATIONS—LEVEL 1.....19</b></p> <p>Section</p> <p>501 General ..... 19</p> <p>502 Special Use and Occupancy ..... 19</p> <p>503 Building Elements and Materials ..... 19</p> <p>504 Fire Protection..... 19</p> <p>505 Means of Egress ..... 19</p> <p>506 Accessibility ..... 19</p> <p>507 Structural..... 20</p> <p><b>CHAPTER 6 ALTERATIONS—LEVEL 2.....23</b></p> <p>Section</p> <p>601 General ..... 23</p> <p>602 Special Use and Occupancy ..... 23</p> <p>603 Building Elements and Materials ..... 23</p> <p>604 Fire Protection..... 25</p> <p>605 Means of Egress ..... 27</p> <p>606 Accessibility ..... 30</p> <p>607 Structural..... 30</p> <p>608 Electrical ..... 31</p> <p>609 Mechanical ..... 31</p> <p>610 Plumbing ..... 32</p> <p><b>CHAPTER 7 ALTERATIONS—LEVEL 3.....33</b></p> <p>Section</p> <p>701 General ..... 33</p> <p>702 Special Use and Occupancy ..... 33</p> <p>703 Building Elements and Materials ..... 33</p> <p>704 Fire Protection..... 33</p> <p>705 Means of Egress ..... 34</p> <p>706 Accessibility ..... 34</p> <p>707 Structural..... 34</p> <p><b>CHAPTER 8 CHANGE OF OCCUPANCY.....37</b></p> <p>Section</p> <p>801 General ..... 37</p> <p>802 Special Use and Occupancy ..... 37</p> <p>803 Building Elements and Materials ..... 37</p> <p>804 Fire Protection..... 37</p> <p>805 Means of Egress ..... 37</p> <p>806 Accessibility ..... 37</p>
--	---

807	Structural .....	37
808	Electrical .....	38
809	Mechanical .....	39
810	Plumbing .....	39
811	Other Requirements .....	39
812	Change of Occupancy Classification .....	39
<b>CHAPTER 9 ADDITIONS .....</b>		<b>45</b>
Section		
901	General .....	45
902	Heights and Areas .....	45
903	Structural .....	45
904	Smoke Alarms in Occupancy Groups R-3 and R-4 .....	46
905	Accessibility .....	46
906	Energy Conservation .....	46
<b>CHAPTER 10 HISTORIC BUILDINGS .....</b>		<b>47</b>
Section		
1001	General .....	47
1002	Repairs .....	47
1003	Fire Safety .....	47
1004	Alterations .....	48
1005	Change of Occupancy .....	48
1006	Structural .....	49
<b>CHAPTER 11 RELOCATED OR MOVED BUILDINGS .....</b>		<b>51</b>
Section		
1101	General .....	51
1102	Requirements .....	51
<b>CHAPTER 12 COMPLIANCE ALTERNATIVES..</b>		<b>53</b>
Section		
1201	General .....	53
<b>CHAPTER 13 CONSTRUCTION SAFEGUARDS .</b>		<b>65</b>
Section		
1301	General .....	65
1302	Protection of Adjoining Property .....	66
1303	Temporary Use of Streets, Alleys and Public Property .....	66
1304	Fire Extinguishers .....	67
1305	Exits .....	67
1306	Standpipe Systems .....	67
1307	Automatic Sprinkler System .....	67
1308	Accessibility .....	67
<b>CHAPTER 14 REFERENCED STANDARDS .....</b>		<b>69</b>

**APPENDIX A GUIDELINES FOR THE SEISMIC  
RETROFIT OF EXISTING  
BUILDINGS (GSREB)..... 73**

**CHAPTER A1 SEISMIC STRENGTHENING  
PROVISIONS FOR UNREINFORCED  
MASONRY BEARING WALL BUILDINGS .... 73**

Section		
A101	Purpose .....	73
A102	Scope .....	73
A103	Definitions .....	73
A104	Symbols and Notations .....	73
A105	General Requirements .....	74
A106	Materials Requirements .....	75
A107	Quality Control .....	77
A108	Design Strengths .....	77
A109	Analysis and Design Procedure .....	78
A110	General Procedure .....	78
A111	Special Procedure .....	78
A112	Analysis and Design .....	80
A113	Detailed System Design Requirements .....	81
A114	Walls of Unburned Clay, Adobe or Stone Masonry .....	82

**CHAPTER A2 EARTHQUAKE HAZARD  
REDUCTION IN EXISTING REINFORCED  
CONCRETE AND REINFORCED MASONRY  
WALL BUILDINGS WITH FLEXIBLE  
DIAPHRAGMS.....87**

Section		
A201	Purpose .....	87
A202	Scope .....	87
A203	Definitions .....	87
A204	Symbols and Notations .....	87
A205	General Requirements .....	87
A206	Analysis and Design .....	88
A207	Materials of Construction .....	89

**CHAPTER A3 PRESCRIPTIVE PROVISIONS FOR  
SEISMIC STRENGTHENING OF CRIPPLE  
WALLS AND SILL PLATE ANCHORAGE OF  
LIGHT, WOOD-FRAME RESIDENTIAL  
BUILDINGS .....**

Section		
A301	General .....	91
A302	Definitions .....	91
A303	Structural Weaknesses .....	92
A304	Strengthening Requirements .....	92

**CHAPTER A4 EARTHQUAKE HAZARD  
REDUCTION IN EXISTING WOOD-FRAME  
RESIDENTIAL BUILDINGS WITH SOFT,  
WEAK OR OPEN-FRONT WALLS .....**



Section	
A401	General . . . . . 107
A402	Definitions . . . . . 107
A403	Analysis and Design . . . . . 108
A404	General Requirements for Phased Construction . . . . . 110
A405	Prescriptive Measures for Weak Story . . . . . 110
A406	Materials of Construction . . . . . 111
A407	Required Information on Plans . . . . . 111
A408	Quality Control . . . . . 112

**CHAPTER A5 EARTHQUAKE HAZARD  
REDUCTION IN EXISTING CONCRETE  
BUILDINGS AND CONCRETE WITH  
MASONRY INFILL BUILDINGS . . . . . 115**

Section	
A501	Purpose . . . . . 115
A502	Scope . . . . . 115
A503	Definitions . . . . . 115
A504	Symbols and Notations . . . . . 115
A505	General Requirements . . . . . 116
A506	Site Ground Motion . . . . . 117
A507	Tier 1 Analysis Procedure . . . . . 117
A508	Tier 2 Analysis Procedure . . . . . 118
A509	Tier 3 Analysis Procedure . . . . . 120
A510	Determination of the Stress-Strain Relationship of Existing Unreinforced Masonry . . . . . 125
	Appendix A Referenced Standards . . . . . 131

**APPENDIX B SUPPLEMENTARY  
ACCESSIBILITY REQUIREMENTS FOR  
EXISTING BUILDINGS AND FACILITIES . . . 133**

Section	
B101	Qualified Historical Buildings and Facilities . . . . . 133
B102	Fixed Transportation Facilities and Stations . . . . . 133
B103	Referenced Standards . . . . . 134

**RESOURCE A GUIDELINES ON FIRE  
RATINGS OF ARCHAIC MATERIALS  
AND ASSEMBLIES . . . . . 135**

Section	
1	Fire-related Performance of Archaic Materials and Assemblies . . . . . 136
2	Building Evaluation . . . . . 137
3	Final Evaluation and Design Solution . . . . . 142
4	Summary . . . . . 148

Appendix	
	Resource A Table of Contents . . . . . 151
<b>INDEX . . . . .</b>	<b>.287</b>

This is a preview of "ICC IEBC-2003". Click [here](#) to purchase the full version from the ANSI store.

## CHAPTER 1

# ADMINISTRATION

### SECTION 101 GENERAL

**101.1 Title.** These regulations shall be known as the *Existing Building Code* of [NAME OF JURISDICTION], hereinafter referred to as "this code."

**101.2 Scope.** The provisions of the *International Existing Building Code* shall apply to the repair, alteration, change of occupancy, addition, and relocation of existing buildings. A building or portion of a building that has not been previously occupied or used for its intended purpose shall comply with the provisions of the *International Building Code* for new construction. Repairs, alterations, change of occupancy, existing buildings to which additions are made, historic buildings, and relocated buildings complying with the provisions of the *International Building Code*, *International Mechanical Code*, *International Plumbing Code*, and *International Residential Code* as applicable shall be considered in compliance with the provisions of this code.

**101.3 Intent.** The purpose of this code is to establish the minimum requirements to safeguard the public health, safety, and welfare insofar as they are affected by the repair, alteration, change of occupancy, addition, and relocation of existing buildings.

**101.4 Existing buildings.** The legal occupancy of any building existing on the date of adoption of this code shall be permitted to continue without change, except as is specifically covered in this code, the *International Fire Code*, or the *International Property Maintenance Code*, or as is deemed necessary by the code official for the general safety and welfare of the occupants and the public.

**101.5 Maintenance.** Buildings and parts thereof shall be maintained in a safe and sanitary condition. The provisions of the *International Property Maintenance Code* shall apply to the maintenance of existing buildings and premises; equipment and facilities; light, ventilation, space heating, sanitation, life and fire safety hazards; responsibilities of owners, operators, and occupants; and occupancy of existing premises and buildings. All existing devices or safeguards shall be maintained in all existing buildings. The owner or the owner's designated agent shall be responsible for the maintenance of the building. To determine compliance with this subsection, the code official shall have the authority to require a building to be reinspected. Except where specifically permitted by this code, the code shall not provide the basis for removal or abrogation of fire protection and safety systems and devices in existing buildings.

**101.5.1 Work on individual components or portions.** Where the code official determines that a component or a portion of a building or structure is in need of repair, strengthening or replacement by provisions of this code, only that specific component or portion shall be required to be repaired, strengthened, or replaced unless specifically required by other provisions of this code.

**101.5.2 Design values for existing materials and construction.** The incorporation of existing materials, construction, and detailing into the structural system shall be

permitted when approved by the code official. Minimum quality levels and maximum strength values shall comply with this code.

**101.6 Safeguards during construction.** All construction work covered in this code, including any related demolition, shall comply with the requirements of Chapter 13.

**101.7 Appendices.** The code official is authorized to require rehabilitation and retrofit of buildings, structures, or individual structural members in accordance with the appendices of this code if such appendices have been individually adopted. When any of such appendices is specifically referenced in the text of this code, it becomes a part of this code without any special adoption by the local jurisdiction.

**101.8 Correction of violations of other codes.** Repairs or alterations mandated by any property, housing, or fire safety maintenance code or mandated by any licensing rule or ordinance adopted pursuant to law shall conform only to the requirements of that code, rule, or ordinance and shall not be required to conform to this code unless the code requiring such repair or alteration so provides.

### SECTION 102 APPLICABILITY

**102.1 General.** Where in any specific case different sections of this code specify different materials, methods of construction, or other requirements, the most restrictive shall govern. Where there is a conflict between a general requirement and a specific requirement, the specific requirement shall be applicable.

**102.2 Other laws.** The provisions of this code shall not be deemed to nullify any provisions of local, state, or federal law.

**102.3 Application of references.** References to chapter or section numbers or to provisions not specifically identified by number shall be construed to refer to such chapter, section, or provision of this code.

**102.4 Referenced codes and standards.** The codes and standards referenced in this code shall be considered part of the requirements of this code to the prescribed extent of each such reference. Where differences occur between provisions of this code and referenced codes and standards, the provisions of this code shall apply.

**102.4.1 Standards and guidelines for structural evaluation.** The code official shall allow structural evaluation, condition assessment, and rehabilitation of buildings, structures, or individual structural members based on this code's appendix chapters, referenced standards, guidelines, or other approved standards and procedures.

**102.4.2 Compliance with other codes, standards, and guides.** Compliance with the structural provisions of the 2000 *International Building Code*, 2003 *International Building Code*, 1999 *BOCA National Building Code*, 1997 *Standard Building Code* or 1997 *Uniform Building Code* shall be deemed exceeding or equivalent to compliance with the structural provisions of this code.

## ADMINISTRATION

**102.5 Partial invalidity.** In the event that any part or provision of this code is held to be illegal or void, this shall not have the effect of making void or illegal any of the other parts or provisions.

### SECTION 103 DEPARTMENT OF BUILDING SAFETY

**103.1 Creation of enforcement agency.** The Department of Building Safety is hereby created, and the official in charge thereof shall be known as the code official.

**103.2 Appointment.** The code official shall be appointed by the chief appointing authority of the jurisdiction.

**103.3 Deputies.** In accordance with the prescribed procedures of this jurisdiction and with the concurrence of the appointing authority, the code official shall have the authority to appoint a deputy code official, the related technical officers, inspectors, plan examiners, and other employees. Such employees shall have powers as delegated by the code official.

### SECTION 104 DUTIES AND POWERS OF CODE OFFICIAL

**104.1 General.** The code official is hereby authorized and directed to enforce the provisions of this code. The code official shall have the authority to render interpretations of this code and to adopt policies and procedures in order to clarify the application of its provisions. Such interpretations, policies, and procedures shall be in compliance with the intent and purpose of this code. Such policies and procedures shall not have the effect of waiving requirements specifically provided for in this code.

**104.2 Applications and permits.** The code official shall receive applications, review construction documents, and issue permits for the repair, alteration, addition, demolition, change of occupancy, and relocation of buildings; inspect the premises for which such permits have been issued; and enforce compliance with the provisions of this code.

**104.2.1 Preliminary meeting.** When requested by the permit applicant, the code official shall meet with the permit applicant prior to the application for a construction permit to discuss plans for the proposed work or change of occupancy in order to establish the specific applicability of the provisions of this code.

**Exception:** Repairs and Level 1 alterations.

**104.2.1.1 Building evaluation.** The code official is authorized to require an existing building to be investigated and evaluated by a registered design professional based on the circumstances agreed upon at the preliminary meeting to determine the existence of any potential nonconformance with the provisions of this code.

**104.3 Notices and orders.** The code official shall issue all necessary notices or orders to ensure compliance with this code.

**104.4 Inspections.** The code official shall make all of the required inspections, or the code official shall have the authority to accept reports of inspection by approved agen-

cies or individuals. Reports of such inspections shall be in writing and be certified by a responsible officer of such approved agency or by the responsible individual. The code official is authorized to engage such expert opinion as deemed necessary to report upon unusual technical issues that arise, subject to the approval of the appointing authority.

**104.5 Identification.** The code official shall carry proper identification when inspecting structures or premises in the performance of duties under this code.

**104.6 Right of entry.** Where it is necessary to make an inspection to enforce the provisions of this code, or where the code official has reasonable cause to believe that there exists in a structure or upon a premises a condition which is contrary to or in violation of this code which makes the structure or premises unsafe, dangerous, or hazardous, the code official is authorized to enter the structure or premises at reasonable times to inspect or to perform the duties imposed by this code, provided that if such structure or premises be occupied that credentials be presented to the occupant and entry requested. If such structure or premises be unoccupied, the code official shall first make a reasonable effort to locate the owner or other person having charge or control of the structure or premises and request entry. If entry is refused, the code official shall have recourse to the remedies provided by law to secure entry.

**104.7 Department records.** The code official shall keep official records of applications received, permits and certificates issued, fees collected, reports of inspections, and notices and orders issued. Such records shall be retained in the official records for the period required for retention of public records.

**104.8 Liability.** The code official, member of the Board of Appeals, or employee charged with the enforcement of this code, while acting for the jurisdiction in good faith and without malice in the discharge of the duties required by this code or other pertinent law or ordinance, shall not thereby be rendered liable personally and is hereby relieved from personal liability for any damage accruing to persons or property as a result of any act or by reason of an act or omission in the discharge of official duties. Any suit instituted against an officer or employee because of an act performed by that officer or employee in the lawful discharge of duties and under the provisions of this code shall be defended by legal representative of the jurisdiction until the final termination of the proceedings. The code official or any subordinate shall not be liable for cost in any action, suit, or proceeding that is instituted in pursuance of the provisions of this code.

**104.9 Approved materials and equipment.** Materials, equipment, and devices approved by the code official shall be constructed and installed in accordance with such approval.

**104.9.1 Used materials and equipment.** The use of used materials which meet the requirements of this code for new materials is permitted. Used equipment and devices shall not be reused unless approved by the code official.

**104.10 Modifications.** Wherever there are practical difficulties involved in carrying out the provisions of this code,

the code official shall have the authority to grant modifications for individual cases upon application of the owner or owner's representative, provided the code official shall first find that special individual reason makes the strict letter of this code impractical and the modification is in compliance with the intent and purpose of this code, and that such modification does not lessen health, accessibility, life and fire safety, or structural requirements. The details of action granting modifications shall be recorded and entered in the files of the Department of Building Safety.

**104.11 Alternative materials, design and methods of construction, and equipment.** The provisions of this code are not intended to prevent the installation of any material or to prohibit any design or method of construction not specifically prescribed by this code, provided that any such alternative has been approved. An alternative material, design, or method of construction shall be approved where the code official finds that the proposed design is satisfactory and complies with the intent of the provisions of this code, and that the material, method, or work offered is, for the purpose intended, at least the equivalent of that prescribed in this code in quality, strength, effectiveness, fire resistance, durability, and safety.

**104.11.1 Tests.** Whenever there is insufficient evidence of compliance with the provisions of this code or evidence that a material or method does not conform to the requirements of this code, or in order to substantiate claims for alternative materials or methods, the code official shall have the authority to require tests as evidence of compliance to be made at no expense to the jurisdiction. Test methods shall be as specified in this code or by other recognized test standards. In the absence of recognized and accepted test methods, the code official shall approve the testing procedures. Tests shall be performed by an approved agency. Reports of such tests shall be retained by the code official for the period required for retention.

## SECTION 105 PERMITS

**105.1 Required.** Any owner or authorized agent who intends to repair, add to, alter, relocate, demolish, or change the occupancy of a building or to repair, install, add, alter, remove, convert, or replace any electrical, gas, mechanical, or plumbing system, the installation of which is regulated by this code, or to cause any such work to be done, shall first make application to the code official and obtain the required permit.

**105.1.1 Annual permit.** In lieu of an individual permit for each alteration to an already approved electrical, gas, mechanical, or plumbing installation, the code official is authorized to issue an annual permit upon application therefor to any person, firm, or corporation regularly employing one or more qualified trade persons in the building, structure, or on the premises owned or operated by the applicant for the permit.

**105.1.2 Annual permit records.** The person to whom an annual permit is issued shall keep a detailed record of alter-

ations made under such annual permit. The code official shall have access to such records at all times, or such records shall be filed with the code official as designated.

**105.2 Work exempt from permit.** Exemptions from permit requirements of this code shall not be deemed to grant authorization for any work to be done in any manner in violation of the provisions of this code or any other laws or ordinances of this jurisdiction. Permits shall not be required for the following:

### Building:

1. Sidewalks and driveways not more than 30 inches (762 mm) above grade and not over any basement or story below and that are not part of an accessible route.
2. Painting, papering, tiling, carpeting, cabinets, counter tops, and similar finish work.
3. Temporary motion picture, television, and theater stage sets and scenery.
4. Shade cloth structures constructed for nursery or agricultural purposes, and not including service systems.
5. Window awnings supported by an exterior wall of Group R-3 or Group U occupancies.
6. Movable cases, counters, and partitions not over 69 inches (1753 mm) in height.

### Electrical:

**Repairs and maintenance:** Minor repair work, including the replacement of lamps or the connection of approved portable electrical equipment to approved permanently installed receptacles.

**Radio and television transmitting stations:** The provisions of this code shall not apply to electrical equipment used for radio and television transmissions, but do apply to equipment and wiring for power supply, the installations of towers, and antennas.

**Temporary testing systems:** A permit shall not be required for the installation of any temporary system required for the testing or servicing of electrical equipment or apparatus.

### Gas:

1. Portable heating appliance.
2. Replacement of any minor part that does not alter approval of equipment or make such equipment unsafe.

### Mechanical:

1. Portable heating appliance.
2. Portable ventilation equipment.
3. Portable cooling unit.
4. Steam, hot, or chilled water piping within any heating or cooling equipment regulated by this code.
5. Replacement of any part that does not alter its approval or make it unsafe.
6. Portable evaporative cooler.

## ADMINISTRATION

7. Self-contained refrigeration system containing 10 pounds (4.54 kg) or less of refrigerant and actuated by motors of 1 horsepower (746 W) or less.

### Plumbing:

1. The stopping of leaks in drains, water, soil, waste, or vent pipe; provided, however, that if any concealed trap, drainpipe, water, soil, waste, or vent pipe becomes defective and it becomes necessary to remove and replace the same with new material, such work shall be considered as new work, and a permit shall be obtained and inspection made as provided in this code.
2. The clearing of stoppages or the repairing of leaks in pipes, valves, or fixtures, and the removal and reinstallation of water closets, provided such repairs do not involve or require the replacement or rearrangement of valves, pipes, or fixtures.

**105.2.1 Emergency repairs.** Where equipment replacements and repairs must be performed in an emergency situation, the permit application shall be submitted within the next working business day to the code official.

**105.2.2 Repairs.** Application or notice to the code official is not required for ordinary repairs to structures and items listed in Section 105.2. Such repairs shall not include the cutting away of any wall, partition, or portion thereof, the removal or cutting of any structural beam or load-bearing support, or the removal or change of any required means of egress or rearrangement of parts of a structure affecting the egress requirements; nor shall ordinary repairs include addition to, alteration of, replacement, or relocation of any stand-pipe, water supply, sewer, drainage, drain leader, gas, soil, waste, vent, or similar piping, electric wiring, or mechanical or other work affecting public health or general safety.

**105.2.3 Public service agencies.** A permit shall not be required for the installation, alteration, or repair of generation, transmission, distribution, or metering or other related equipment that is under the ownership and control of public service agencies by established right.

**105.3 Application for permit.** To obtain a permit, the applicant shall first file an application therefor in writing on a form furnished by the Department of Building Safety for that purpose. Such application shall:

1. Identify and describe the work in accordance with Chapter 3 to be covered by the permit for which application is made.
2. Describe the land on which the proposed work is to be done by legal description, street address, or similar description that will readily identify and definitely locate the proposed building or work.
3. Indicate the use and occupancy for which the proposed work is intended.
4. Be accompanied by construction documents and other information as required in Section 106.3.
5. State the valuation of the proposed work.

6. Be signed by the applicant or the applicant's authorized agent.
7. Give such other data and information as required by the code official.

**105.3.1 Action on application.** The code official shall examine or cause to be examined applications for permits and amendments thereto within a reasonable time after filing. If the application or the construction documents do not conform to the requirements of pertinent laws, the code official shall reject such application in writing, stating the reasons therefor. If the code official is satisfied that the proposed work conforms to the requirements of this code and laws and ordinances applicable thereto, the code official shall issue a permit therefor as soon as practicable.

**105.3.2 Time limitation of application.** An application for a permit for any proposed work shall be deemed to have been abandoned 180 days after the date of filing, unless such application has been pursued in good faith or a permit has been issued; except that the code official is authorized to grant one or more extensions of time for additional periods not exceeding 90 days each. The extension shall be requested in writing and justifiable cause demonstrated.

**105.4 Validity of permit.** The issuance or granting of a permit shall not be construed to be a permit for, or an approval of, any violation of any of the provisions of this code or of any other ordinance of the jurisdiction. Permits presuming to give authority to violate or cancel the provisions of this code or other ordinances of the jurisdiction shall not be valid. The issuance of a permit based on construction documents and other data shall not prevent the code official from requiring the correction of errors in the construction documents and other data. The code official is also authorized to prevent occupancy or use of a structure where in violation of this code or of any other ordinances of this jurisdiction.

**105.5 Expiration.** Every permit issued shall become invalid unless the work on the site authorized by such permit is commenced within 180 days after its issuance, or if the work authorized on the site by such permit is suspended or abandoned for a period of 180 days after the time the work is commenced. The code official is authorized to grant, in writing, one or more extensions of time for periods not more than 180 days each. The extension shall be requested in writing and justifiable cause demonstrated.

**105.6 Suspension or revocation.** The code official is authorized to suspend or revoke a permit issued under the provisions of this code wherever the permit is issued in error or on the basis of incorrect, inaccurate, or incomplete information or in violation of any ordinance or regulation or any of the provisions of this code.

**105.7 Placement of permit.** The building permit or copy shall be kept on the site of the work until the completion of the project.

## SECTION 106 CONSTRUCTION DOCUMENTS

**106.1 Submittal documents.** Construction documents special inspection and structural observation programs, investigation and evaluation reports, and other data shall be submitted in one or more sets with each application for a permit. The construction documents shall be prepared by a registered design professional where required by the statutes of the jurisdiction in which the project is to be constructed. Where special conditions exist, the code official is authorized to require additional construction documents to be prepared by a registered design professional.

**Exception:** The code official is authorized to waive the submission of construction documents and other data not required to be prepared by a registered design professional if it is found that the nature of the work applied for is such that reviewing of construction documents is not necessary to obtain compliance with this code.

**106.1.1 Information on construction documents.** Construction documents shall be dimensioned and drawn upon suitable material. Electronic media documents are permitted to be submitted when approved by the code official. Construction documents shall be of sufficient clarity to indicate the location, nature, and extent of the work proposed and show in detail that it will conform to the provisions of this code and relevant laws, ordinances, rules, and regulations, as determined by the code official. The work areas shall be shown.

**106.1.1.1 Fire protection system shop drawings.** Shop drawings for the fire protection system(s) shall be submitted to indicate conformance with this code and the construction documents and shall be approved prior to the start of system installation. Shop drawings shall contain all information as required by the referenced installation standards in Chapter 9 of the *International Building Code*.

**106.1.2 Means of egress.** The construction documents for alterations Level 2, alterations Level 3, additions, and changes of occupancy shall show in sufficient detail the location, construction, size, and character of all portions of the means of egress in compliance with the provisions of this code. The construction documents shall designate the number of occupants to be accommodated in every work area of every floor and in all affected rooms and spaces.

**106.1.3 Exterior wall envelope.** Construction documents for all work affecting the exterior wall envelope shall describe the exterior wall envelope in sufficient detail to determine compliance with this code. The construction documents shall provide details of the exterior wall envelope as required, including windows, doors, flashing, intersections with dissimilar materials, corners, end details, control joints, intersections at roof, eaves, or parapets, means of drainage, water-resistive membrane, and details around openings.

The construction documents shall include manufacturer's installation instructions that provide supporting documentation that the proposed penetration and opening details described in the construction documents maintain the wind and weather resistance of the exterior wall envelope.

The supporting documentation shall fully describe the exterior wall system which was tested, where applicable, as well as the test procedure used.

**106.2 Site plan.** The construction documents submitted with the application for permit shall be accompanied by a site plan showing to scale the size and location of new construction and existing structures on the site, distances from lot lines, the established street grades, and the proposed finished grades; and it shall be drawn in accordance with an accurate boundary line survey. In the case of demolition, the site plan shall show construction to be demolished and the location and size of existing structures and construction that are to remain on the site or plot. The code official is authorized to waive or modify the requirement for a site plan when the application for permit is for alteration, repair, or change of occupancy.

**106.3 Examination of documents.** The code official shall examine or cause to be examined the construction documents and shall ascertain by such examinations whether the construction or occupancy indicated and described is in accordance with the requirements of this code and other pertinent laws or ordinances.

**106.3.1 Approval of construction documents.** When the code official issues a permit, the construction documents shall be approved in writing or by stamp as "Reviewed for Code Compliance." One set of construction documents so reviewed shall be retained by the code official. The other set shall be returned to the applicant, shall be kept at the site of work, and shall be open to inspection by the code official or a duly authorized representative.

**106.3.2 Previous approvals.** This code shall not require changes in the construction documents, construction, or designated occupancy of a structure for which a lawful permit has been heretofore issued or otherwise lawfully authorized, and the construction of which has been pursued in good faith within 180 days after the effective date of this code and has not been abandoned.

**106.3.3 Phased approval.** The code official is authorized to issue a permit for the construction of foundations or any other part of a building before the construction documents for the whole building or structure have been submitted, provided that adequate information and detailed statements have been filed complying with pertinent requirements of this code. The holder of such permit for the foundation or other parts of a building shall proceed at the holder's own risk with the building operation and without assurance that a permit for the entire structure will be granted.

**106.3.4 Deferred submittals.** For the purposes of this section, deferred submittals are defined as those portions of the design that are not submitted at the time of the application and that are to be submitted to the code official within a specified period.

Deferral of any submittal items shall have the prior approval of the code official. The registered design professional in responsible charge shall list the deferred submittals on the construction documents for review by the code official.

## ADMINISTRATION

Submittal documents for deferred submittal items shall be submitted to the registered design professional in responsible charge who shall review them and forward them to the code official with a notation indicating that the deferred submittal documents have been reviewed and that they have been found to be in general conformance to the design of the building. The deferred submittal items shall not be installed until their design and submittal documents have been approved by the code official.

**106.4 Amended construction documents.** Work shall be installed in accordance with the reviewed construction documents, and any changes made during construction that are not in compliance with the approved construction documents shall be resubmitted for approval as an amended set of construction documents.

**106.5 Retention of construction documents.** One set of approved construction documents shall be retained by the code official for a period of not less than the period required for retention of public records.

**106.6 Design professional in responsible charge.** When it is required that documents be prepared by a registered design professional, the code official shall be authorized to require the owner to engage and designate on the building permit application a registered design professional who shall act as the registered design professional in responsible charge. If the circumstances require, the owner shall designate a substitute registered design professional in responsible charge who shall perform the duties required of the original registered design professional in responsible charge. The code official shall be notified in writing by the owner if the registered design professional in responsible charge is changed or is unable to continue to perform the duties. The registered design professional in responsible charge shall be responsible for reviewing and coordinating submittal documents prepared by others, including phased and deferred submittal items, for compatibility with the design of the building. Where structural observation is required, the inspection program shall name the individual or firms who are to perform structural observation and describe the stages of construction at which structural observation is to occur.

### SECTION 107 TEMPORARY STRUCTURES AND USES

**107.1 General.** The code official is authorized to issue a permit for temporary structures and temporary uses. Such permits shall be limited as to time of service but shall not be permitted for more than 180 days. The code official is authorized to grant extensions for demonstrated cause.

**107.2 Conformance.** Temporary structures and uses shall conform to the structural strength, fire safety, means of egress, accessibility, light, ventilation, and sanitary requirements of this code as necessary to ensure the public health, safety, and general welfare.

**107.3 Temporary power.** The code official is authorized to give permission to temporarily supply and use power in part of an electric installation before such installation has been fully completed and the final certificate of completion

has been issued. The part covered by the temporary certificate shall comply with the requirements specified for temporary lighting, heat, or power in the ICC *Electrical Code*.

**107.4 Termination of approval.** The code official is authorized to terminate such permit for a temporary structure or use and to order the temporary structure or use to be discontinued.

### SECTION 108 FEES

**108.1 Payment of fees.** A permit shall not be valid until the fees prescribed by law have been paid. Nor shall an amendment to a permit be released until the additional fee, if any, has been paid.

**108.2 Schedule of permit fees.** On buildings, electrical, gas, mechanical, and plumbing systems or alterations requiring a permit, a fee for each permit shall be paid as required in accordance with the schedule as established by the applicable governing authority.

**108.3 Building permit valuations.** The applicant for a permit shall provide an estimated permit value at time of application. Permit valuations shall include total value of work including materials and labor for which the permit is being issued, such as electrical, gas, mechanical, plumbing equipment, and permanent systems. If, in the opinion of the code official, the valuation is underestimated on the application, the permit shall be denied unless the applicant can show detailed estimates to meet the approval of the code official. Final building permit valuation shall be set by the code official.

**108.4 Work commencing before permit issuance.** Any person who commences any work on a building, electrical, gas, mechanical, or plumbing system before obtaining the necessary permits shall be subject to an additional fee established by the code official that shall be in addition to the required permit fees.

**108.5 Related fees.** The payment of the fee for the construction, alteration, removal, or demolition of work done in connection to or concurrently with the work authorized by a building permit shall not relieve the applicant or holder of the permit from the payment of other fees that are prescribed by law.

**108.6 Refunds.** The code official is authorized to establish a refund policy.

### SECTION 109 INSPECTIONS

**109.1 General.** Construction or work for which a permit is required shall be subject to inspection by the code official, and such construction or work shall remain accessible and exposed for inspection purposes until approved. Approval as a result of an inspection shall not be construed to be an approval of a violation of the provisions of this code or of other ordinances of the jurisdiction. Inspections presuming to give authority to violate or cancel the provisions of this code



or of other ordinances of the jurisdiction shall not be valid. It shall be the duty of the permit applicant to cause the work to remain accessible and exposed for inspection purposes. Neither the code official nor the jurisdiction shall be liable for expense entailed in the removal or replacement of any material required to allow inspection.

**109.2 Preliminary inspection.** Before issuing a permit, the code official is authorized to examine or cause to be examined buildings and sites for which an application has been filed.

**109.3 Required inspections.** The code official, upon notification, shall make the inspections set forth in Sections 109.3.1 through 109.3.9.

**109.3.1 Footing or foundation inspection.** Footing and foundation inspections shall be made after excavations for footings are complete and any required reinforcing steel is in place. For concrete foundations, any required forms shall be in place prior to inspection. Materials for the foundation shall be on the job, except where concrete is ready-mixed in accordance with ASTM C 94, the concrete need not be on the job.

**109.3.2 Concrete slab or under-floor inspection.** Concrete slab and under-floor inspections shall be made after in-slab or under-floor reinforcing steel and building service equipment, conduit, piping accessories, and other ancillary equipment items are in place but before any concrete is placed or floor sheathing installed, including the sub floor.

**109.3.3 Lowest floor elevation.** For additions and substantial improvements to existing buildings in flood hazard areas, upon placement of the lowest floor, including basement, and prior to further vertical construction, the elevation documentation required in the *International Building Code* shall be submitted to the code official.

**109.3.4 Frame inspection.** Framing inspections shall be made after the roof deck or sheathing, all framing, fire blocking, and bracing are in place and pipes, chimneys, and vents to be concealed are complete and the rough electrical, plumbing, heating wires, pipes, and ducts are approved.

**109.3.5 Lath or gypsum board inspection.** Lath and gypsum board inspections shall be made after lathing and gypsum board, interior and exterior, is in place but before any plastering is applied or before gypsum board joints and fasteners are taped and finished.

**Exception:** Gypsum board that is not part of a fire-resistance-rated assembly or a shear assembly.

**109.3.6 Fire-resistant penetrations.** Protection of joints and penetrations in fire-resistance-rated assemblies shall not be concealed from view until inspected and approved.

**109.3.7 Other inspections.** In addition to the inspections specified above, the code official is authorized to make or require other inspections of any construction work to ascertain compliance with the provisions of this code and other laws that are enforced by the Department of Building Safety.

**109.3.8 Special inspections.** Special inspections shall be required in accordance with the *International Building Code*.

**109.3.9 Final inspection.** The final inspection shall be made after all work required by the building permit is completed.

**109.4 Inspection agencies.** The code official is authorized to accept reports of approved inspection agencies, provided such agencies satisfy the requirements as to qualifications and reliability.

**109.5 Inspection requests.** It shall be the duty of the holder of the building permit or their duly authorized agent to notify the code official when work is ready for inspection. It shall be the duty of the permit holder to provide access to and means for any inspections of such work that are required by this code.

**109.6 Approval required.** Work shall not be done beyond the point indicated in each successive inspection without first obtaining the approval of the code official. The code official, upon notification, shall make the requested inspections and shall either indicate the portion of the construction that is satisfactory as completed or shall notify the permit holder or an agent of the permit holder wherein the same fails to comply with this code. Any portions that do not comply shall be corrected and such portion shall not be covered or concealed until authorized by the code official.

## SECTION 110 CERTIFICATE OF OCCUPANCY

**110.1 Altered area use and occupancy classification change.** No altered area of a building and no relocated building shall be used or occupied, and no change in the existing occupancy classification of a building or portion thereof shall be made until the code official has issued a certificate of occupancy therefor as provided herein. Issuance of a certificate of occupancy shall not be construed as an approval of a violation of the provisions of this code or of other ordinances of the jurisdiction.

**110.2 Certificate issued.** After the code official inspects the building and finds no violations of the provisions of this code or other laws that are enforced by the Department of Building Safety, the code official shall issue a certificate of occupancy that shall contain the following:

1. The building permit number.
2. The address of the structure.
3. The name and address of the owner.
4. A description of that portion of the structure for which the certificate is issued.
5. A statement that the described portion of the structure has been inspected for compliance with the requirements of this code for the occupancy and division of occupancy and the use for which the proposed occupancy is classified.
6. The name of the code official.
7. The edition of the code under which the permit was issued.
8. The use and occupancy in accordance with the provisions of the *International Building Code*.

## ADMINISTRATION

9. The type of construction as defined in the *International Building Code*.
10. The design occupant load and any impact the alteration has on the design occupant load of the area not within the scope of the work.
11. If an automatic sprinkler system is provided, whether the sprinkler system is required.
12. Any special stipulations and conditions of the building permit.

**110.3 Temporary occupancy.** The code official is authorized to issue a temporary certificate of occupancy before the completion of the entire work covered by the permit, provided that such portion or portions shall be occupied safely. The code official shall set a time period during which the temporary certificate of occupancy is valid.

**110.4 Revocation.** The code official is authorized to, in writing, suspend or revoke a certificate of occupancy or completion issued under the provisions of this code wherever the certificate is issued in error or on the basis of incorrect information supplied, or where it is determined that the building or structure or portion thereof is in violation of any ordinance or regulation or any of the provisions of this code.

### SECTION 111 SERVICE UTILITIES

**111.1 Connection of service utilities.** No person shall make connections from a utility, source of energy, fuel, or power to any building or system that is regulated by this code for which a permit is required, until approved by the code official.

**111.2 Temporary connection.** The code official shall have the authority to authorize the temporary connection of the building or system to the utility source of energy, fuel, or power.

**111.3 Authority to disconnect service utilities.** The code official shall have the authority to authorize disconnection of utility service to the building, structure, or system regulated by this code and the codes referenced in case of emergency where necessary to eliminate an immediate hazard to life or property. The code official shall notify the serving utility and, wherever possible, the owner and occupant of the building, structure, or service system of the decision to disconnect prior to taking such action. If not notified prior to disconnecting, the owner or occupant of the building, structure, or service system shall be notified in writing, as soon as practical thereafter.

### SECTION 112 BOARD OF APPEALS

**112.1 General.** In order to hear and decide appeals of orders, decisions, or determinations made by the code official relative to the application and interpretation of this code, there shall be and is hereby created a board of appeals. The board of appeals shall be appointed by the governing body

and shall hold office at its pleasure. The board shall adopt rules of procedure for conducting its business.

**112.2 Limitations on authority.** An application for appeal shall be based on a claim that the true intent of this code or the rules legally adopted thereunder have been incorrectly interpreted, the provisions of this code do not fully apply, or an equally good or better form of construction is proposed. The board shall have no authority to waive requirements of this code.

**112.3 Qualifications.** The board of appeals shall consist of members who are qualified by experience and training to pass on matters pertaining to building construction and are not employees of the jurisdiction.

### SECTION 113 VIOLATIONS

**113.1 Unlawful acts.** It shall be unlawful for any person, firm, or corporation to repair, alter, extend, add, move, remove, demolish, or change the occupancy of any building or equipment regulated by this code or cause same to be done in conflict with or in violation of any of the provisions of this code.

**113.2 Notice of violation.** The code official is authorized to serve a notice of violation or order on the person responsible for the repair, alteration, extension, addition, moving, removal, demolition, or change in the occupancy of a building in violation of the provisions of this code or in violation of a permit or certificate issued under the provisions of this code. Such order shall direct the discontinuance of the illegal action or condition and the abatement of the violation.

**113.3 Prosecution of violation.** If the notice of violation is not complied with promptly, the code official is authorized to request the legal counsel of the jurisdiction to institute the appropriate proceeding at law or in equity to restrain, correct, or abate such violation or to require the removal or termination of the unlawful occupancy of the building or structure in violation of the provisions of this code or of the order or direction made pursuant thereto.

**113.4 Violation penalties.** Any person who violates a provision of this code or fails to comply with any of the requirements thereof or who repairs or alters or changes the occupancy of a building or structure in violation of the approved construction documents or directive of the code official or of a permit or certificate issued under the provisions of this code shall be subject to penalties as prescribed by law.

### SECTION 114 STOP WORK ORDER

**114.1 Authority.** Whenever the code official finds any work regulated by this code being performed in a manner contrary to the provisions of this code or in a dangerous or unsafe manner, the code official is authorized to issue a stop work order.

**114.2 Issuance.** The stop work order shall be in writing and shall be given to the owner of the property involved or to

the owner's agent, or to the person doing the work. Upon issuance of a stop work order, the cited work shall immediately cease. The stop work order shall state the reason for the order and the conditions under which the cited work will be permitted to resume.

**114.3 Unlawful continuance.** Any person who shall continue any work after having been served with a stop work order, except such work as that person is directed to perform to remove a violation or unsafe condition, shall be subject to penalties as prescribed by law.

## SECTION 115 UNSAFE BUILDINGS AND EQUIPMENT

**115.1 Conditions.** Buildings or existing equipment that are or hereafter become unsafe, insanitary, or deficient because of inadequate means of egress facilities, inadequate light and ventilation, or which constitute a fire hazard, or in which the structure or individual structural members exceed the limits established by the definition of Dangerous in Chapter 2, or that involve illegal or improper occupancy or inadequate maintenance, shall be deemed an unsafe condition. Unsafe buildings shall be taken down and removed or made safe, as the code official deems necessary and as provided for in this code. A vacant structure that is not secured against entry shall be deemed unsafe.

**115.2 Record.** The code official shall cause a report to be filed on an unsafe condition. The report shall state the occupancy of the structure and the nature of the unsafe condition.

**115.3 Notice.** If an unsafe condition is found, the code official shall serve on the owner, agent, or person in control of the structure a written notice that describes the condition deemed unsafe and specifies the required repairs or improvements to be made to abate the unsafe condition, or that requires the unsafe building to be demolished within a stipulated time. Such notice shall require the person thus notified to declare immediately to the code official acceptance or rejection of the terms of the order.

**115.4 Method of service.** Such notice shall be deemed properly served if a copy thereof is delivered to the owner personally; sent by certified or registered mail addressed to the owner at the last known address with the return receipt requested; or delivered in any other manner as prescribed by local law. If the certified or registered letter is returned showing that the letter was not delivered, a copy thereof shall be posted in a conspicuous place in or about the structure affected by such notice. Service of such notice in the foregoing manner upon the owner's agent or upon the person responsible for the structure shall constitute service of notice upon the owner.

**115.5 Restoration.** The building or equipment determined to be unsafe by the code official is permitted to be restored to a safe condition. To the extent that repairs, alterations, or additions are made or a change of occupancy occurs during the restoration of the building, such repairs, alterations, additions, or change of occupancy shall comply with the requirements of this code.

## SECTION 116 EMERGENCY MEASURES

**116.1 Imminent danger.** When, in the opinion of the code official, there is imminent danger of failure or collapse of a building that endangers life, or when any building or part of a building has fallen and life is endangered by the occupation of the building, or when there is actual or potential danger to the building occupants or those in the proximity of any structure because of explosives, explosive fumes or vapors, or the presence of toxic fumes, gases, or materials, or operation of defective or dangerous equipment, the code official is hereby authorized and empowered to order and require the occupants to vacate the premises forthwith. The code official shall cause to be posted at each entrance to such structure a notice reading as follows: "This Structure Is Unsafe and Its Occupancy Has Been Prohibited by the Code Official." It shall be unlawful for any person to enter such structure except for the purpose of securing the structure, making the required repairs, removing the hazardous condition, or of demolishing the same.

**116.2 Temporary safeguards.** Notwithstanding other provisions of this code, whenever, in the opinion of the code official, there is imminent danger due to an unsafe condition, the code official shall order the necessary work to be done, including the boarding up of openings, to render such structure temporarily safe whether or not the legal procedure herein described has been instituted; and shall cause such other action to be taken as the code official deems necessary to meet such emergency.

**116.3 Closing streets.** When necessary for public safety, the code official shall temporarily close structures and close or order the authority having jurisdiction to close sidewalks, streets, public ways, and places adjacent to unsafe structures, and prohibit the same from being utilized.

**116.4 Emergency repairs.** For the purposes of this section, the code official shall employ the necessary labor and materials to perform the required work as expeditiously as possible.

**116.5 Costs of emergency repairs.** Costs incurred in the performance of emergency work shall be paid by the jurisdiction. The legal counsel of the jurisdiction shall institute appropriate action against the owner of the premises where the unsafe structure is or was located for the recovery of such costs.

**116.6 Hearing.** Any person ordered to take emergency measures shall comply with such order forthwith. Any affected person shall thereafter, upon petition directed to the appeals board, be afforded a hearing as described in this code.

## SECTION 117 DEMOLITION

**117.1 General.** The code official shall order the owner of any premises upon which is located any structure that in the code official's judgment is so old, dilapidated, or has become so out of repair as to be dangerous, unsafe, insanitary, or otherwise unfit for human habitation or occupancy, and such

## ADMINISTRATION

that it is unreasonable to repair the structure, to demolish and remove such structure; or if such structure is capable of being made safe by repairs, to repair and make safe and sanitary or to demolish and remove at the owner's option; or where there has been a cessation of normal construction of any structure for a period of more than two years, to demolish and remove such structure.

**117.2 Notices and orders.** All notices and orders shall comply with Section 113.

**117.3 Failure to comply.** If the owner of a premises fails to comply with a demolition order within the time prescribed, the code official shall cause the structure to be demolished and removed, either through an available public agency or by contract or arrangement with private persons, and the cost of such demolition and removal shall be charged against the real estate upon which the structure is located and shall be a lien upon such real estate.

**117.4 Salvage materials.** When any structure has been ordered demolished and removed, the governing body or other designated officer under said contract or arrangement aforesaid shall have the right to sell the salvage and valuable materials at the highest price obtainable. The net proceeds of such sale, after deducting the expenses of such demolition and removal, shall be promptly remitted with a report of such sale or transaction, including the items of expense and the amounts deducted, for the person who is entitled thereto, subject to any order of a court. If such a surplus does not remain to be turned over, the report shall so state.

## CHAPTER 2

# DEFINITIONS

### SECTION 201 GENERAL

**201.1 Scope.** Unless otherwise expressly stated, the following words and terms shall, for the purposes of this code, have the meanings shown in this chapter.

**201.2 Interchangeability.** Words used in the present tense include the future; words stated in the masculine gender include the feminine and neuter; the singular number includes the plural and the plural, the singular.

**201.3 Terms defined in other codes.** Where terms are not defined in this code and are defined in the other *International Codes*, such terms shall have the meanings ascribed to them as in those codes.

**201.4 Terms not defined.** Where terms are not defined through the methods authorized by this chapter, such terms shall have ordinarily accepted meanings such as the context implies.

### SECTION 202 GENERAL DEFINITIONS

**ADDITION.** An extension or increase in floor area, number of stories, or height of a building or structure.

**ALTERATION.** Any construction or renovation to an existing structure other than repair or addition. Alterations are classified as Level 1, Level 2, and Level 3.

**CHANGE OF OCCUPANCY.** A change in the purpose or level of activity within a building that involves a change in application of the requirements of this code.

**DANGEROUS.** Any building or structure or any individual member with any of the structural conditions or defects described below shall be deemed dangerous:

1. The stress in a member or portion thereof due to all factored dead and live loads is more than one and one third the nominal strength allowed in the *International Building Code* for new buildings of similar structure, purpose, or location.
2. Any portion, member, or appurtenance thereof likely to fail, or to become detached or dislodged, or to collapse and thereby injure persons.
3. Any portion of a building, or any member, appurtenance, or ornamentation on the exterior thereof is not of sufficient strength or stability, or is not anchored, attached, or fastened in place so as to be capable of resisting a wind pressure of two thirds of that specified in the *International Building Code* for new buildings of similar structure, purpose, or location without exceeding the nominal strength permitted in the *International Building Code* for such buildings.
4. The building, or any portion thereof, is likely to collapse partially or completely because of dilapidation, deterioration or decay; construction in violation of the *International Building Code*; the removal, movement or instability of any portion of the ground necessary

for the purpose of supporting such building; the deterioration, decay or inadequacy of its foundation; damage due to fire, earthquake, wind or flood; or any other similar cause.

5. The exterior walls or other vertical structural members list, lean, or buckle to such an extent that a plumb line passing through the center of gravity does not fall inside the middle one third of the base.

**EQUIPMENT OR FIXTURE.** Any plumbing, heating, electrical, ventilating, air conditioning, refrigerating, and fire protection equipment, and elevators, dumb waiters, escalators, boilers, pressure vessels and other mechanical facilities or installations that are related to building services. Equipment or fixture shall not include manufacturing, production, or process equipment, but shall include connections from building service to process equipment.

**EXISTING BUILDING.** A building erected prior to the date of adoption of the appropriate code, or one for which a legal building permit has been issued.

**[B] FLOOD HAZARD AREA.** The greater of the following two areas:

1. The area within a flood plain subject to a 1-percent or greater chance of flooding in any year.
2. The area designated as a flood hazard area on a community's flood hazard map, or otherwise legally designated.

**HISTORIC BUILDING.** Any building or structure that is listed in the State or National Register of Historic Places; designated as a historic property under local or state designation law or survey; certified as a contributing resource within a National Register listed or locally designated historic district; or with an opinion or certification that the property is eligible to be listed on the National or State Registers of Historic Places either individually or as a contributing building to a historic district by the State Historic Preservation Officer or the Keeper of the National Register of Historic Places.

**LOAD-BEARING ELEMENT.** Any column, girder, beam, joist, truss, rafter, wall, floor or roof sheathing that supports any vertical load in addition to its own weight or any lateral load.

**REHABILITATION.** Any work, as described by the categories of work defined herein, undertaken in an existing building.

**REHABILITATION, SEISMIC.** Work conducted to improve the seismic lateral force resistance of an existing building.

**REPAIR.** The restoration to good or sound condition of any part of an existing building for the purpose of its maintenance.

**SEISMIC LOADING.** The assumed forces prescribed herein, related to the response of the structure to earthquake motions, to be used in the analysis and design of the structure and its components.