



INTERNATIONAL PLUMBING CODE[®]

COMMENTARY

2003

PREFACE

Significant changes in the plumbing industry, as well as in manufacturing technology, had become so commanding that a radically new approach to the design and installation of plumbing systems seemed an imperative. The reply to that imperative was the *International Plumbing Code*, a document emphasizing prescriptive and performance-related provisions.

As a follow-up to the *International Plumbing Code*, we offer a companion document, the *International Plumbing Code Commentary*. The basic appeal of the Commentary is thus: it provides in a small package and at reasonable cost thorough coverage of many issues likely to be dealt with when using the *International Plumbing Code* — and then supplements that coverage with historical and technical background. Reference lists, information sources and bibliographies are also included.

Throughout all of this, strenuous effort has been made to keep the vast quantity of material accessible and its method of presentation useful. With a comprehensive yet concise summary of each section, the Commentary provides a convenient reference for plumbing regulations. In the chapters that follow, discussions focus on the full meaning and implications of the code text. Guidelines suggest the most effective method of application, and the consequences of not adhering to the code text. Illustrations are provided to aid understanding; they do not necessarily illustrate the only methods of achieving code compliance.

The format of the Commentary includes the full text of each section, table and figure in the code, followed immediately by the commentary applicable to that text. Each section's narrative includes a statement of its objective and intent, and usually includes a discussion about why the requirement commands the conditions set forth. Code text and commentary text are easily distinguished from each other. All code text is shown as it appears in the *International Plumbing Code*, and all commentary is indented below the code text and begins with the symbol ❖.

Readers should note that the Commentary is to be used in conjunction with the *International Plumbing Code* and not as a substitute for the code. **The Commentary is advisory only**; the code official alone possesses the authority and responsibility for interpreting the code.

Comments and recommendations are encouraged, for through your input, we can improve future editions. Please direct your comments to the Codes and Standards Development Department at the Chicago District Office.

This is a preview of "ICC IPC-2003 Comment...". [Click here to purchase the full version from the ANSI store.](#)

2003 International Plumbing Commentary®

First Printing: November 2003

ISBN # 1-58001-129-2

COPYRIGHT© 2003
by
INTERNATIONAL CODE COUNCIL, INC.

ALL RIGHTS RESERVED. This 2003 *International Plumbing Code Commentary*® is a copyrighted work owned by the International Code Council, Inc. Without advance written permission from the copyright owner, no part of this book may be reproduced, distributed, or transmitted in any form or by any means, including, without limitation, electronic, optical or mechanical means (by way of example, and not limitation, photocopying, or recording by or in an information storage retrieval system). For information on permission to copy material exceeding fair use, please contact: Publications, 4051 West Flossmoor Road, Country Club Hills, IL 60478-5795 (Phone 800-214-4321).

Trademarks: "International Code Council," the "International Code Council" logo and the "International Plumbing Code" are trademarks of the International Code Council, Inc.

PRINTED IN THE U.S.A.

TABLE OF CONTENTS

CHAPTER 1	ADMINISTRATION	1-1 – 1-20
CHAPTER 2	DEFINITIONS	2-1 – 2-26
CHAPTER 3	GENERAL REGULATIONS	3-1 – 3-30
CHAPTER 4	FIXTURES, FAUCETS AND FIXTURE FITTINGS	4-1 – 4-42
CHAPTER 5	WATER HEATERS	5-1 – 5-12
CHAPTER 6	WATER SUPPLY AND DISTRIBUTION	6-1 – 6-96
CHAPTER 7	SANITARY DRAINAGE	7-1 – 7-68
CHAPTER 8	INDIRECT/SPECIAL WASTE	8-1 – 8-12
CHAPTER 9	VENTS	9-1 – 9-64
CHAPTER 10	TRAPS, INTERCEPTORS AND SEPARATORS	10-1 – 10-20
CHAPTER 11	STORM DRAINAGE	11-1 – 11-26
CHAPTER 12	SPECIAL PIPING AND STORAGE SYSTEMS	12-1 – 12-4
CHAPTER 13	REFERENCED STANDARDS.	13-1 – 13-10
APPENDIX A	PLUMBING PERMIT FEE SCHEDULE	A-1 – A-2
APPENDIX B	RATES OF RAINFALL FOR VARIOUS CITIES.	B-1 – B-2
APPENDIX C	GRAY WATER RECYCLING SYSTEMS	C-1 – C-4
APPENDIX D	DEGREE DAY AND DESIGN TEMPERATURES	D-1 – D-6
APPENDIX E	SIZING OF WATER PIPING SYSTEM.	E-1 – E-20
APPENDIX F	STRUCTURAL SAFETY.	F-1 – F-2
APPENDIX G	VACUUM DRAINAGE SYSTEM	G-1 – G-4
INDEX	INDEX-1 – INDEX-8

This is a preview of "ICC IPC-2003 Comment...". [Click here to purchase the full version from the ANSI store.](#)

Chapter 1: Administration

General Comments

The law of building regulation is grounded on the police power of the state. In terms of how it is used, this is the power of the state to legislate for the general welfare of its citizens. This power enables passage of such laws as a plumbing code. It is from the police power delegated by the state legislature that local governments are able to enact building regulations. If the state legislature has limited this power in any way, the municipality may not exceed these limitations. While the municipality may not further delegate its police power (e.g., by delegating the burden of determining code compliance to the building owner, contractor or architect), it may turn over the administration of building regulations to a municipal official, such as a code official, provided that he or she is given sufficient criteria to clearly establish the basis for decisions as to whether or not a proposed building, including its plumbing systems, conforms to the code.

Chapter 1 is largely concerned with maintaining "due process of law" in enforcing the performance criteria contained in the code. Only through careful observation of the administrative provisions can the code official reasonably hope to demonstrate that "equal protection under the law" has been provided. While it is generally assumed that the administrative and enforcement sections of a code are geared toward the code official, this is not entirely true. The provisions also establish the rights and privileges of the design professional, contractor and building owner. The position of the code official is merely to review the proposed and completed work and determine if a plumbing installation conforms to the code requirements. The design professional is responsible for the design of a safe,

sanitary plumbing system. The contractor is responsible for installing the system in strict accordance with the plans.

During the course of the construction of a plumbing system, the code official reviews the activity to ascertain that the spirit and intent of the law are being met and that the plumbing system provides adequate protection of public health. As a public servant, the code official enforces the code in an unbiased, proper manner. Every individual is guaranteed equal enforcement of the code. Furthermore, design professionals, contractors and building owners have the right of due process for any requirement in the code.

Purpose

A plumbing code, as with any other code, is intended to be adopted as a legally enforceable document to safeguard health, safety, property and public welfare. A plumbing code cannot be effective without adequate provisions for its administration and enforcement. The official charged with the administration and enforcement of plumbing regulations has a great responsibility, and with this responsibility goes authority. No matter how detailed the plumbing code may be, the code official must, to some extent, exercise judgement in determining compliance. The code official has the responsibility to establish that the homes in which the citizens of the community reside and the buildings in which they work are designed and constructed to be reasonably free from hazards associated with the presence and utilization of plumbing appliances, appurtenances, fixtures and systems. The code intends to establish a minimum acceptable level of safety.

SECTION 101 GENERAL

101.1 Title. These regulations shall be known as the *International Plumbing Code* of [NAME OF JURISDICTION] hereinafter referred to as "this code."

❖ This section sets forth the scope and intent of the code as it applies to new and existing structures. The adopted regulations are identified by inserting the name of the adopting jurisdiction into the code.

101.2 Scope. The provisions of this code shall apply to the erection, installation, alteration, repairs, relocation, replacement, addition to, use or maintenance of plumbing systems within this jurisdiction. This code shall also regulate nonflammable medical gas, inhalation anesthetic, vacuum piping, nonmedical oxygen systems and sanitary and condensate vacuum collection systems. The installation of fuel gas distribution piping and equipment, fuel gas-fired water heaters and water heater venting systems shall be regulated by the *International Fuel Gas*

Code. Provisions in the appendices shall not apply unless specifically adopted.

Exceptions:

1. Detached one- and two-family dwellings and multiple single-family dwellings (townhouses) not more than three stories high with separate means of egress and their accessory structures shall comply with the *International Residential Code*.
 2. Plumbing systems in existing buildings undergoing repair, alteration, or additions, and change of occupancy shall be permitted to comply with the *International Existing Building Code*.
- ❖ This section describes the types of plumbing system construction-related activities for which the code is intended to apply. The applicability of the code encompasses the initial design of plumbing systems, the installation and construction phases and the maintenance of operating systems. Section 101.2 excludes nothing plumbing related and does not limit applicability of the code relative to any device, fixture, system and associated equipment that could fall under, or is construed to fall under, the definition of "Plumbing" (see the definition of "Plumbing" in Chapter 2). All plumbing systems provided for utilization by and for the general safety and well being of occupants of a building are intended to be governed by the code. The code intends to regulate any and all plumbing-related appliances, systems and associated equipment that can affect the health, safety and welfare of building occupants insofar as they are affected by the installation, operation and maintenance of such appliances and systems. Plumbing systems include the associated equipment by definition of "Plumbing system" in Chapter 2.

In addition, nonflammable medical gas, inhalation anesthetic, vacuum piping, nonmedical oxygen systems and sanitary and condensate vacuum collection systems are regulated by the code.

Other than the actual connections to the potable water system, the code does not regulate hydronic piping for space heating or cooling, lawn sprinkler (irrigation) systems or automatic fire sprinkler and standpipe systems. These are not considered to be plumbing systems because such systems have nothing to do with supplying potable water or the transport of liquid wastes and water-borne solid wastes. Flammable/combustible liquid piping, hydronic piping, fire suppression system piping and nonplumbing-related systems are typically addressed in the *International Building Code*® (IBC®), *International Fire Code*® (IFC®) and *International Mechanical Code*® (IMC®). Most hydronic heating and cooling systems and fire suppression systems have one or more connections to the plumbing system. Such connections involve direct connections to the water supply system and indirect connections to the drainage system. For example, an automatic fire sprinkler system may be supplied by the public potable water supply and may have one or more drains and test apparatus that discharge water to the building drainage system. In the

case of irrigation systems, for example, the plumbing system terminates at the backflow prevention device that joins the potable water supply to the irrigation piping system. All interfaces between plumbing systems and nonplumbing systems are subject to the requirements of the code.

This section references the *International Fuel Gas Code*® (IFGC®) for all fuel-gas-related regulations. This is the result of an agreement between the International Code Council® (ICC®) and the American Gas Association (AGA) to develop the IFGC.

The first exception sends the user to the *International Residential Code*® (IRC®) for one- and two-family dwellings and townhouses not more than three stories in height. It is the intent of the *International Codes*® that the IPC be used primarily as a commercial code and that plumbing requirements for residential structures should be regulated by the IRC.

The second exception gives the user the option of using the *International Existing Building Code*® (IEBC®) for repairs, alterations or additions to an existing plumbing system.

101.3 Intent. The purpose of this code is to provide minimum standards to safeguard life or limb, health, property and public welfare by regulating and controlling the design, construction, installation, quality of materials, location, operation and maintenance or use of plumbing equipment and systems.

❖ The intent of the code is to set forth requirements that establish the minimum acceptable level to safeguard life or limb, health, property and public welfare. Intent becomes important in the application of sections such as Sections 102, 104.2, 105.2 and 108, as well as any enforcement-oriented interpretive action or judgement. Like any code, the written text is subject to interpretation. Interpretations should not be affected by economics or the potential impact on any party. The only consideration should be protection of the public health, safety and welfare.

101.4 Severability. If any section, subsection, sentence, clause or phrase of this code is for any reason held to be unconstitutional, such decision shall not affect the validity of the remaining portions of this code.

❖ Only invalid sections of the code (as established by the court of jurisdiction) can be set aside. This is essential to safeguard the application of the code text to situations whereby a provision of the code is declared illegal or unconstitutional. This section would preserve the legislative action that put the legal provisions in place.

SECTION 102 APPLICABILITY

102.1 General. The provisions of this code shall apply to all matters affecting or relating to structures, as set forth in Section 101. Where, in any specific case, different sections of this code

specify different materials, methods of construction or other requirements, the most restrictive shall govern.

❖ The scope of the code as described in Section 101 is referenced in this section. This section sets forth the administrative provisions for applying the code to various conditions related to the installation and use of new and existing plumbing systems. The most restrictive code requirement is to apply where different requirements may be specified in the code for a specific installation. The code is designed to regulate new construction and new work and is not intended to be applied retroactively to existing buildings except where existing plumbing systems are specifically addressed in this section and Section 108.

102.2 Existing installations. Plumbing systems lawfully in existence at the time of the adoption of this code shall be permitted to have their use and maintenance continued if the use, maintenance or repair is in accordance with the original design and no hazard to life, health or property is created by such plumbing system.

❖ An existing plumbing system is generally considered to be “grandfathered” with code adoption, provided that the system meets a minimum level of safety. Frequently the criteria for this level are the regulations (or code) under which the existing building was originally constructed. If there are no previous code criteria to apply, the code official is to apply those provisions that are reasonably applicable to existing buildings. A specific level of safety is dictated by provisions dealing with hazard abatement in existing buildings and maintenance provisions, as contained in the code and the *International Property Maintenance Code*® (IPMC®), IEBC and the IFC.

102.3 Maintenance. All plumbing systems, materials and appurtenances, both existing and new, and all parts thereof, shall be maintained in proper operating condition in accordance with the original design in a safe and sanitary condition. All devices or safeguards required by this code shall be maintained in compliance with the code edition under which they were installed.

The owner or the owner’s designated agent shall be responsible for maintenance of plumbing systems. To determine compliance with this provision, the code official shall have the authority to require any plumbing system to be reinspected.

❖ All plumbing systems and equipment are subject to deterioration resulting from aging, wear, accumulation of dirt and debris, corrosion and other factors. Maintenance is necessary to keep plumbing systems and equipment in proper operating condition. All required safety devices and controls must be maintained to continue providing the protection that they afford. Existing equipment and systems could have safety devices or other measures that were necessary because of the nature of the equipment, and such safeguards may have been required by a code that predates the current code. All such safeguards required by previous or present codes must be maintained for the life of the equipment or system.

The maintenance of plumbing systems as prescribed in this section is the responsibility of the owner of the property. The owner may authorize another party to be responsible for the property, in which case that party is responsible for the maintenance of the plumbing systems involved.

The reinspection authority of the code official is needed to accomplish compliance with the maintenance requirements in this section.

[EB] 102.4 Additions, alterations or repairs. Additions, alterations, renovations or repairs to any plumbing system shall conform to that required for a new plumbing system without requiring the existing plumbing system to comply with all the requirements of this code. Additions, alterations or repairs shall not cause an existing system to become unsafe, insanitary or overloaded.

Minor additions, alterations, renovations and repairs to existing plumbing systems shall be permitted in the same manner and arrangement as in the existing system, provided that such repairs or replacement are not hazardous and are approved.

❖ Simply stated, new work must comply with current code requirements. Any alteration or addition to an existing system involves some new work, and as such, is subject to the requirements of the code. Additions or alterations to an existing system can place additional loads or different demands on the system, which could necessitate changing all or part of the existing system. For example, the addition of plumbing fixtures to an existing system may necessitate an increase in drain piping size and water distribution piping size. Additions and alterations must not cause an existing system to be any less in compliance with the code than it was before the changes.

An existing nonconforming plumbing system is permitted to be repaired without having to completely replace the nonconforming portion. This typically occurs when repairing a fixture or piping. Although some types of fixtures or piping arrangements are no longer permitted, existing fixtures or piping can be repaired and remain in service, provided that a health hazard or insanitary condition is not maintained or created. This section distinguishes between alterations (subject to applicable provisions of the code) and ordinary repairs (maintenance activities not requiring a permit). The intent of this section is to allow the continued use of existing plumbing systems and equipment that may or may not be designed and constructed as required for new installations. Existing plumbing systems and equipment will normally require repair and component replacement to remain operational. This section permits repair and component replacements to occur without requiring the redesign, alteration or replacement of the entire system. In other words, the plumbing system is allowed to stay as it was, provided that it is not hazardous. It is important to note that the word “minor” in this section is intended to modify “additions,” “alterations,” “renovations” and “repairs.” It is not the intent of this section to waive code requirements for the replacement of all or major portions of systems under the guise of repair. Any work

other than minor repairs or replacement of minor portions of a system must be considered as new work subject to all applicable provisions of the code. All repairs and minor component replacements are permitted to be performed in a manner that is consistent with the existing system if such repairs or replacements are approved by the code official; are not hazardous; do not cause the system or equipment to be any less in compliance with the code than before; and are performed, to the extent practicable, in compliance with the provisions of the code applicable to new work.

[EB] 102.5 Change in occupancy. It shall be unlawful to make any change in the occupancy of any structure that will subject the structure to any special provision of this code without approval of the code official. The code official shall certify that such structure meets the intent of the provisions of law governing building construction for the proposed new occupancy and that such change of occupancy does not result in any hazard to the public health, safety or welfare.

❖ When a building undergoes a change of occupancy, the plumbing system must be evaluated as to what effect the change has on the plumbing system. For example, if a mercantile building was converted to a restaurant, additional plumbing fixtures would be required for the public based on the increased occupant load. If an existing system serves an occupancy that is different from the one it served when the code went into effect, the plumbing system must comply with the applicable code requirements for the newer occupancy. Depending on the nature of the previous occupancy, changing a building's occupancy classification could result in the requirement for additional or different types of plumbing fixtures.

[EB] 102.6 Historic buildings. The provisions of this code relating to the construction, alteration, repair, enlargement, restoration, relocation or moving of buildings or structures shall not be mandatory for existing buildings or structures identified and classified by the state or local jurisdiction as historic buildings when such buildings or structures are judged by the code official to be safe and in the public interest of health, safety and welfare regarding any proposed construction, alteration, repair, enlargement, restoration, relocation or moving of buildings.

❖ This section provides the code official with the widest possible flexibility in enforcing the code when the building in question has historic value. This flexibility, however, is not provided without conditions. The most important criterion for application of this section is that the building must be specifically classified as being of historic significance by a qualified party or agency. Usually this is done by a state or local authority after considerable scrutiny. Most, if not all, states have such authorities, as do many local jurisdictions. Agencies with such authority typically exist at the state or local government level.

102.7 Moved buildings. Except as determined by Section 102.2, plumbing systems that are a part of buildings or struc-

tures moved into or within the jurisdiction shall comply with the provisions of this code for new installations.

❖ Buildings that have been relocated are subject to the requirements of the code as if they were new construction. Placing a building where one did not previously exist is analogous to constructing a new building. It is the intent of this section to require the existing plumbing systems to be altered to the extent necessary to bring them into compliance with the provisions of the code applicable to new construction or that the existing plumbing system comply with Section 102.2.

102.8 Referenced codes and standards. The codes and standards referenced in this code shall be those that are listed in Chapter 13 and such codes and standards shall be considered as part of the requirements of this code to the prescribed extent of each such reference. Where the differences occur between provisions of this code and the referenced standards, the provisions of this code shall be the minimum requirements.

❖ The code references many standards promulgated and published by other organizations. A complete list of referenced standards appears in Chapter 13. The wording of this provision, "shall be those that are listed in Chapter 13," was carefully chosen in order to establish the edition of the standard that is enforceable under the code.

Although a standard is referenced, its full scope and content is not necessarily applicable. The standard is only applicable to the extent indicated in the text in which the standard is specifically referenced. The code takes precedence when the requirements of the standard conflict with the requirements of the code. For example, Section 412.1 requires all floor drains to conform to ASME A112.6.3 or CSA B79. These standards regulate the design and construction of a floor drain and permit both fixed and removable strainers. Section 412.2 requires all floor drains to have removable strainers. Although a floor drain without a removable cover may conform to ASME A112.6.3 or CSA B79, removable covers would be required because the code takes precedence over the standard. A referenced standard or a portion thereof is an enforceable extension of the code as if the content of the standard were included in the body of the code. For example, Section 410.1 references ARI 1010 for water coolers. The use and application of referenced standards are limited to those portions of the standards that are specifically identified. While it is the intention of the code to be in harmony with referenced standards, the code text governs if conflicts occur.

102.9 Requirements not covered by code. Any requirements necessary for the strength, stability or proper operation of an existing or proposed plumbing system, or for the public safety, health and general welfare, not specifically covered by this code shall be determined by the code official.

❖ Evolving technology in our society will inevitably result in a situation in which the code is comparatively silent on an identified hazard. The reasonable application of

the code to such hazardous, unforeseen conditions is addressed in this section. Clearly this section and the code official's judicious and reasonable application of it is necessary. The purpose of this section, however, is not to impose requirements that may be preferred when the code provides alternative methods or is not silent on the circumstances. Additionally, this section can be utilized to implement the general performance-oriented language of the code to specific enforcement situations.

SECTION 103 DEPARTMENT OF PLUMBING INSPECTION

103.1 General. The department of plumbing inspection is hereby created and the executive official in charge thereof shall be known as the code official.

❖ This section describes the plumbing inspection department and the duties of its employees. The executive official in charge of the plumbing department is named the "code official" by this section. In actuality, the person who is in charge of the department may hold a different title such as building commissioner, plumbing inspector, construction official, etc. For the purpose of the code, the person is referred to as the "code official" on being appointed.

103.2 Appointment. The code official shall be appointed by the chief appointing authority of the jurisdiction, and the code official shall not be removed from office except for cause and after full opportunity to be heard on specific and relevant charges by and before the appointing authority.

❖ This section establishes the code official as an appointed position from which he or she cannot be removed, except for cause subject to a due process review.

103.3 Deputies. In accordance with the prescribed procedures of this jurisdiction and with the concurrence of the appointing authority, the code official shall have the authority to appoint a deputy code official, other related technical officers, inspectors and other employees.

❖ This section provides the code official with the authority to appoint other individuals to assist with the administration and enforcement of the code. These individuals have authority and responsibility as designated by the code official.

103.4 Liability. The code official, officer or employee charged with the enforcement of this code, while acting for the jurisdiction, shall not thereby be rendered liable personally, and is hereby relieved from all personal liability for any damage accruing to persons or property as a result of any act required or permitted in the discharge of official duties.

Any suit instituted against any officer or employee because of an act performed by that officer or employee in the lawful discharge of duties and under the provisions of this code shall be defended by the legal representative of the jurisdiction until the

final termination of the proceedings. The code official or any subordinate shall not be liable for costs in any action, suit or proceeding that is instituted in pursuance of the provisions of this code, and any officer of the department of plumbing inspection, acting in good faith and without malice, shall be free from liability for acts performed under any of its provisions or by reason of any act or omission in the performance of official duties in connection therewith.

❖ The code official is not intended to be held liable for actions performed in accordance with the code in a reasonable and lawful manner. The responsibility of the code official in this regard is subject to local, state and federal laws that may supersede this provision. This section further establishes that the code official (or subordinates) is not liable for costs in any legal action instituted in response to the performance of lawful duties. These costs are to be assumed by the state or municipality. The best way to be certain that the code official's action is a "lawful duty" is to always cite the applicable code section on which the enforcement action is based.

SECTION 104 DUTIES AND POWERS OF THE CODE OFFICIAL

104.1 General. The code official shall enforce all of the provisions of this code and shall act on any question relative to the installation, alteration, repair, maintenance or operation of all plumbing systems, devices and equipment except as otherwise specifically provided for by statutory requirements or as provided for in Sections 104.2 through 104.8.

❖ This section establishes the responsibility and the authority of the code official and subordinates. The duty of the code official is to enforce the code. Because the code official must also act on all questions related to this responsibility, except as specifically exempted by statutory requirements or elsewhere in the code, he or she is the "authority having jurisdiction" for all matters relating to the code and its enforcement. It is the duty of the code official to interpret, and determine compliance with, the code. Code compliance will not always be easy to determine and will require the judgement and expertise of the code official. When the code is silent with respect to a particular plumbing installation or lack thereof, the code official is obligated to secure the intent of the code by using the best possible judgement in acting on the matter.

104.2 Rule-making authority. The code official shall have authority as necessary in the interest of public health, safety and general welfare to adopt and promulgate rules and regulations to interpret and implement the provisions of this code to secure the intent thereof and to designate requirements applicable because of local climatic or other conditions. Such rules shall not have the effect of waiving structural or fire performance requirements specifically provided for in this code, or of violating accepted engineering practice involving public safety.

❖ The code official has the administrative authority to promulgate rules and regulations that serve to interpret or

supplement the provisions of the code as long as such rules conform to the intent of the code. Most importantly, these rules are not intended to set aside or waive any code provisions, but are intended to facilitate code compliance. Additionally, the rules are not to conflict with accepted engineering practice or reduce the level of safety prescribed by the code. The most frequent use of this authority is the promulgation of the administrative rules and procedures for the department's efficient and effective operation. An example of the content of administrative rules is the type of work that is required to be inspected and the notice that must be provided to the department for such inspections. Certain conditions may exist or arise that are geographically dependent and the department may promulgate rules related to the climate, soils or other local environmental conditions.

104.3 Applications and permits. The code official shall receive applications and issue permits for the installation and alteration of plumbing, inspect the premises for which such permits have been issued, and enforce compliance with the provisions of this code.

- ❖ The code enforcement process is normally initiated with an application for a permit. The code official is responsible for processing the applications and issuing permits for the installation, replacement, addition to or modification of plumbing systems in accordance with the code.

104.4 Inspections. The code official shall make all the required inspections, or shall accept reports of inspection by approved agencies or individuals. All reports of such inspections shall be in writing and be certified by a responsible officer of such approved agency or by the responsible individual. The code official is authorized to engage such expert opinion as deemed necessary to report on unusual technical issues that arise, subject to the approval of the appointing authority.

- ❖ The code official is required to make inspections as necessary to determine compliance with the code or to accept written reports of inspections by an approved agency. The inspection of the work in progress or accomplished is another significant element in determining code compliance. While a department does not have the resources to inspect every aspect of all work, the required inspections are those that are dictated by administrative rules and procedures based on many parameters, including available inspection resources. In order to expand the available resources related to inspection, the code official may approve an inspection agency that, in his or her opinion, possesses the proper qualifications. When unusual, extraordinary or complex technical issues arise relative to plumbing installations or the safety of an existing plumbing system, the code official has the authority to seek the opinion and advice of experts. A technical report from an expert can be used to assist the code official in the approval process.

104.5 Right of entry. Whenever it is necessary to make an inspection to enforce the provisions of this code, or whenever the code official has reasonable cause to believe that there exists in

any building or upon any premises any conditions or violations of this code that make the building or premises unsafe, insanitary, dangerous or hazardous, the code official shall have the authority to enter the building or premises at all reasonable times to inspect or to perform the duties imposed upon the code official by this code. If such building or premises is occupied, the code official shall present credentials to the occupant and request entry. If such building or premises is unoccupied, the code official shall first make a reasonable effort to locate the owner or other person having charge or control of the building or premises and request entry. If entry is refused, the code official shall have recourse to every remedy provided by law to secure entry.

When the code official shall have first obtained a proper inspection warrant or other remedy provided by law to secure entry, no owner or occupant or person having charge, care or control of any building or premises shall fail or neglect, after proper request is made as herein provided, to promptly permit entry therein by the code official for the purpose of inspection and examination pursuant to this code.

- ❖ The first part of this section establishes the right of the code official to enter the premises in order to make the permit inspections required by Section 107. Permit application forms typically include a statement signed by the applicant (who is the owner or owner's agent) granting the code official the authority to enter specific areas in order to enforce code provisions related to the permit. The right to enter other structures or premises is more limited. First, to protect the right of privacy, the owner or occupant must grant the code official permission before an interior inspection of the property can be conducted. Permission is not required for inspections that can be accomplished from within the public right-of-way. Second, such access may be denied by the owner or occupant. Unless the inspector has reasonable cause to believe that a violation exists, access may be unattainable. Third, code officials must present proper identification (see commentary, Section 104.6) and request admittance during reasonable hours — usually the normal business hours of the establishment. Fourth, inspections must be aimed at securing or determining compliance with the provisions and intent of the regulations that are specifically within the established scope of the code official's authority.

Searches to gather information for the purpose of enforcing the other codes, ordinances or regulations are considered unreasonable and are prohibited by the Fourth Amendment to the U.S. Constitution. "Reasonable cause" in the context of this section must be distinguished from "probable cause," which is required to gain access to property in criminal cases. The burden of proof establishing reasonable cause may vary among jurisdictions. Usually, an inspector must show that the property is subject to inspection under the provisions of the code; that the interests of the public health, safety and welfare outweigh the individual's right to maintain privacy; and that such an inspection is required solely to determine compliance with the provisions of the code.

Many jurisdictions do not recognize the concept of an administrative warrant and may require the code official

to prove probable cause in order to gain access upon refusal. This burden of proof is usually more substantial, often requiring the code official to stipulate in advance why access is needed (usually access is restricted to gathering evidence for seeking an indictment or making an arrest); what specific items or information is sought; its relevance to the case against the individual subject; how knowledge of the relevance of the information or items sought was obtained; and how the evidence sought will be used. In all such cases, the right to privacy must always be weighed against the right of the code official to conduct an inspection to establish public health, safety and welfare. Such important and complex constitutional issues should be discussed with the jurisdiction's legal counsel. Jurisdictions should establish procedures for securing the necessary court orders when an inspection is deemed necessary following a refusal.

The last paragraph in this section requires the owner or occupant to permit entry for inspection provided a proper warrant or other documentation required by law has been obtained.

104.6 Identification. The code official shall carry proper identification when inspecting structures or premises in the performance of duties under this code.

❖ This section requires the code official (including by definition all authorized designees) to carry identification in the course of conducting the duties of the position. This identification removes any question as to the purpose and authority of the inspector.

104.7 Notices and orders. The code official shall issue all necessary notices or orders to ensure compliance with this code.

❖ An important element of code enforcement is the necessary advisement of deficiencies and correction, which is accomplished through notices and orders. The code official is required to issue orders to abate illegal or unsafe conditions. Sections 108.7, 108.7.1, 108.7.2 and 108.7.3 contain additional information for these notices.

104.8 Department records. The code official shall keep official records of applications received, permits and certificates issued, fees collected, reports of inspections, and notices and orders issued. Such records shall be retained in the official records as long as the building or structure to which such records relate remains in existence unless otherwise provided for by other regulations.

❖ In keeping with the need for an efficiently conducted business practice, the code official must keep records pertaining to permit applications, permits, fees collected, inspections, notices and orders issued. Such documentation provides a valuable resource if questions arise "throughout the life of the building and its occupancy." The code does not require that the construction documents be kept after the project is complete, but other regulations or administrative rules may provide for retaining the construction documents for a minimum period.

SECTION 105 APPROVAL

105.1 Modifications. Whenever there are practical difficulties involved in carrying out the provisions of this code, the code official shall have the authority to grant modifications for individual cases, provided the code official shall first find that special individual reason makes the strict letter of this code impractical and the modification is in conformity with the intent and purpose of this code and that such modification does not lessen health, life and fire safety requirements. The details of action granting modifications shall be recorded and entered in the files of the plumbing inspection department.

❖ This section establishes the requirement that the code official review all materials intended to be used in the construction of a building or structure for compliance. Additionally, this section provides for modification and consideration of alternatives to code compliance, along with a requirement for technical substantiation.

Alternative engineered design is addressed in this section, including requirements for design, technical data submission, inspection and testing.

The code is a compilation of criteria to which materials, equipment, devices and systems must comply to be approved for a particular application. The code official has a duty to evaluate such materials, equipment, devices and systems for compliance and, when applicable, approve them for use. As a result, the material, equipment, device and system must be constructed and installed in compliance with all conditions and limitations considered as a basis for that approval. For example, the manufacturer's instructions are to be followed if the approval of the material was based in whole or in part on those instructions. The approval authority given to the code official is a significant responsibility and is a key to code compliance. The approval process is first technical and then administrative and must be approached as such. For example, if data to determine code compliance are required, such data should be in the form of test reports or engineering analysis—not simply taken from a sales brochure.

The code official may amend or make exceptions as needed where strict compliance with the code is impractical. Only the code official has the authority to grant modifications. Consideration of a particular difficulty is to be based on the application of the owner and a demonstration that the intent of the code is accomplished. This section is not intended to permit setting aside or ignoring a code provision; rather, it is intended to allow for the acceptance of equivalent protection. Such modifications do not, however, extend to actions that are necessary to correct violations. In other words, a code violation or the expense of correcting a code violation cannot constitute a practical difficulty.

Comprehensive written records are an essential part of an effective administrative system. Unless clearly written records of the considerations and documentation utilized in the modification process are created and maintained, subsequent enforcement action cannot be supported.

105.2 Alternative materials, methods and equipment. The provisions of this code are not intended to prevent the installation of any material or to prohibit any method of construction not specifically prescribed by this code, provided that any such alternative has been approved. An alternative material or method of construction shall be approved where the code official finds that the proposed design is satisfactory and complies with the intent of the provisions of this code, and that the material, method or work offered is, for the purpose intended, at least the equivalent of that prescribed in this code in quality, strength, effectiveness, fire resistance, durability and safety.

❖ The code is not intended to inhibit innovative ideas or technological advances. A comprehensive regulatory document such as a plumbing code cannot envision and then address all future innovations in the industry. As a result, a performance code must be applicable to and provide a basis for the approval of an increasing number of newly developed, innovative materials, systems and methods for which no code text or referenced standards yet exist. The fact that a material, product or method of construction is not addressed in the code is not an indication that such material, product or method is intended to be prohibited. The code official is expected to apply sound technical judgement in accepting materials, systems or methods which, while not anticipated by the drafters of the current code text, can be demonstrated to offer equivalent performance. By virtue of its text, the code regulates new and innovative construction practices while addressing the relative safety of building occupants. The code official is responsible for determining whether a requested alternative provides an equivalent level of protection of the public health, safety and welfare as required by the code. The most common application of an alternative approval occurs with the proposed use of new material. If a new piping material is produced, the manufacturer may gain approval for use by submitting adequate technical data indicating it is equivalent in quality, strength, effectiveness, fire resistance, durability and safety to the piping material listed as acceptable in the code. At the same time, the manufacturer may submit a proposed code change to recognize the new piping material. If the code official rejects the request for an alternative approval, the applicant may appeal the decision, as regulated by Section 109.

105.3 Required testing. Whenever there is insufficient evidence of compliance with the provisions of this code, or evidence that a material or method does not conform to the requirements of this code, or in order to substantiate claims for alternate materials or methods, the code official shall have the authority to require tests as evidence of compliance to be made at no expense to the jurisdiction.

❖ To provide the basis on which the code official can make a decision regarding an alternative material or type of equipment, sufficient technical data, test reports and documentation must be provided for evaluation. If evidence satisfactory to the code official proves that the alternative equipment, material or construction method is

equivalent to that required by the code, the code official is obligated to approve it for use. Any such approval cannot have the effect of waiving any requirements of the code. The burden of proof of equivalence lies with the applicant that proposes the use of alternative equipment, materials or methods.

105.3.1 Test methods. Test methods shall be as specified in this code or by other recognized test standards. In the absence of recognized and accepted test methods, the code official shall approve the testing procedures.

❖ The code official must require the submission of any appropriate information and data to assist in the determination of equivalency. This information must be submitted before a permit can be issued. The type of information required includes test data in accordance with the referenced standards, evidence of compliance with the referenced standard specifications, and design calculations. An evaluation report issued by an authoritative agency, such as ICC Evaluation Service, Inc., is particularly useful in providing the code official with the technical basis for evaluation and approval of new and innovative plumbing materials and components. The use of authoritative research reports can greatly assist the code official by reducing the time-consuming engineering analysis necessary to review materials and products. Failure to substantiate adequately a request for the use of an alternative is a valid reason for the code official to deny a request.

105.3.2 Testing agency. All tests shall be performed by an approved agency.

❖ The testing agency must be approved by the code official. The testing agency should have technical expertise, test equipment and quality assurance to properly conduct and report the necessary testing.

105.3.3 Test reports. Reports of tests shall be retained by the code official for the period required for retention of public records.

❖ It is necessary to retain test reports to substantiate the modification. The records are to be retained in accordance with public record laws. The attorney of the jurisdiction could be asked to verify the specific time period in applicable laws of the jurisdiction.

105.4 Alternative engineered design. The design, documentation, inspection, testing and approval of an alternative engineered design plumbing system shall comply with Sections 105.4.1 through 105.4.6.

❖ This section provides the opportunity for an engineer or architect to design a plumbing system that may not comply with all of the provisions found in Chapters 3 through 13. The design must be approved by the code official and must conform to accepted engineering principles. The engineered plumbing system must provide the level of protection of the public health, safety and welfare intended by the code.

105.4.1 Design criteria. An alternative engineered design shall conform to the intent of the provisions of this code and shall provide an equivalent level of quality, strength, effectiveness, fire resistance, durability and safety. Material, equipment or components shall be designed and installed in accordance with the manufacturer's installation instructions.

❖ Although an engineered plumbing system may not comply with all of the minimum requirements set forth in Chapters 3 through 13, it must comply with the intent of these provisions. This section permits standard engineering principles to be used in the design of an innovative system without sacrificing quality, strength, effectiveness, fire resistance, durability and safety. This section further reinforces the intent of Section 105.2 for the acceptance of alternative materials and equipment. The requirement for compliance with the manufacturer's installation instructions is generally intended to address entire engineered systems, such as the single-stack plumbing system. The manufacturer or appropriate industry association provides criteria contained in design and installation handbooks. The manufacturer's instructions must be followed for all innovative fittings or products regulated by this section.

105.4.2 Submittal. The registered design professional shall indicate on the permit application that the plumbing system is an alternative engineered design. The permit and permanent permit records shall indicate that an alternative engineered design was part of the approved installation.

❖ The permit and permanent permit records must indicate that an alternative engineered design is part of the proposed plumbing design. This is essential information to have on file in order to maintain a complete legal record of the plumbing system. When future permits are applied for regarding alterations or modifications, appropriate measures can then be taken to determine that the future work will not adversely affect the system design.

105.4.3 Technical data. The registered design professional shall submit sufficient technical data to substantiate the proposed alternative engineered design and to prove that the performance meets the intent of this code.

❖ The appropriate information and data must be submitted to the code official to assist in the approval of the alternative engineered design. This is not an option. Acceptable data to substantiate the performance of the proposed plumbing system or components include test results performed by an approved third-party testing agency, design calculations or an evaluation report issued by an authoritative agency, such as ICC Evaluation Service, Inc.

105.4.4 Construction documents. The registered design professional shall submit to the code official two complete sets of signed and sealed construction documents for the alternative engineered design. The construction documents shall include floor plans and a riser diagram of the work. Where appropriate, the construction documents shall indicate the direction of flow, all

pipe sizes, grade of horizontal piping, loading, and location of fixtures and appliances.

❖ This section is used in conjunction with Section 106.3.1. The option for the code official to waive the requirements for filing construction documents, however, is not applicable. The required detailing of such documents is needed to provide the code official with the necessary information to review and approve the plans.

105.4.5 Design approval. Where the code official determines that the alternative engineered design conforms to the intent of this code, the plumbing system shall be approved. If the alternative engineered design is not approved, the code official shall notify the registered design professional in writing, stating the reasons thereof.

❖ The code official is responsible for determining if the requested alternative engineered design provides the equivalent level of protection of public health, safety and welfare as required in the code. The code official's response to the design professional must be in writing, stating the reason for either accepting or rejecting the request. If the code official rejects the request for the alternative engineered system, the registered design professional may appeal the decision, as regulated by Section 109.

105.4.6 Inspection and testing. The alternative engineered design shall be tested and inspected in accordance with the requirements of Sections 107 and 312.

❖ As is the case for all plumbing installations, the code official must inspect the alternative engineered plumbing to verify that the work is in compliance with the construction documents. Section 107 requires the code official to witness the testing of the plumbing system before it is placed in service to verify that it is free from leaks or other defects, in accordance with Section 312.

105.5 Material and equipment reuse. Materials, equipment and devices shall not be reused unless such elements have been reconditioned, tested, placed in good and proper working condition and approved.

❖ The code criteria for materials and equipment have changed over the years. Evaluation of testing and materials technology has permitted the development of new criteria, which the old materials may not satisfy. As a result, used materials are required to be evaluated in the same manner as new materials. Used (previously installed) equipment must be equivalent to that required by the code if it is to be utilized in a new installation.

SECTION 106 PERMITS

106.1 When required. Any owner, authorized agent or contractor who desires to construct, enlarge, alter, repair, move, demolish or change the occupancy of a building or structure, or to erect, install, enlarge, alter, repair, remove, convert or replace

any plumbing system, the installation of which is regulated by this code, or to cause any such work to be done, shall first make application to the code official and obtain the required permit for the work.

❖ This section contains the administrative rules governing the issuance, suspension, revocation or modification of plumbing permits. It also establishes how and by whom the application for a plumbing permit is to be made, how it is to be processed and what information it must contain or have attached to it. In general, a permit is required for all activities that are regulated by the code, and these activities cannot begin until the permit is issued.

A plumbing permit is required for the installation, replacement, alteration or modification of all plumbing systems and components that are in the scope of applicability of the code. Replacement of an existing fixture, piece of equipment or related piping is treated no differently than a new installation in new building construction. The purpose of a permit is to cause the work to be inspected to determine compliance with the intent of the code.

106.2 Exempt work. The following work shall be exempt from the requirement for a permit:

1. The stopping of leaks in drains, water, soil, waste or vent pipe provided, however, that if any concealed trap, drain-pipe, water, soil, waste or vent pipe becomes defective and it becomes necessary to remove and replace the same with new material, such work shall be considered as new work and a permit shall be obtained and inspection made as provided in this code.
2. The clearing of stoppages or the repairing of leaks in pipes, valves or fixtures, and the removal and reinstallation of water closets, provided such repairs do not involve or require the replacement or rearrangement of valves, pipes or fixtures.

Exemption from the permit requirements of this code shall not be deemed to grant authorization for any work to be done in violation of the provisions of this code or any other laws or ordinances of this jurisdiction.

❖ Repair work, maintenance procedures and similar work are exempt from the permit requirement provided that such work does not involve the replacement of any system components other than minor parts.

Literally, the only plumbing activities that are exempt from the requirement for a permit are drain cleaning and rodding and the repair or replacement of faucets, fill valves, flushometers and similar fixture trim and fittings. Any plumbing work that results in the alteration or disassembly of existing drain, waste, vent and water distribution piping would require a permit. Additionally, any plumbing work that involves the alteration of a plumbing fixture would require a permit.

106.3 Application for permit. Each application for a permit, with the required fee, shall be filed with the code official on a

form furnished for that purpose and shall contain a general description of the proposed work and its location. The application shall be signed by the owner or an authorized agent. The permit application shall indicate the proposed occupancy of all parts of the building and of that portion of the site or lot, if any, not covered by the building or structure and shall contain such other information required by the code official.

❖ This section limits persons who may apply for a permit to the building owner or an authorized agent. An owner's authorized agent could be anyone who is given written permission to act in the owner's interest for the purpose of obtaining a permit, such as an architect, engineer, contractor, tenant or other. Permit forms generally have sufficient space to write a very brief description of the work to be accomplished, which is acceptable for small jobs. For larger projects, the description will be augmented by construction documents.

106.3.1 Construction documents. Construction documents, engineering calculations, diagrams and other such data shall be submitted in two or more sets with each application for a permit. The code official shall require construction documents, computations and specifications to be prepared and designed by a registered design professional when required by state law. Construction documents shall be drawn to scale and shall be of sufficient clarity to indicate the location, nature and extent of the work proposed and show in detail that the work conforms to the provisions of this code. Construction documents for buildings more than two stories in height shall indicate where penetrations will be made for pipe, fittings and components and shall indicate the materials and methods for maintaining required structural safety, fire-resistance rating and fireblocking.

Exception: The code official shall have the authority to waive the submission of construction documents, calculations or other data if the nature of the work applied for is such that reviewing of construction documents is not necessary to determine compliance with this code.

❖ A detailed description of the work for which application is made must be submitted. When the work is of a "minor nature," either in scope or needed description, the code official may utilize judgement in determining the need for a detailed description of the work. An example of minor work that may not involve a detailed description is the replacement of an existing fixture in a plumbing system or the replacement or repair of a defective portion of a piping system.

These provisions are intended to reflect the minimum scope of information needed to determine code compliance. A statement on the construction documents such as, "All plumbing work must comply with the 2003 *International Plumbing Code*," is not an acceptable substitute for showing the required information.

This section also requires the code official to determine compliance with any state professional registration laws as they apply to the preparation of construction documents.

106.4 By whom application is made. Application for a permit shall be made by the person or agent to install all or part of any plumbing system. The applicant shall meet all qualifications established by statute, or by rules promulgated by this code, or by ordinance or by resolution. The full name and address of the applicant shall be stated in the application.

❖ The purpose of this section is to specify that the permit applicant is to meet all of the qualifications that may be established by the governmental enforcing agency. For example, some governmental enforcing agencies may require the permit applicant to be a registered design professional or licensee.

106.5 Permit issuance. The application, construction documents and other data filed by an applicant for permit shall be reviewed by the code official. If the code official finds that the proposed work conforms to the requirements of this code and all laws and ordinances applicable thereto, and that the fees specified in Section 106.6 have been paid, a permit shall be issued to the applicant.

❖ This section requires the code official to review all submittals for a permit for compliance with the code and to verify that the project will be carried out in accordance with any other applicable laws. This may involve inter-agency communication and cooperation so that all laws are being obeyed. Once the code official verifies this, a permit may be issued upon payment of the required fees.

106.5.1 Approved construction documents. When the code official issues the permit where construction documents are required, the construction documents shall be endorsed in writing and stamped "APPROVED." Such approved construction documents shall not be changed, modified or altered without authorization from the code official. All work shall be done in accordance with the approved construction documents.

The code official shall have the authority to issue a permit for the construction of a part of a plumbing system before the entire construction documents for the whole system have been submitted or approved, provided adequate information and detailed statements have been filed complying with all pertinent requirements of this code. The holders of such permit shall proceed at their own risk without assurance that the permit for the entire plumbing system will be granted.

❖ Construction documents that reflect compliance with code requirements form an integral part of the permit process. Successful prosecution of the work depends on these documents. This section requires the code official to stamp the complying construction documents as being "approved." Once approved, no further revisions to the documents may be made without the express authorization of the code official in order to maintain code compliance.

In the interest of saving time and coordinating construction phases, it is common practice for contractors to seek permits solely applicable to the installation of site work, such as water services and sewers. This practice allows the project to proceed before the final construction documents are completed, thus minimiz-

ing delays in the construction process. This also allows the builder to perform site work while the weather permits.

The holder of a partial permit must realize that a permit for the remainder of the plumbing system or structure may not be granted for various reasons. Issuance of a partial permit in no way guarantees issuance of a permit for the entire scope of the project.

106.5.2 Validity. The issuance of a permit or approval of construction documents shall not be construed to be a permit for, or an approval of, any violation of any of the provisions of this code or any other ordinance of the jurisdiction. No permit presuming to give authority to violate or cancel the provisions of this code shall be valid.

The issuance of a permit based upon construction documents and other data shall not prevent the code official from thereafter requiring the correction of errors in said construction documents and other data or from preventing building operations being carried on thereunder when in violation of this code or of other ordinances of this jurisdiction.

❖ An important code section, this section states the fundamental premise that the permit is only "a license to proceed with the work." It is not a license to "violate, cancel or set aside any provisions of the code." This is important because it means that despite any errors in the approval process, the permit applicant is responsible for code compliance.

106.5.3 Expiration. Every permit issued by the code official under the provisions of this code shall expire by limitation and become null and void if the work authorized by such permit is not commenced within 180 days from the date of such permit, or if the work authorized by such permit is suspended or abandoned at any time after the work is commenced for a period of 180 days. Before such work can be recommenced, a new permit shall be first obtained and the fee therefor shall be one-half the amount required for a new permit for such work, provided no changes have been made or will be made in the original construction documents for such work, and provided further that such suspension or abandonment has not exceeded 1 year.

❖ The permit becomes invalid under two distinct situations, both based on a six-month period. The first situation is when no work has started six months from issuance of the permit. The second situation is when there is no continuation of authorized work for six months. The person who was issued the permit should be notified in writing that it is invalid and what steps must be taken to restart the work.

This section also provides the administrative authority with a means of offsetting the costs associated with expired permits by charging a nominal fee for permit reissuance. If, however, the nature or scope of the work to be resumed is different from that covered by the original permit, then the permit process essentially starts from "scratch" and full fees are charged. The same procedure would also apply if the work has not commenced within one year of the date of permit issuance or if work has to be suspended for a year or more.

106.5.4 Extensions. Any permittee holding an unexpired permit shall have the right to apply for an extension of the time within which the permittee will commence work under that permit when work is unable to be commenced within the time required by this section for good and satisfactory reasons. The code official shall extend the time for action by the permittee for a period not exceeding 180 days if there is reasonable cause. No permit shall be extended more than once. The fee for an extension shall be one-half the amount required for a new permit for such work.

❖ While it is customary for a project to begin immediately following issuance of a permit, there are occasions when an unforeseen delay may occur. This section intends to afford the permit holder the opportunity to apply for and receive a single, 180-day extension within which to begin a project under a still-valid permit (i.e., less than 180 days old). The applicant must, however, provide the code official with an adequate explanation for the delay in starting a project, which could include such things as the need to obtain approvals or permits from other agencies having jurisdiction. This section requires the code official to determine what constitutes “good and satisfactory” reasons for any delay and further allows the jurisdiction to offset its administrative costs for extending the permit by charging one-half the fee for a new permit for the extension.

106.5.5 Suspension or revocation of permit. The code official shall revoke a permit or approval issued under the provisions of this code in case of any false statement or misrepresentation of fact in the application or on the construction documents upon which the permit or approval was based.

❖ A permit is in reality a license to proceed with the work. The code official, however, must revoke all permits shown to be based, all or in part, on any false statement or misrepresentation of fact. An applicant may subsequently reapply for a permit with the appropriate corrections or modifications made to the application and construction documents.

106.5.6 Retention of construction documents. One set of construction documents shall be retained by the code official until final approval of the work covered therein. One set of approved construction documents shall be returned to the applicant, and said set shall be kept on the site of the building or work at all times during which the work authorized thereby is in progress.

❖ Once the code official has stamped or endorsed as approved the construction documents on which the permit is based (see commentary, Section 106.4.1), one set of approved construction documents must be kept on the construction site to serve as the basis for all subsequent inspections. To avoid confusion, the construction documents on the site must be precisely the documents that were approved and stamped. This is because inspections are to be performed with regard to the approved documents. Additionally, the contractor cannot determine compliance with the approved construction documents unless such documents are readily available. Unless the approved construction documents are avail-

able, the inspection should be postponed and work on the project halted.

106.6 Fees. A permit shall not be issued until the fees prescribed in Section 106.6.2 have been paid, and an amendment to a permit shall not be released until the additional fee, if any, due to an increase of the plumbing systems, has been paid.

❖ All fees are to be paid prior to permit issuance. This requirement establishes that the permit applicant intends to proceed with the work, as well as facilitates payment.

106.6.1 Work commencing before permit issuance. Any person who commences any work on a plumbing system before obtaining the necessary permits shall be subject to 100 percent of the usual permit fee in addition to the required permit fees.

❖ This section is intended to serve as a deterrent to proceeding with work on a plumbing system without a permit (except as provided in Section 106.2). As a punitive measure, it doubles the cost of the permit fee. This section does not, however, intend to penalize a contractor called upon to do emergency work after hours, provided that he or she makes prompt notification to the code official the next business day and obtains the requisite permit for the work done and has the required inspections performed.

106.6.2 Fee schedule. The fees for all plumbing work shall be as indicated in the following schedule:

[JURISDICTION TO INSERT APPROPRIATE SCHEDULE]

❖ A published fee schedule must be established for plans examination, permits and inspections. Ideally, the department should generate revenues that cover operating costs and expenses. The permit fee schedule is an integral part of this process.

106.6.3 Fee refunds. The code official shall authorize the refunding of fees as follows:

1. The full amount of any fee paid hereunder that was erroneously paid or collected.
2. Not more than [SPECIFY PERCENTAGE] percent of the permit fee paid when no work has been done under a permit issued in accordance with this code.
3. Not more than [SPECIFY PERCENTAGE] percent of the plan review fee paid when an application for a permit for which a plan review fee has been paid is withdrawn or canceled before any plan review effort has been expended.

The code official shall not authorize the refunding of any fee paid except upon written application filed by the original permittee not later than 180 days after the date of fee payment.

❖ This section allows for a partial refund of fees resulting from the revocation, abandonment or discontinuance of a plumbing project for which a permit has been issued and fees have been collected. The incomplete work for which the excess fees are to be refunded refers to the work that would have been required by the department had the permit not been terminated. The refund of fees

should be related to the cost of enforcement services not provided because of termination of the project.

SECTION 107 INSPECTIONS AND TESTING

107.1 Required inspections and testing. The code official, upon notification from the permit holder or the permit holder's agent, shall make the following inspections and such other inspections as necessary, and shall either release that portion of the construction or shall notify the permit holder or an agent of any violations that must be corrected. The holder of the permit shall be responsible for the scheduling of such inspections.

1. Underground inspection shall be made after trenches or ditches are excavated and bedded, piping installed, and before any backfill is put in place.
2. Rough-in inspection shall be made after the roof, framing, fireblocking, firestopping, draftstopping and bracing is in place and all sanitary, storm and water distribution piping is roughed-in, and prior to the installation of wall or ceiling membranes.
3. Final inspection shall be made after the building is complete, all plumbing fixtures are in place and properly connected, and the structure is ready for occupancy.

❖ This section requires all portions of the plumbing system to be inspected before and after fixtures are installed. The code official has the authority to require all noncomplying plumbing to be brought into compliance and reinspected.

Inspections are necessary to determine that an installation conforms to all code requirements. Because the majority of a plumbing system is hidden within the building enclosure, periodic inspections are necessary before portions of the system are concealed. The code official is required to determine that plumbing systems and equipment are installed in accordance with the approved construction documents and the applicable code requirements. All inspections that are necessary to provide such verification must be conducted. Generally, the administrative rules of a department may list the required interim inspections. Construction that occurs in steps or phases may necessitate multiple inspections; therefore, an exact number of required inspections cannot be specified. Where violations are noted and corrections are required, reinspections may be necessary. As time permits, frequent inspections of some job sites, especially where the work is complex, can be beneficial in detecting code-compliance or other potential problems before they develop or become more difficult to correct.

It is the responsibility of the contractor, builder, owner or other authorized party to arrange for the required inspections and to coordinate them to prevent work from being concealed prior to being inspected.

1. Inspection of underground plumbing is especially important since once it is covered, it is the most challenging part of a plumbing system in which to

detect a leak. If repairs are necessary, underground repairs are proportionately more expensive due to the need for heavy equipment and the more labor-intensive nature of working below grade level (see Section 306 for trenching, excavation and backfill requirements).

2. A rough-in inspection is an inspection of all parts of the plumbing system that will eventually be concealed in the building structure. The inspection must be made before any of the system is closed up or hidden from view. To gain approval, the plumbing systems must pass the required rough-in tests.

A rough-in inspection may be completed in one visit or as a series of inspections. This is administratively determined by the local inspections department and is typically dependent on the size of the job.

3. A final inspection may be done as a series of inspections or in one visit, similar to a rough-in inspection. A final inspection is required prior to the approval of plumbing work and installations. For the construction of a new building, final approval is required prior to the issuance of the certificate of occupancy as specified in the IBC. To verify that all previously issued correction orders have been complied with and to determine if subsequent violations exist, a final inspection must be made. All violations observed during the final inspection must be noted with the permit holder advised of same.

The final inspection is made after the completion of the work or installation. Typically, the final inspection is an inspection of all that was installed after the rough-in inspection and not concealed in the building construction. Subsequent reinspections are necessary if the final inspection generates a notice of violation.

107.1.1 Approved agencies. Test reports submitted to the code official for consideration shall be developed by approved agencies that have satisfied the requirements as to qualifications and reliability.

❖ As an alternative to the code official conducting the inspection, he or she is permitted to accept inspections of, and reports by, approved inspection agencies. An approved agency may also conduct tests that are required by the code according to the definition of "Approved agency" in Section 202.

107.1.2 Evaluation and follow-up inspection services. Prior to the approval of a closed, prefabricated plumbing system and the issuance of a plumbing permit, the code official shall require the submittal of an evaluation report on each prefabricated plumbing system indicating the complete details of the plumbing system, including a description of the system and its components, the basis upon which the plumbing system is being evaluated, test results and similar information, and other data as necessary for the code official to determine conformance to this code.

❖ As an alternative to a physical inspection in the plant or location where prefabricated components are fabricated (such as modular homes, prefabricated structures, etc.), the code official has the option of accepting an evaluation report from an approved agency detailing such inspections. Such evaluation reports can serve as the basis for code compliance.

107.1.2.1 Evaluation service. The code official shall designate the evaluation service of an approved agency as the evaluation agency, and review such agency's evaluation report for adequacy and conformance to this code.

❖ The code official is required to review all submitted reports for conformity to the applicable code requirements. If, in the judgement of the code official, the submitted reports are acceptable, he or she should document the basis for the approval.

107.1.2.2 Follow-up inspection. Except where ready access is provided to all plumbing systems, service equipment and accessories for complete inspection at the site without disassembly or dismantling, the code official shall conduct the frequency of in-plant inspections necessary to ensure conformance to the approved evaluation report or shall designate an independent, approved inspection agency to conduct such inspections. The inspection agency shall furnish the code official with the follow-up inspection manual and a report of inspections upon request, and the plumbing system shall have an identifying label permanently affixed to the system indicating that factory inspections have been performed.

❖ The owner is required to provide special inspections of fabricated assemblies at the fabrication plant. The code official or an approved inspection agency must conduct periodic in-plant inspections to insure conformance to the approved evaluation report described in Section 107.1.2. Such inspections would not be required where the plumbing systems can be inspected completely at the job site.

107.1.2.3 Test and inspection records. All required test and inspection records shall be available to the code official at all times during the fabrication of the plumbing system and the erection of the building, or such records as the code official designates shall be filed.

❖ All testing and inspection records related to a fabricated assembly must be filed with the code official so he or she can maintain a complete and legal record of the assembly and erection of the building.

107.2 Special inspections. Special inspections of alternative engineered design plumbing systems shall be conducted in accordance with Sections 107.2.1 and 107.2.2.

❖ This section establishes that the design professional has to periodically inspect the alternative engineered design, keep records of such inspections and submit a final report to the code official certifying that all work conforms to the construction documents. Because of

the unusual nature and possible complexity of alternative engineered plumbing systems, it is necessary for the system designer to be involved in the inspection process.

107.2.1 Periodic inspection. The registered design professional or designated inspector shall periodically inspect and observe the alternative engineered design to determine that the installation is in accordance with the approved construction documents. All discrepancies shall be brought to the immediate attention of the plumbing contractor for correction. Records shall be kept of all inspections.

❖ The registered design professional must periodically inspect the engineered plumbing system during installation to determine that the system conforms to the approved construction documents. This is an important step because the design professional can identify any deviations from the approved plans in the early stages of the plumbing work. The design professional must then advise the plumbing contractor about any problems so that corrective measures can be taken before needless costs are incurred, and labor and materials are wasted.

The design professional must compile a complete legal record of the project, which must include all inspections made, discrepancies and resolutions of discrepancies. It is the responsibility of the design professional to document and submit inspection records and written certification in accordance with Section 107.2.2.

107.2.2 Written report. The registered design professional shall submit a final report in writing to the code official upon completion of the installation, certifying that the alternative engineered design conforms to the approved construction documents. A notice of approval for the plumbing system shall not be issued until a written certification has been submitted.

❖ After all work is completed, the design professional is required to perform an inspection of the entire alternative engineered plumbing system. The details of such inspection, including verification of compliance with the approved construction documents, must be submitted in writing to the code official before final approval can be granted.

107.3 Testing. Plumbing work and systems shall be tested as required in Section 312 and in accordance with Sections 107.3.1 through 107.3.3. Tests shall be made by the permit holder and observed by the code official.

❖ Visual inspection is not all that is required in the determination of a plumbing system's compliance with the code. This section establishes where and how testing is to be performed to disclose leaks and defects.

107.3.1 New, altered, extended or repaired systems. New plumbing systems and parts of existing systems that have been altered, extended or repaired shall be tested as prescribed herein

to disclose leaks and defects, except that testing is not required in the following cases:

1. In any case that does not include addition to, replacement, alteration or relocation of any water supply, drainage or vent piping.
2. In any case where plumbing equipment is set up temporarily for exhibition purposes.

❖ Every plumbing system must be tested before it is placed into service. Testing is necessary to make sure that the system is free from leaks or other defects. Testing is also required, to the extent practicable, for portions of existing systems that have been repaired, altered or extended.

107.3.2 Equipment, material and labor for tests. All equipment, material and labor required for testing a plumbing system or part thereof shall be furnished by the permit holder.

❖ The permit holder is responsible for performing tests, as well as for supplying all of the labor, equipment and apparatus necessary to conduct such tests. The code official observes but never performs the test.

107.3.3 Reinspection and testing. Where any work or installation does not pass any initial test or inspection, the necessary corrections shall be made to comply with this code. The work or installation shall then be resubmitted to the code official for inspection and testing.

❖ If a system or portion thereof does not pass the initial test or inspection, all violations must be corrected and the system must be reinspected.

To encourage code compliance and cover the expense of the code official's time, many jurisdictions charge fees for inspections that are required subsequent to the first reinspection.

107.4 Approval. After the prescribed tests and inspections indicate that the work complies in all respects with this code, a notice of approval shall be issued by the code official.

❖ After the code official has performed the required inspections and observed the required equipment and system tests (or has received written reports of the results of such tests), he or she must determine if the installation or work is in compliance with all applicable sections of the code. The code official must issue a written notice of approval if it has been determined that the subject plumbing work or installation is in apparent compliance with the code. The notice of approval is given to the permit holder, and a copy of such notice is retained on file by the code official.

107.5 Temporary connection. The code official shall have the authority to authorize the temporary connection of the building or system to the utility source for the purpose of testing plumbing systems or for use under a temporary certificate of occupancy.

❖ The typical procedure for a local jurisdiction is to withhold the issuance of the certificate of occupancy until

approvals have been received from each code official responsible for inspection of the structure. The code official is permitted to issue a temporary authorization to make connections to the public utility system prior to the completion of all work. The certification is intended to acknowledge that, because of seasonal limitations, time constraints, the need for testing or partial operation of equipment, some building systems may be connected even though the building is not suitable for final occupancy. The intent of this section is that a request for temporary occupancy or the connection and utilization of plumbing equipment or systems should not be denied when the requesting permit holder has demonstrated to the code official's satisfaction that the public health, safety and welfare will not be endangered.

The code official should view the issuance of a "temporary authorization or certificate of occupancy" as substantial an act as the issuance of the final certificate. Indeed, the issuance of a temporary certificate of occupancy offers a greater potential for conflict because once the building or structure is occupied, it is very difficult to remove the occupants through legal means.

SECTION 108 VIOLATIONS

108.1 Unlawful acts. It shall be unlawful for any person, firm or corporation to erect, construct, alter, repair, remove, demolish or utilize any plumbing system, or cause same to be done, in conflict with or in violation of any of the provisions of this code.

❖ This section describes the citing, recording and subsequent actions pursuant to observed code violations. Violations of the code are prohibited; this is the basis for all citations and correction notices.

108.2 Notice of violation. The code official shall serve a notice of violation or order to the person responsible for the erection, installation, alteration, extension, repair, removal or demolition of plumbing work in violation of the provisions of this code, or in violation of a detail statement or the approved construction documents thereunder, or in violation of a permit or certificate issued under the provisions of this code. Such order shall direct the discontinuance of the illegal action or condition and the abatement of the violation.

❖ The code official is required to notify the person responsible for the erection or use of a building found to be in violation of the code. The section that is allegedly being violated must be cited so that the responsible party can respond to the notice.

108.3 Prosecution of violation. If the notice of violation is not complied with promptly, the code official shall request the legal counsel of the jurisdiction to institute the appropriate proceeding at law or in equity to restrain, correct or abate such violation, or to require the removal or termination of the unlawful occupancy of the structure in violation of the provisions of this code or of the order or direction made pursuant thereto.

❖ The code official must pursue, through the use of legal counsel of the jurisdiction, legal means to correct the violation. This is not optional.

Any extensions of time so that the violations may be corrected voluntarily must be for a reasonable, bona fide cause, or the code official may be subject to criticism for “arbitrary and capricious” actions. In general, it is better to have a standard time limitation for correction of violations. Departures from this standard must be for a clear and reasonable purpose, usually stated in writing by the violator.

108.4 Violation penalties. Any person who shall violate a provision of this code or shall fail to comply with any of the requirements thereof or who shall erect, install, alter or repair plumbing work in violation of the approved construction documents or directive of the code official, or of a permit or certificate issued under the provisions of this code, shall be guilty of a [SPECIFY OFFENSE], punishable by a fine of not more than [AMOUNT] dollars or by imprisonment not exceeding [NUMBER OF DAYS], or both such fine and imprisonment. Each day that a violation continues after due notice has been served shall be deemed a separate offense.

❖ A standard fine or other penalty as deemed appropriate by the jurisdiction is prescribed in this section. Additionally, this section identifies a principle that “each day that a violation continues shall be deemed a separate offense” for the purpose of applying the prescribed penalty in order to facilitate prompt resolution.

108.5 Stop work orders. Upon notice from the code official, work on any plumbing system that is being done contrary to the provisions of this code or in a dangerous or unsafe manner shall immediately cease. Such notice shall be in writing and shall be given to the owner of the property, or to the owner’s agent, or to the person doing the work. The notice shall state the conditions under which work is authorized to resume. Where an emergency exists, the code official shall not be required to give a written notice prior to stopping the work. Any person who shall continue any work in or about the structure after having been served with a stop work order, except such work as that person is directed to perform to remove a violation or unsafe condition, shall be liable to a fine of not less than [AMOUNT] dollars or more than [AMOUNT] dollars.

❖ Upon receipt of a violation notice from the code official, the owner of the property, the owner’s agent or the person doing the work must immediately cease all construction activities identified in the notice, except as expressly permitted to correct the violation. A stop work order can prevent a violation from becoming worse and more difficult or expensive to correct. However, it can result in inconvenience and monetary loss to the affected parties; therefore, justification must be evident and judgement must be exercised before such order is issued.

A stop work order may be issued where work is proceeding without a permit. Hazardous conditions could develop where the code official is unaware of the nature of the work and a permit has not been issued.

The issuance of a stop work order on a plumbing system often results from work done by the plumbing contractor that affects a nonplumbing component. For example, if a plumbing contractor cuts a structural element to install piping or fixtures, the structure may be significantly weakened so as to cause a partial or complete structural failure. As determined by the adopting jurisdiction, a penalty, may be assessed for failure to comply with this section, and it is to be inserted in the blanks provided.

108.6 Abatement of violation. The imposition of the penalties herein prescribed shall not preclude the legal officer of the jurisdiction from instituting appropriate action to prevent unlawful construction or to restrain, correct or abate a violation, or to prevent illegal occupancy of a building, structure or premises, or to stop an illegal act, conduct, business or utilization of the plumbing on or about any premises.

❖ Despite the assessment of a penalty in the form of a fine or imprisonment against a violator, the violation itself must still be corrected. Failure to make the necessary corrections will result in the violator being subject to additional penalties as described in the preceding section.

108.7 Unsafe plumbing. Any plumbing regulated by this code that is unsafe or that constitutes a fire or health hazard, insanitary condition, or is otherwise dangerous to human life is hereby declared unsafe. Any use of plumbing regulated by this code constituting a hazard to safety, health or public welfare by reason of inadequate maintenance, dilapidation, obsolescence, fire hazard, disaster, damage or abandonment is hereby declared an unsafe use. Any such unsafe equipment is hereby declared to be a public nuisance and shall be abated by repair, rehabilitation, demolition or removal.

❖ Unsafe conditions include those that constitute a health hazard, fire hazard, explosion hazard, shock hazard, asphyxiation hazard, physical injury hazard or are otherwise dangerous to human life and property.

In the course of performing duties, the code official may identify a hazardous condition. Such condition must be declared in violation of the code and, therefore, must be abated. For example, while inspecting a plumbing installation, the code official may notice a leaking soil pipe that is causing structural decay, a missing cleanout plug or a defective water-heater relief valve. Even though the defective plumbing may be unrelated to the installation that the code official was called to inspect, he or she is obligated to address the hazard and have it corrected.

108.7.1 Authority to condemn equipment. Whenever the code official determines that any plumbing, or portion thereof, regulated by this code has become hazardous to life, health or property or has become insanitary, the code official shall order in writing that such plumbing either be removed or restored to a safe or sanitary condition. A time limit for compliance with such order shall be specified in the written notice. No person shall use or maintain defective plumbing after receiving such notice.

When such plumbing is to be disconnected, written notice as prescribed in Section 108.2 shall be given. In cases of immediate danger to life or property, such disconnection shall be made immediately without such notice.

❖ When a plumbing system or plumbing equipment is determined to be unsafe, the code official is required to notify the owner or agent of the building as the first step in correcting the difficulty. Such notice is to describe the repairs and improvements necessary to correct the deficiency or require the unsafe equipment or system to be removed or replaced. All such notices must specify a time frame in which the corrective actions must occur. Additionally, such notice should require the immediate response of the owner or agent. If he or she is not available, public notice of such declaration should suffice for the purposes of complying with this section. The code official may also determine that disconnection of the system is necessary to correct an unsafe condition and must give written notice to that effect (see commentary, Section 108.2) unless immediate disconnection is essential for public health and safety reasons (see commentary, Section 108.7.2).

108.7.2 Authority to disconnect service utilities. The code official shall have the authority to authorize disconnection of utility service to the building, structure or system regulated by the technical codes in case of an emergency, where necessary, to eliminate an immediate danger to life or property. Where possible, the owner and occupant of the building, structure or service system shall be notified of the decision to disconnect utility service prior to taking such action. If not notified prior to disconnecting, the owner or occupant of the building, structure or service systems shall be notified in writing, as soon as practical thereafter.

❖ The code official should have the authority to order disconnection of any plumbing supplied to a building, structure or equipment regulated by the code when it is determined that the equipment or any portion thereof has become an immediate danger. Written notice of such order to disconnect service and the causes therefor should be given to the owner and occupant of such building, structure or premises. However, disconnection should be done without such notice in cases of immediate danger to life or property.

108.7.3 Connection after order to disconnect. No person shall make connections from any energy, fuel, power supply or water distribution system or supply energy, fuel or water to any equipment regulated by this code that has been disconnected or ordered to be disconnected by the code official or the use of which has been ordered to be discontinued by the code official until the code official authorizes the reconnection and use of such equipment.

When any plumbing is maintained in violation of this code, and in violation of any notice issued pursuant to the provisions of this section, the code official shall institute any appropriate action to prevent, restrain, correct or abate the violation.

❖ Once the reason for discontinuation of use or disconnection of the plumbing system no longer exists, only

the code official can authorize resumption of use or reconnection of the system after it is demonstrated to his or her satisfaction that all repairs or other work are in compliance with applicable sections of the code. This section also requires him or her to take action to abate code violations (see commentary, Section 108.2).

SECTION 109 MEANS OF APPEAL

109.1 Application for appeal. Any person shall have the right to appeal a decision of the code official to the board of appeals. An application for appeal shall be based on a claim that the true intent of this code or the rules legally adopted thereunder have been incorrectly interpreted, the provisions of this code do not fully apply, or an equally good or better form of construction is proposed. The application shall be filed on a form obtained from the code official within 20 days after the notice was served.

❖ This section holds that any aggrieved party with a material interest in the decision of the code official may challenge such a decision before a board of appeals. This provides a forum, other than the court of jurisdiction, in which to review the code official's actions.

This section literally allows any person to appeal a decision of the code official. In practice, this section has been interpreted to permit appeals only by aggrieved parties with a material or definitive interest in the decision of the code official. An aggrieved party may not appeal a code requirement per se. The intent of the appeal process is not to waive or set aside a code requirement; rather, it is to provide a means of reviewing a code official's decision on an interpretation or application of the code or to review the equivalency of protection to the code requirements.

109.2 Membership of board. The board of appeals shall consist of five members appointed by the chief appointing authority as follows: one for 5 years, one for 4 years, one for 3 years, one for 2 years and one for 1 year. Thereafter, each new member shall serve for 5 years or until a successor has been appointed.

❖ The board of appeals is to consist of five members appointed by the "chief appointing authority"—typically, the mayor or city manager. One member is to be appointed for five years, one for four, one for three, one for two and one for one year. This method of appointment allows for a smooth transition of board of appeals members, allowing continuity of action over the years.

109.2.1 Qualifications. The board of appeals shall consist of five individuals, one from each of the following professions or disciplines:

1. Registered design professional who is a registered architect; or a builder or superintendent of building construction with at least 10 years' experience, 5 years of which shall have been in responsible charge of work.
2. Registered design professional with structural engineering or architectural experience.

3. Registered design professional with mechanical and plumbing engineering experience; or a mechanical and plumbing contractor with at least 10 years' experience, 5 years of which shall have been in responsible charge of work.
 4. Registered design professional with electrical engineering experience; or an electrical contractor with at least 10 years' experience, 5 years of which shall have been in responsible charge of work.
 5. Registered design professional with fire protection engineering experience; or a fire protection contractor with at least 10 years' experience, 5 years of which shall have been in responsible charge of work.
- ❖ The board of appeals consists of five persons with the qualifications and experience indicated in this section. One must be a registered design professional (see Item 2) with structural or architectural experience. The others must be registered design professionals, construction superintendents or contractors with experience in various areas of building construction. These requirements are important in that technical people rule on technical matters. The board of appeals is not the place for policy or political deliberations. It is intended that these matters be decided purely on their technical merits, with due regard for state-of-the-art construction technology.

109.2.2 Alternate members. The chief appointing authority shall appoint two alternate members who shall be called by the board chairman to hear appeals during the absence or disqualification of a member. Alternate members shall possess the qualifications required for board membership, and shall be appointed for 5 years or until a successor has been appointed.

- ❖ This section authorizes the chief appointing authority to appoint two alternate members who are to be available if the principal members of the board are absent or disqualified. Alternate members must possess the same qualifications as the principal members and are appointed for a term of five years or until such time that a successor is appointed.

109.2.3 Chairman. The board shall annually select one of its members to serve as chairman.

- ❖ It is customary to determine chairmanship annually so that a regular opportunity is available to evaluate and either reappoint the current chairman or appoint a new one.

109.2.4 Disqualification of member. A member shall not hear an appeal in which that member has any personal, professional or financial interest.

- ❖ All members must disqualify themselves regarding any appeal in which they have a personal, professional or financial interest.

109.2.5 Secretary. The chief administrative officer shall designate a qualified clerk to serve as secretary to the board. The secretary shall file a detailed record of all proceedings in the office of the chief administrative officer.

- ❖ The chief administrative officer is to designate a qualified clerk to serve as secretary to the board. The secretary is required to record the proceedings using detailed records.

109.2.6 Compensation of members. Compensation of members shall be determined by law.

- ❖ Members of the board of appeals are not required to be compensated unless required by the local municipality or jurisdiction.

109.3 Notice of meeting. The board shall meet upon notice from the chairman, within 10 days of the filing of an appeal or at stated periodic meetings.

- ❖ The board must meet within 10 days of the filing of an appeal or at regularly scheduled meetings.

109.4 Open hearing. All hearings before the board shall be open to the public. The appellant, the appellant's representative, the code official and any person whose interests are affected shall be given an opportunity to be heard.

- ❖ All hearings before the board must be open to the public. The appellant, the appellant's representative, the code official and any person whose interests are affected must be heard.

109.4.1 Procedure. The board shall adopt and make available to the public through the secretary procedures under which a hearing will be conducted. The procedures shall not require compliance with strict rules of evidence, but shall mandate that only relevant information be received.

- ❖ The board is required to establish and make available to the public written procedures detailing how hearings are to be conducted. Additionally, this section provides that although strict rules of evidence are not applicable, the information presented must be deemed relevant.

109.5 Postponed hearing. When five members are not present to hear an appeal, either the appellant or the appellant's representative shall have the right to request a postponement of the hearing.

- ❖ When all five members of the board are not present, either the appellant or the appellant's representative may request a postponement of the hearing.

109.6 Board decision. The board shall modify or reverse the decision of the code official by a concurring vote of three members.

- ❖ A concurring vote of three members of the board is needed to modify or reverse the decision of the code official.

109.6.1 Resolution. The decision of the board shall be by resolution. Certified copies shall be furnished to the appellant and to the code official.

- ❖ A formal decision in the form of a resolution is required to provide an official record. Copies of this resolution are

to be furnished to both the appellant and the code official. The code official is bound by the action of the board of appeals unless he or she thinks that the board of appeals has acted improperly. In such cases, relief through the court having jurisdiction may be sought by corporate council.

109.6.2 Administration. The code official shall take immediate action in accordance with the decision of the board.

❖ To avoid any undue hindrance in the progress of construction, the code official is required to act without delay based on the board's decision. This action may be to enforce the decision or to seek legislative relief if the board's action can be demonstrated to be inappropriate.

109.7 Court review. Any person, whether or not a previous party of the appeal, shall have the right to apply to the appropriate court for a writ of certiorari to correct errors of law. Application for review shall be made in the manner and time required by law following the filing of the decision in the office of the chief administrative officer.

❖ This section allows any person to request a review by the court of jurisdiction with regard to perceived errors of law. Application for such review must be made after the decision of the board is filed with the chief administrative officer. This helps to establish the observance of due process for all concerned.

Bibliography

The following resource materials are referenced in this chapter or are relevant to the subject matter addressed in this chapter.

ARI 1010 - 94, *Self-Contained, Mechanically-Refrigerated Drinking-Water Coolers*. Arlington, VA: Air-Conditioning & Refrigeration Institute, 1994.

ASME A112.6.3-01, *Floor and Trench Drains*. New York: American Society of Mechanical Engineers, 2001.

CSA B79-94 (2000), *Floor, Area and Shower Drains, and Cleanouts for Residential Construction*. Rexdale (Toronto), Ontario, Canada: Canadian Standards Association, 1994.

IFGC-2003, *International Fuel Gas Code*. Falls Church, VA: International Code Council, Inc., 2003.

Legal Aspects of Code Administration. Country Club Hills, IL: International Code Council, 2002.

This is a preview of "ICC IPC-2003 Comment...". [Click here to purchase the full version from the ANSI store.](#)

Chapter 2: Definitions

General Comments

The words or terms defined in this chapter are deemed to be of prime importance in both specifying the subject matter of code provisions and giving meaning to certain terms used throughout the code for administrative or enforcement purposes.

Purpose

Codes, by their very nature, are technical documents. As such, literally every word, term and punctuation mark can add to or change the meaning of the intended result. This

is even more so with a performance code where the desired result often takes on more importance than the specific words.

Furthermore, the code, with its broad scope of applicability, includes terms inherent in a variety of construction disciplines. These terms can often have multiple meanings depending on the context or discipline being used at the time.

For these reasons, it is necessary to maintain a consensus on the specific meaning of terms contained in the code. Chapter 2 performs this function by stating clearly what specific terms mean for the purpose of the code.

SECTION 201 GENERAL

201.1 Scope. Unless otherwise expressly stated, the following words and terms shall, for the purposes of this code, have the meanings shown in this chapter.

❖ This section contains language and provisions that are supplemental regarding the use of Chapter 2. The subsections give guidance to the use of the defined words relevant to tense, gender, etc. Finally, this chapter provides the means to resolve those terms not defined.

201.2 Interchangeability. Words stated in the present tense include the future; words stated in the masculine gender include the feminine and neuter; the singular number includes the plural and the plural the singular.

❖ While the definitions contained in Chapter 2 are to be taken literally, gender and tense are considered to be interchangeable. This is so that any grammatical inconsistencies within the code do not hinder the understanding or enforcement of the requirements.

201.3 Terms defined in other codes. Where terms are not defined in this code and are defined in the *International Building Code*, *International Fire Code*, *ICC Electrical Code*, *International Fuel Gas Code* or the *International Mechanical Code*, such terms shall have the meanings ascribed to them as in those codes.

❖ When a word or term appears in the code that is not defined in this chapter, other references may be used to find its definition, such as the other *International Codes*® in the ICC family of codes, which are coordinated to prevent conflict between documents.

201.4 Terms not defined. Where terms are not defined through the methods authorized by this section, such terms shall have ordinarily accepted meanings such as the context implies.

❖ Another resource for defining words or terms not defined herein or in other codes is their “ordinarily accepted meanings.” The intent of this statement is that a dictionary definition could suffice, provided that such definition refers to the context.

Some of the construction terms used throughout the code may not be defined in Chapter 2 or in a dictionary. In such a case, one would first turn to the definitions contained in the referenced standards (see Chapter 13) and then to published textbooks on the subject in question.

SECTION 202 GENERAL DEFINITIONS

ACCEPTED ENGINEERING PRACTICE. That which conforms to accepted principles, tests or standards of nationally recognized technical or scientific authorities.

❖ The code makes frequent reference to a variety of consensus standards. Where a requirement is not based on a specific standard but on a body of knowledge of a particular engineering or construction discipline, this term is used.

It is also understood that where the code is silent on a subject, any rules that could be applicable in the interest of public safety must be in accordance with that body of knowledge called “accepted engineering practice.” The code official can enforce this concept through the use of Section 102.9, entitled “Requirements Not