

This is a preview of "S+ IEC 60794-4-20 Ed...". Click here to purchase the full version from the ANSI store.



Edition 2.0 2018-08

REDLINE VERSION



**Optical fibre cables –
Part 4-20: Sectional specification – Aerial optical cables along electrical power
lines – Family specification for ADSS (all dielectric self-supported) optical cables**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.180.10

ISBN 978-2-8322-6009-8

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
1 Scope.....	7
2 Normative references	7
3 Terms, definitions and abbreviated terms	8
4 Optical fibres	10
General.....	
Attenuation	
Attenuation coefficient.....	
Attenuation discontinuities.....	
Cut-off wavelength of cabled fibre	
Fibre colouring	
Polarisation mode dispersion (PMD).....	
5 Cable elements	11
6 Optical fibre cable constructions	11
6.1 General.....	11
Optical unit	
6.2 Cable protection elements	11
7 Main requirements for installation and operating conditions	12
8 Cable design considerations	12
9 Cable tests	13
9.1 General.....	13
Classification of tests	
Type tests.....	
Factory acceptance tests	
Routine tests	
9.2 Tensile performance.....	14
9.2.1 General	14
9.2.2 Family requirement	15
9.2.3 Test conditions	15
9.3 Sheave test.....	15
9.3.1 General	15
9.3.2 Family requirement	16
9.3.3 Test conditions	16
Installation capability.....	
9.4 Repeated bending.....	16
9.4.1 General	16
9.4.2 Family requirements.....	16
9.4.3 Test conditions	16
9.5 Impact	17
9.5.1 General	17
9.5.2 Family requirements.....	17
9.5.3 Test conditions	17
9.6 Crush.....	17
9.6.1 General	17
9.6.2 Test requirements.....	17

9.6.3	Test conditions	17
Kink		
9.7	Torsion	18
9.7.1	General	18
9.7.2	Test requirements	18
Vibration testing		
9.8	Aeolian vibration test.....	18
9.8.1	General	18
9.8.2	Family requirements.....	18
9.8.3	Test conditions	18
9.8.4	Parameters to be reported.....	18
9.9	Low frequency vibration test (galloping test)	19
9.9.1	General	19
9.9.2	Family requirements.....	19
9.9.3	Test conditions	19
9.10	Temperature cycling.....	20
9.10.1	General	20
9.10.2	Family requirements.....	20
9.10.3	Test conditions	20
9.11	Water penetration	20
9.12	Weathering resistance Cable UV resistance.....	21
9.13	Tracking and erosion resistance test.....	21
9.14	Creep behaviour	21
9.15	Fitting compatibility	22
Factory acceptance tests		
Routine tests		
10	Quality assurance.....	23
Annex A (informative)	Packaging and marking.....	24
Annex B (informative)	Installation considerations for ADSS cables.....	25
Annex C (informative)	Electrical test (tracking)	27
C.1	General.....	27
C.2	Option C1 C2 – Sheath material qualification	27
C.2.1	Overview	27
C.2.2	Test arrangements	27
C.2.3	Test procedure.....	28
C.2.4	Requirements	28
Option C2 – Example of test for Sahara desert conditions		
C.3	Option C3 – Pollution level and tracking resistance	31
C.3.1	Overview	31
C.3.2	Test setup.....	31
C.3.3	Test method.....	33
C.3.4	Overview of pollution model and electrical test.....	34
Annex D (informative)	All dielectric self-supported (ADSS) cables to be used in overhead power lines (blank detail specification)	36
Bibliography	38

~~Figure – Draft of test equipment~~

~~Figure – Test chamber~~

This is a preview of "S+ IEC 60794-4-20 Ed...". [Click here to purchase the full version from the ANSI store.](#)

Figure B.1 – Example of different span lengths allowed for the same cable, depending on sag variation	26
Figure C.1 – Electric scheme for the test	31
Figure C.2 – Foils of the electrodes	32
Figure C.3 – Nozzle	32
Figure C.4 – Details for the spraying	33
Figure C.5 – Pollution model Distributed element model with dry band arc gap.....	34
Figure C.6 – Basic circuit for arcing test Thevenin equivalent circuit	35
Table 1 – Cable design characteristics	13
Table 2 – Optional parameters (if required by customer).....	13
Table C.1 – R_{eq} and C_{eq} values for different pollution index values	33
Table D.1 – Blank detail specification	36

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPTICAL FIBRE CABLES –

Part 4-20: Sectional specification – Aerial optical cables along electrical power lines – Family specification for ADSS (all dielectric self-supported) optical cables

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

DISCLAIMER

This Redline version is not an official Standard and is intended to provide the user with an indication of what changes have been made to the previous version. Only the IEC International Standard provided in this package is to be considered the official Standard.

This Redline version provides you with a quick and easy way to compare all the changes between this standard and its previous edition. A vertical bar appears in the margin wherever a change has been made. Additions are in green text, deletions are in strikethrough red text.

This is a preview of "S+ IEC 60794-4-20 Ed...". Click here to purchase the full version from the ANSI store.

International Standard IEC 60794-4-20 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

This second edition cancels and replaces the first edition published in 2012 and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) this document has been streamlined by cross-referencing IEC 60794-1-1, IEC 60794-4 (all parts) and IEC 60794-1-2;
- b) reference to the MICE table has been deleted;
- c) the example of test method for particular environment in Annex C has been deleted;

The text of this International Standard is based on the following documents:

FDIS	Report on voting
86A/1867/FDIS	86A/1876/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 60794 series, published under the general title *Optical fibre cables*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

OPTICAL FIBRE CABLES –

Part 4-20: Sectional specification – Aerial optical cables along electrical power lines – Family specification for ADSS (all dielectric self-supported) optical cables

1 Scope

This part of IEC 60794-4, which is a family specification, covers optical telecommunication cables, commonly with single-mode fibres¹ ~~to be~~ used primarily in overhead power lines applications. The cables ~~may~~ can also be used in other overhead utility networks, such as for telephony or TV services. Requirements of the sectional specification IEC 60794-4 for aerial optical cables along electrical power lines are applicable to cables covered by this document.

This document covers the construction, mechanical, electrical, and optical performance, installation guidelines, acceptance criteria, test requirements, environmental considerations, and accessories compatibility for an all dielectric, self-supporting fibre optic (ADSS) cable. This document provides construction and performance requirements that ensure, within the guidelines of this document, that the ~~required mechanical capabilities~~ integrity of the cable components ~~and maintenance of optical fibre integrity and optical transmissions are proper~~ as well as optical fibre mechanical reliability and transmission parameters are maintained.

The ADSS cable consists of single mode optical fibres contained in one or more protective dielectric fibre optic units surrounded by or attached to suitable dielectric strength members and sheaths. The cable does not contain metallic components. An ADSS cable is designed to meet the optical and mechanical requirements under different ~~types of~~ installation, operating and environmental conditions and loadings, as described in Annex B.

This document excludes any "lashed" or "wrapped" OPAC cables included in IEC 60794-4. Figure 8 aerial cables are also excluded; they are specified in IEC 60794-3-20.

~~Cables intended for installation in conformity with ISO/IEC 24702 and related standards may require the specification of additional tests to ensure their suitability in the applicable environments defined by the mechanical, ingress, climatic and chemical, and electromagnetic (MICE) classification. These tests are outside of the scope of IEC 60794 cable specifications, and MICE criteria are not part of the requirements for IEC 60794 specifications. The MICE tests may be the same as, similar to, or substantially different from, the tests required by IEC 60794 specifications. Cables manufactured per IEC 60794 specifications may or may not meet the MICE criteria. For supplemental discussion, see IEC/TR 62362.~~

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

~~IEC 60304, Standard colours for insulation for low-frequency cables and wires~~

~~IEC 60793-1-40, Optical fibres — Part 1-40: Measurement methods and test procedures — Attenuation~~

¹ In some particular situations in the electrical industry, short overhead links can be also designed with multimode fibres.

This is a preview of "S+ IEC 60794-4-20 Ed...". Click here to purchase the full version from the ANSI store.

~~IEC 60793-1-44, Optical fibres – Part 1-44: Measurement methods and test procedures – Cut-off wavelength~~

~~IEC 60793-1-48, Optical fibres – Part 1-48: Measurement methods and test procedures – Polarization mode dispersion~~

IEC 60793-2, Optical fibres – Part 2: Product specifications – General

IEC 60793-2-50, Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres

IEC 60794-1-1, Optical fibre cables – Part 1: Generic specification – General

~~IEC 60794-1-2, Optical fibre cables – Part 1-2: Generic specification – Basic optical cable test procedures^{2,3}~~

IEC 60794-1-21:2015, Optical fibre cables – Part 1-21: Generic specification – Basic optical cable test procedures – Mechanical test methods

IEC 60794-1-22, Optical fibre cables – Part 1-22: Generic specification – Basic optical cable test procedures – Environmental test methods

~~IEC 60794-1-23, Optical fibre cables – Part 1-23: Generic specification – Basic optical cable test procedures – Cable element test methods~~

IEC 60794-4, Optical fibre cables – Part 4: Sectional Specification – Aerial optical cables along electrical power lines

~~IEC 61395, Overhead electrical conductors – Creep test procedures for stranded conductors~~

ISO 9001, Quality management systems – Requirements

² ~~This document has been withdrawn, but can still be purchased, if necessary. Until IEC 60794-1-21 will be available, the tests stated in Clause 9 have to be taken from IEC 60794-1-2.~~

³ ~~This standard will be replaced by IEC 60794-1-21, Optical fibre cables – Part 1-21: Generic specification – Basic optical cable test procedures – Mechanical test methods (see also Bibliography), as soon as it will be available.~~



INTERNATIONAL STANDARD

NORME INTERNATIONALE



Optical fibre cables –

Part 4-20: Sectional specification – Aerial optical cables along electrical power lines – Family specification for ADSS (all dielectric self-supported) optical cables

Câbles à fibres optiques –

Partie 4-20: Spécification intermédiaire – Câbles optiques aériens le long des lignes électriques de puissance – Spécification de famille pour les câbles optiques autoporteurs entièrement diélectriques (ADSS)



CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	6
3 Terms, definitions and abbreviated terms	7
4 Optical fibres	7
5 Cable elements	7
6 Optical fibre cable constructions	7
6.1 General.....	7
6.2 Cable protection elements.....	7
7 Main requirements for installation and operating conditions	8
8 Cable design considerations	8
9 Cable tests	9
9.1 General.....	9
9.2 Tensile performance.....	9
9.2.1 General	9
9.2.2 Family requirement	9
9.2.3 Test conditions	9
9.3 Sheave test.....	9
9.3.1 General	9
9.3.2 Family requirement	9
9.3.3 Test conditions	9
9.4 Repeated bending.....	10
9.4.1 General	10
9.4.2 Family requirements.....	10
9.4.3 Test conditions	10
9.5 Impact	10
9.5.1 General	10
9.5.2 Family requirements.....	10
9.5.3 Test conditions	10
9.6 Crush.....	10
9.6.1 General	10
9.6.2 Test requirements	11
9.6.3 Test conditions	11
9.7 Torsion	11
9.7.1 General	11
9.7.2 Test requirements	11
9.8 Aeolian vibration test.....	11
9.8.1 General	11
9.8.2 Family requirements.....	11
9.8.3 Test conditions	11
9.8.4 Parameters to be reported.....	11
9.9 Low frequency vibration test (galloping test)	12
9.9.1 General	12
9.9.2 Family requirements.....	12
9.9.3 Test conditions	12

9.10	Temperature cycling	12
9.10.1	General	12
9.10.2	Family requirements.....	12
9.10.3	Test conditions	12
9.11	Water penetration	13
9.12	Cable UV resistance.....	13
9.13	Tracking and erosion resistance test.....	13
9.14	Creep	13
9.15	Fitting compatibility	14
10	Quality assurance.....	14
Annex A (informative) Packaging and marking.....		15
Annex B (informative) Installation considerations for ADSS cables.....		16
Annex C (informative) Electrical test (tracking)		18
C.1	General.....	18
C.2	Option C2 – Sheath material qualification	18
C.2.1	Overview	18
C.2.2	Test arrangements	18
C.2.3	Test procedure.....	19
C.2.4	Requirements	19
C.3	Option C3 – Pollution level and tracking resistance	19
C.3.1	Overview	19
C.3.2	Test setup.....	20
C.3.3	Test method.....	22
C.3.4	Overview of pollution model and electrical test.....	22
Annex D (informative) All dielectric self-supported (ADSS) cables to be used in overhead power lines (blank detail specification)		24
Bibliography		26
Figure B.1 – Example of different span lengths allowed for the same cable, depending on sag variation		17
Figure C.1 – Electric scheme for the test.....		20
Figure C.2 – Foils of the electrodes.....		20
Figure C.3 – Nozzle		21
Figure C.4 – Details for the spraying		21
Figure C.5 – Distributed element model with dry band arc gap.....		23
Figure C.6 – Thevenin equivalent circuit.....		23
Table 1 – Cable design characteristics		8
Table 2 – Optional parameters (if required by customer).....		8
Table C.1 – R_{eq} and C_{eq} values for different pollution index values.....		22
Table D.1 – Blank detail specification.....		24

INTERNATIONAL ELECTROTECHNICAL COMMISSION

OPTICAL FIBRE CABLES –

Part 4-20: Sectional specification – Aerial optical cables along electrical power lines – Family specification for ADSS (all dielectric self-supported) optical cables

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60794-4-20 has been prepared by subcommittee 86A: Fibres and cables, of IEC technical committee 86: Fibre optics.

This second edition cancels and replaces the first edition published in 2012 and constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) this document has been streamlined by cross-referencing IEC 60794-1-1, IEC 60794-4 (all parts) and IEC 60794-1-2;
- b) reference to the MICE table has been deleted;
- c) the example of test method for particular environment in Annex C has been deleted;

This is a preview of "S+ IEC 60794-4-20 Ed...". [Click here to purchase the full version from the ANSI store.](#)

The text of this International Standard is based on the following documents:

FDIS	Report on voting
86A/1867/FDIS	86A/1876/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all the parts in the IEC 60794 series, published under the general title *Optical fibre cables*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

OPTICAL FIBRE CABLES –

Part 4-20: Sectional specification – Aerial optical cables along electrical power lines – Family specification for ADSS (all dielectric self-supported) optical cables

1 Scope

This part of IEC 60794-4, which is a family specification, covers optical telecommunication cables, commonly with single-mode fibres¹ used primarily in overhead power lines applications. The cables can also be used in other overhead utility networks, such as for telephony or TV services. Requirements of the sectional specification IEC 60794-4 for aerial optical cables along electrical power lines are applicable to cables covered by this document.

This document covers the construction, mechanical, electrical, and optical performance, installation guidelines, acceptance criteria, test requirements, environmental considerations, and accessories compatibility for an all dielectric, self-supporting fibre optic (ADSS) cable. This document provides construction and performance requirements that ensure, within the guidelines of this document, that the required mechanical integrity of the cable components as well as optical fibre mechanical reliability and transmission parameters are maintained.

The ADSS cable consists of single mode optical fibres contained in one or more protective dielectric fibre optic units surrounded by or attached to suitable dielectric strength members and sheaths. The cable does not contain metallic components. An ADSS cable is designed to meet the optical and mechanical requirements under different installation, operating and environmental conditions and loadings, as described in Annex B.

This document excludes any "lashed" or "wrapped" OPAC cables included in IEC 60794-4. Figure 8 aerial cables are also excluded; they are specified in IEC 60794-3-20.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60793-2, *Optical fibres – Part 2: Product specifications – General*

IEC 60793-2-50, *Optical fibres – Part 2-50: Product specifications – Sectional specification for class B single-mode fibres*

IEC 60794-1-1, *Optical fibre cables – Part 1: Generic specification – General*

IEC 60794-1-21:2015, *Optical fibre cables – Part 1-21: Generic specification – Basic optical cable test procedures – Mechanical test methods*

IEC 60794-1-22, *Optical fibre cables – Part 1-22: Generic specification – Basic optical cable test procedures – Environmental test methods*

¹ In some particular situations in the electrical industry, short overhead links can be also designed with multimode fibres.

This is a preview of "S+ IEC 60794-4-20 Ed...". [Click here to purchase the full version from the ANSI store.](#)

IEC 60794-4, Optical fibre cables – Part 4: Sectional specification – Aerial optical cables along electrical power lines

ISO 9001, Quality management systems – Requirements