



Edition 3.0 2026-02

# INTERNATIONAL STANDARD

EXTENDED VERSION

This full version of IEC 60335-2-105:2026 includes the content of the references made to IEC 60335-1:2020+AMD1:2025

**Household and similar electrical appliances - Safety -  
Part 2-105: Particular requirements for multifunctional shower cabinets**

---

**IEC 60335-1**  
Edition 6.0 2020-09

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –**  
**Part 1: General requirements**

**INTERPRETATION SHEET 1**

This interpretation sheet has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

The text of this Interpretation Sheet is based on the following documents:

Draft	Report on voting
61/5999/DISH	61/6009/RVDISH

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

---

**INTRODUCTION**

Edition 6 of IEC 60335-1:2020 defines and introduces requirements for a detachable power supply part of an appliance. In the document, 24.2 prohibits the use of a power supply in a flexible cord.

**QUESTION:**

Does Subclause 24.2 prohibit the use of a detachable power supply part?

**ANSWER**

No, a "detachable power supply part" is a defined term and is not captured by the term "power supply" as used in Subclause 24.2.

NOTE A detachable power supply part is captured by the defined term when the output of the power supply part is detachable from the class III construction part of the appliance at:

- the power supply part, or
- the class III construction part of the appliance.

However, the supply cord (if any) does not have to be detachable from the detachable power supply part.

---

**IEC 60335-1**  
Edition 6.0 2020-09

**Household and similar electrical appliances - Safety -  
Part 1: General requirements**

**INTERPRETATION SHEET 2**

This interpretation sheet has been prepared by IEC technical committee 61: Safety of household and similar electrical appliances.

The text of this interpretation sheet is based on the following documents:

DISH	Report on voting
61/7436/DISH	61/7464/RVDISH

Full information on the voting for the approval of this interpretation sheet can be found in the report on voting indicated in the above table.

---

**TC 61 interpretation sheet on: Mechanical shock and vibration testing on large metal-ion batteries of IEC 60335-1:2020**

**INTRODUCTION**

Currently the standard mentions:

**B.24.1** *The relevant standards for non-acid based electrolyte **cells** employed in **batteries** are IEC 62133-1:2017 for nickel systems and IEC 62133-2:2017 for lithium systems.*

NOTE The requirement for **cells** does not extend to the **battery** itself.

*A **battery** that uses metal-ion chemistry shall additionally be subjected to the tests of Subclauses 7.3.8.1 (vibration) and 7.3.8.2 (mechanical shock) of IEC 62133-2:2017.*

When Annex B was written for the IEC 60335-1 edition 6, the batteries foreseen were for portable applications and rather lightweight. The IEC 62133-2:2017 standard referred to is applicable to portable lithium batteries only.

shock and vibration are not suitable.

**QUESTION:**

What test sequence for mechanical shock and vibration can be followed for large batteries?

**ANSWER:**

For practical reasons, IEC 60335-1 should follow the same differentiation as the UN 38.3 transport test or IEC 62281 standard (Safety of primary and secondary lithium cells and batteries during transport).

For larger batteries with a mass exceeding 12 kg, Subclauses 6.4.3 (Test T-3: Vibration) and 6.4.4 (Test T-4: Shock) of IEC 62281:2019, including AMD1:2021 and AMD2:2023, may be applied.

NOTE 1 The tests are technically identical to Test T.3 and Test T.4 of the UN manual of tests and criteria, section 38.3 rev.8 (2023).

NOTE 2 In accordance with Table 5 of IEC 62281:2019, testing is carried out on the battery without packaging.

This is a preview of IEC 60335-2-105 Ed. 3.0 en:2026 EXV. [Click here to purchase the full version from the ANSI s](#)

FOREWORD .....	5
INTRODUCTION to IEC 60335-1:2020 .....	8
INTRODUCTION to IEC 60335-2-105:2026 .....	10
1 Scope .....	11
2 Normative references .....	11
3 Terms and definitions .....	16
4 General requirement .....	28
5 General conditions for the tests .....	29
6 Classification .....	33
7 Marking and instructions .....	34
8 Protection against access to live parts .....	43
9 Starting of motor-operated appliances .....	45
10 Power input and current .....	45
11 Heating .....	47
12 Charging of metal-ion batteries .....	54
13 Leakage current and electric strength at operating temperature .....	55
14 Transient overvoltages .....	58
15 Moisture resistance .....	59
16 Leakage current and electric strength .....	61
17 Overload protection of transformers and associated circuits .....	63
18 Endurance .....	64
19 Abnormal operation .....	64
20 Stability and mechanical hazards .....	75
21 Mechanical strength .....	76
22 Construction .....	78
23 Internal wiring .....	92
24 Components .....	94
25 Supply connection and external flexible cords .....	99
26 Terminals for external conductors .....	107
27 Provision for earthing .....	110
28 Screws and connections .....	112
29 Clearances, creepage distances and solid insulation .....	114
30 Resistance to heat and fire .....	123
31 Resistance to rusting .....	128
32 Radiation, toxicity and similar hazards .....	128
Annex A (informative) Routine tests .....	143
Annex B (normative) Battery-operated appliances, separable batteries and detachable batteries for battery-operated appliances .....	145
Annex C (normative) Ageing test on motors .....	169
Annex D (normative) Thermal motor protectors .....	170
Annex E (normative) Needle-flame test .....	171
Annex F (normative) Capacitors .....	172

This is a preview of IEC 60335-2-105 Ed. 3.0 en:2026 EXV. [Click here to purchase the full version from the ANSI s](#)

Annex H (normative) Switches .....	175
Annex I (normative) Motors having basic insulation that is inadequate for the rated voltage of the appliance .....	177
Annex J (normative) Coated printed circuit boards .....	179
Annex K (informative) Overvoltage categories .....	180
Annex L (informative) Guidance for the measurement of clearances and creepage distances .....	181
Annex M (informative) Pollution degree .....	185
Annex N (normative) Proof tracking test.....	186
Annex O (informative) Selection and sequence of the tests of Clause 30 .....	187
Annex P (informative) Guidance for the application of this standard to appliances used in tropical climates .....	192
Annex Q (informative) Sequence of tests for the evaluation of electronic circuits .....	194
Annex R (normative) Software evaluation .....	197
Annex S (informative) Guidance for the application of this standard on measurement of power input and current based on the requirements of 10.1 and 10.2 concerning the representative period .....	212
Annex T (normative) UV-C radiation effect on non-metallic materials .....	213
Annex U (normative) Appliances intended for remote communication through public networks .....	216
Annex AA (informative) Example of a multifunctional shower cabinet .....	221
Annex BB (informative) Example of a separate multifunctional shower unit .....	222
Bibliography.....	223
Index of defined terms .....	226
Figure 1 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of class II appliances and for parts of class II construction .....	130
Figure 2 – Circuit diagram for leakage current measurement at operating temperature for single-phase connection of other than class II appliances or parts of class II construction .....	131
Figure 3 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral class II appliances and for parts of class II construction .....	132
Figure 4 – Circuit diagram for leakage current measurement at operating temperature for three-phase with neutral appliances other than those of class II or parts of class II construction .....	133
Figure 5 – Small part .....	134
Figure 6 – Example of an electronic circuit with low-power points .....	134
Figure 7 – Test finger nail .....	135
Figure 8 – Flexing test apparatus.....	136
Figure 9 – Constructions of cord anchorages .....	137
Figure 10 – An example of parts of an earthing terminal .....	138
Figure 11 – Examples of clearances .....	139
Figure 12 – Example of the placement of the cylinder .....	140
Figure 13 – Small parts cylinder.....	141
Figure 14 – Example of a specified operating region of a lithium-ion cell during charging .....	142

This is a preview of IEC 60335-2-105 Ed. 3.0 en:2026 EXV. [Click here to purchase the full version from the ANSI s](#)

normative Annex B (1 of 2) .....	166
Figure B.2 – Examples of correct polarity connection marking representing three batteries .....	168
Figure I.1 – Simulation of faults .....	178
Figure L.2 – Sequence for the determination of creepage distances .....	183
Figure L.3 – Measurement of clearances .....	183
Figure O.1 – Tests for resistance to heat .....	187
Figure O.2 – Selection and sequence of tests for resistance to fire in hand-held appliances .....	188
Figure O.3 – Selection and sequence of tests for resistance to fire in attended appliances .....	188
Figure O.4 – Selection and sequence of tests for resistance to fire in unattended appliances .....	189
Figure O.5 – Some applications of the term "within a distance of 3 mm" .....	191
Figure Q.1 – Flowchart outlining the sequence of tests for the evaluation of electronic circuits (1 of 2).....	195
Figure R.1 – Examples of software separation .....	208
Figure S.1 – Flowchart giving guidance on measurement of power input and current concerning the representative period .....	212
Figure AA.1 – Example of a multifunctional shower cabinet .....	221
Figure BB.1 – Example of a separate multifunctional shower unit .....	222
Table 1 – Power input deviation .....	45
Table 2 – Current deviation.....	46
Table 3 – Maximum normal temperature rises.....	50
Table 101 – Maximum temperature rises for air outlets and specified external accessible surfaces within the shower cabinet under normal operating conditions .....	53
Table 4 – Voltage for electric strength test.....	57
Table 5 – Characteristics of high-voltage sources .....	58
Table 6 – Impulse test voltage .....	58
Table 7 – Test voltages.....	63
Table 8 – Maximum winding temperature .....	67
Table 9 – Maximum abnormal temperature rise.....	72
Table 20 – Halogen-free cord sets and cords.....	97
Table 10 – Dimensions of cables and conduits.....	100
Table 11 – Minimum cross-sectional area of conductors .....	102
Table 12 – Pull force and torque .....	105
Table 13 – Nominal cross-sectional area of conductors .....	109
Table 14 – Torque for testing screws and nuts.....	113
Table 15 – Rated impulse voltage .....	115
Table 16 – Minimum clearances.....	116
Table 17 – Minimum creepage distances for basic insulation .....	120
Table 18 – Minimum creepage distances for functional insulation .....	121
Table 19 – Minimum thickness for accessible parts of reinforced insulation consisting of a single layer .....	123

This is a preview of IEC 60335-2-105 Ed. 3.0 en:2026 EXV. [Click here to purchase the full version from the ANSI s](#)

Table B.1 – Artificial source characteristics.....	147
Table B.2 – Total area of openings for metal-ion cells.....	156
Table B.3 – Volume of air injected at 2 070 kPa.....	156
Table C.1 – Test conditions .....	169
Table R.1 – General fault/error conditions.....	199
Table R.2 – Specific fault/error conditions.....	201
Table R.3 – Semi-formal methods .....	207
Table R.4 – Software architecture specification .....	207
Table R.8 – Principles of software partitioning .....	208
Table R.5 – Module design specification .....	209
Table R.6 – Design and coding standards.....	209
Table R.7 – Software safety validation .....	210
Table T.1 – Minimum property retention limits after UV-C exposure .....	214
Table U.1 – Acceptable measures against unauthorised access and transmission fault/error modes .....	218

## Household and similar electrical appliances - Safety - Part 2-105: Particular requirements for multifunctional shower cabinets

### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

This extended version (EXV) of the official IEC Standard provides the user with the full content of the Standard.

IEC 60335-2-105:2026 EXV includes the content of IEC 60335-2-105:2026 and the references made to IEC 60335-1:2020+AMD1:2025.

The specific content of IEC 60335-2-105:2026 is displayed on a [blue background](#).

This is a preview of IEC 60335-2-105 Ed. 3.0 en:2026 EXV. [Click here to purchase the full version from the ANSI s](#)

similar electrical appliances. It is an International Standard.

This third edition cancels and replaces the second edition published in 2016 and Amendment 1:2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) alignment with IEC 60335-1:2020;
- b) conversion of some notes to normative text (Clause 1);
- c) updates to the surface temperature requirements (11.8, Table 101).

The text of this International Standard is based on the following documents:

Draft	Report on voting
61/7539/FDIS	61/7543/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at [www.iec.ch/members\\_experts/refdocs](http://www.iec.ch/members_experts/refdocs). The main document types developed by IEC are described in greater detail at [www.iec.ch/publications](http://www.iec.ch/publications).

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments unless that edition precludes it; in that case, the latest edition that does not preclude it is used. It was established on the basis of the sixth edition (2020) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Particular requirements for multifunctional shower cabinets.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications*: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

This is a preview of IEC 60335-2-105 Ed. 3.0 en:2026 EXV. [Click here to purchase the full version from the ANSI s](#)

*electrical appliances - Safety*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under [webstore.iec.ch](http://webstore.iec.ch) in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

Guidance documents concerning the application of the safety requirements for appliances can be accessed via TC 61 supporting documents on the IEC website –

[www.iec.ch/tc61/supportingdocuments](http://www.iec.ch/tc61/supportingdocuments)

This information is given for the convenience of users of this International Standard and does not constitute a replacement for the normative text in this standard.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If the functions of an appliance are covered by different parts 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

Throughout this publication, when "part 2" is mentioned, it refers to the relevant part of IEC 60335.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal publications, basic safety publications and group safety publications covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards.

Individual countries may wish to consider the application of this standard, as far as is reasonable, to appliances not mentioned in a part 2, and to appliances designed on new principles. In this case, consideration should be given to defining normal operation, specifying the classification of the appliance according to Clause 6 and specifying whether the appliance is operated attended or unattended. Consideration should also be given to particular categories of likely users and to related specific risks such as access to live parts, hot surfaces or hazardous moving parts.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of this standard if, when examined and tested, it is found to have other features which impair the level of safety covered by these requirements.

This is a preview of IEC 60335-2-105 Ed. 3.0 en:2026 EXV. [Click here to purchase the full version from the ANSI s](#)

In the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with this standard.

NOTE 3 Standards dealing with non-safety aspects of household appliances are:

- IEC standards published by TC 59 concerning methods of measuring performance;
- CISPR 11, CISPR 14-1 and relevant IEC 61000-3 series standards concerning electromagnetic emissions;
- CISPR 14-2 concerning electromagnetic immunity;
- IEC standards published by TC 111 concerning environmental matters.

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

Guidance documents concerning the application of the safety requirements for appliances can be accessed via TC 61 supporting documents on the IEC website

<https://www.iec.ch/tc61/supportingdocuments>

This information is given for the convenience of users of this International Standard and does not constitute a replacement for the normative text in this standard.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules can differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal publications, basic safety publications and group safety publications covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

NOTE 3 Standards dealing with non-safety aspects of household appliances are:

- IEC standards published by TC 59 concerning methods of measuring performance;
- CISPR 11, CISPR 14-1 and relevant IEC 61000-3 series standards concerning electromagnetic emissions;
- CISPR 14-2 concerning electromagnetic immunity;
- IEC standards published by TC 111 concerning environmental matters.

This part of IEC 60335 deals with the safety of electric **multifunctional shower cabinets** and electric **separate multifunctional shower units** for household and similar purposes, their **rated voltage** being not more than 250 V for single-phase appliances and 480 V for other appliances including DC supplied appliances.

Appliances not intended for normal household use but which nevertheless can be a source of danger to the public, such as appliances intended to be used by laymen in hotels, fitness centres and similar locations, are within the scope of this standard.

As far as is practicable, this standard deals with the common hazards presented by appliances that are encountered by all persons in and around the home. However, in general, it does not take into account

- persons (including children) whose
  - physical, sensory or mental capabilities; or
  - lack of experience and knowledge
 prevents them from using the appliance safely without supervision or instruction;
- children playing with the appliance.

Attention is drawn to the fact that

- for appliances intended to be used in vehicles or on board ships or aircraft, additional requirements can be necessary;
- in many countries, additional requirements are specified by the national health authorities, the national water supply authorities, the national authorities responsible for the protection of labour and similar authorities;
- in many countries, mechanical strength, impact resistance and shattering properties of shower enclosures can be covered by national regulations.

If an appliance incorporates a part that is within the scope of IEC 60598 series or IEC 62368 series, the part is tested in accordance with the relevant standard as far as reasonable.

This standard does not apply to

- instantaneous water heaters used for showering (IEC 60335-2-35);
- shower-boost pumps (IEC 60335-2-41);
- appliances intended for medical purposes;
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas).

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60034-1, *Rotating electrical machines – Part 1: Rating and performance*

IEC 60061-1, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 1: Lamp caps*

IEC 60068-2-2, *Environmental testing – Part 2-2: Tests – Test B: Dry heat*

*primarily for equipment-type specimens*

IEC 60068-2-75, *Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests*

IEC 60068-2-78, *Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state*

IEC TR 60083, *Plugs and socket-outlets for domestic and similar general use standardized in member countries of IEC*

IEC 60085, *Electrical insulation – Thermal evaluation and designation*

IEC 60112:2020, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials*<sup>1</sup>

IEC 60127 (all parts), *Miniature fuses*

IEC 60227-5:2024, *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V - Part 5: Flexible cables (cords)*

IEC 60238, *Edison screw lampholders*

IEC 60245-4, *Rubber insulated cables - Rated voltages up to and including 450/750 V - Part 4: Cords and flexible cables*

IEC 60252-1:2010, *AC motor capacitors – Part 1: General – Performance, testing and rating – Safety requirements – Guidance for installation and operation*  
IEC 60252-1:2010/AMD1:2013<sup>2</sup>

IEC 60309-2, *Plugs, socket-outlets and couplers for industrial purposes – Part 2: Dimensional interchangeability requirements for pin and contact-tube accessories*

IEC 60320 (all parts), *Appliance couplers for household and similar general purposes*

IEC 60320-1, *Appliance couplers for household and similar general purposes – Part 1: General requirements*

IEC 60320-2-3, *Appliance couplers for household and similar general purposes – Part 2-3: Appliance couplers with a degree of protection higher than IPX0*

IEC 60320-3, *Appliance couplers for household and similar general purposes – Part 3: Standard sheets and gauges*

IEC 60384-14:2023, *Fixed capacitors for use in electronic equipment - Part 14: Sectional specification - Fixed capacitors for electromagnetic interference suppression and connection to the supply mains*<sup>3</sup>

IEC 60417, *Graphical symbols for use on equipment*

---

<sup>1</sup> Void

<sup>2</sup> There exists a consolidated edition 2.1:2013 that includes edition 2 and its Amendment 1.

<sup>3</sup> Void

*Identification of equipment terminals, conductor terminations and conductors*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*

IEC 60529:1989/AMD1:1999

IEC 60529:1989/AMD2:2013<sup>4</sup>

IEC 60598-1:2024, *Luminaires - Part 1: General requirements and tests*<sup>5</sup>

IEC 60603-11, *Connectors for frequencies below 3 MHz for use with printed boards – Part 11: Detail specification for concentric connectors (dimensions for free connectors and fixed connectors)*

IEC 60664-1:2020, *Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests*

IEC 60664-1:2020/AMD1:2025

IEC 60664-3:2016, *Insulation coordination for equipment within low-voltage systems – Part 3: Use of coating, potting or moulding for protection against pollution*

IEC 60664-4:2005, *Insulation coordination for equipment within low-voltage systems – Part 4: Consideration of high-frequency voltage stress*

IEC 60691, *Thermal-links – Requirements and application guide*

IEC 60695-2-11:2021, *Fire hazard testing - Part 2-11: Glowing/hot-wire based test methods - Glow-wire flammability test method for end-products (GWEPT)*

IEC 60695-2-12, *Fire hazard testing – Part 2-12: Glowing/hot-wire based test methods – Glow-wire flammability index (GWFI) test method for materials*

IEC 60695-2-13, *Fire hazard testing – Part 2-13: Glowing/hot-wire based test methods – Glow-wire ignition temperature (GWIT) test method for materials*

IEC 60695-10-2, *Fire hazard testing – Part 10-2: Abnormal heat – Ball pressure test*

IEC 60695-11-5:2016, *Fire hazard testing – Part 11-5: Test flames – Needle-flame test method – Apparatus, confirmatory test arrangement and guidance*

IEC 60695-11-10, *Fire hazard testing – Part 11-10: Test flames – 50 W horizontal and vertical flame test methods*

IEC 60730-1:2022, *Automatic electrical controls - Part 1: General requirements*<sup>6</sup>

IEC 60730-2-9, *Automatic electrical controls - Part 2-9: Particular requirements for temperature sensing controls*<sup>7</sup>

---

<sup>4</sup> There exists a consolidated edition 2.2:2013 that includes edition 2 and its Amendment 1 and Amendment 2.

<sup>5</sup> Void

<sup>6</sup> Void

<sup>7</sup> Void

*Particular requirements for motor-starting relays*

IEC 60738-1, *Thermistors – Directly heated positive temperature coefficient – Part 1: Generic specification*

IEC 60747-5-5:2020, *Semiconductor devices - Part 5-5: Optoelectronic devices - Photocouplers*

IEC 60799, *Electrical accessories – Cord sets and interconnection cord sets*

IEC 60906-1, *IEC system of plugs and socket-outlets for household and similar purposes – Part 1: Plugs and socket-outlets 16 A 250 V a.c.*

IEC 60934, *Circuit-breakers for equipment (CBE)*

IEC 60990:2016, *Methods of measurement of touch current and protective conductor current*

IEC 60998-2-1, *Connecting devices for low-voltage circuits for household and similar purposes Part 2-1: Particular requirements for connecting devices as separate entities with screw-type clamping units*

IEC 60998-2-2, *Connecting devices for low-voltage circuits for household and similar purposes - Part 2-2: Particular requirements for connecting devices as separate entities with screwless-type clamping units*

IEC 60999-1:1999, *Connecting devices – Electrical copper conductors – Safety requirements for screw-type and screwless-type clamping units – Part 1: General requirements and particular requirements for clamping units for conductors from 0,2 mm<sup>2</sup> up to 35 mm<sup>2</sup> (included)*

IEC 61000-4-2, *Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test*

IEC 61000-4-3, *Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test*

IEC 61000-4-4, *Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test*

IEC 61000-4-5, *Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test*

IEC 61000-4-6, *Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields*

IEC 61000-4-11:2020, *Electromagnetic compatibility (EMC) – Part 4-11: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current up to 16 A per phase*

IEC 61000-4-13:2002, *Electromagnetic compatibility (EMC) – Part 4-13: Testing and measurement techniques – Harmonics and interharmonics including mains signalling at a.c. power port, low frequency immunity tests*

IEC 61000-4-13:2002/AMD2:2015<sup>8</sup>

IEC 61000-4-34:2005, *Electromagnetic compatibility (EMC) – Part 4-34: Testing and measurement techniques – Voltage dips, short interruptions and voltage variations immunity tests for equipment with input current more than 16 A per phase*  
IEC 61000-4-34:2005/AMD1:2009<sup>9</sup>

IEC 61032, *Protection of persons and equipment by enclosures - Probes for verification*

IEC 61058-1:2016, *Switches for appliances – Part 1: General requirements*

IEC 61058-1-1:2016, *Switches for appliances – Part 1-1: Requirements for mechanical switches*

IEC 61058-1-2:2016, *Switches for appliances – Part 1-2: Requirements for electronic switches*

IEC 61180, *High-voltage test techniques for low-voltage equipment – Definitions, test and procedure requirements, test equipment*

IEC 61210, *Connecting devices – Flat quick-connect terminations for electrical copper conductors – Safety requirements*

IEC 61558-1:2017, *Safety of transformers, reactors, power supply units and combinations thereof – Part 1: General requirements and tests*

IEC 61558-2-6, *Safety of transformers, reactors, power supply units and combinations thereof - Part 2-6: Particular requirements and tests for safety isolating transformers and power supply units incorporating safety isolating transformers for general applications*

IEC 61558-2-16:2021, *Safety of transformers, reactors, power supply units and combinations thereof - Part 2-16: Particular requirements and tests for switch mode power supply units and transformers for switch mode power supply units for general applications*<sup>10</sup>

IEC 61770, *Electric appliances connected to the water mains – Avoidance of backsiphonage and failure of hose-sets*

IEC 62133-1, *Secondary cells and batteries containing alkaline or other non-acid electrolytes - Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications - Part 1: Nickel systems*

IEC 62133-2:2017<sup>11</sup>, *Secondary cells and batteries containing alkaline or other non-acid electrolytes - Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications - Part 2: Lithium systems*  
IEC 62133-2:2017/AMD1:2021

IEC 62151, *Safety of equipment electrically connected to a telecommunication network*

IEC 62471, *Photobiological safety of lamps and lamp systems*

<sup>8</sup> There exists a consolidated edition 1.2:2015 that includes edition 1 and its Amendment 1 and Amendment 2.

<sup>9</sup> There exists a consolidated edition 1.1:2009 that includes edition 1 and its Amendment 1.

<sup>10</sup> Void

<sup>11</sup> There exists a consolidated edition 1.1:2021 that includes edition 1 and its Amendment 1.

IEC 60050-482:2004, *International Electrotechnical Vocabulary (IEV) – Part 482: Primary and secondary cells and batteries*

IEC 60086-1, *Primary batteries – Part 1: General*

IEC 60086-2, *Primary batteries – Part 2: Physical and electrical specifications*

IEC 60227-3, *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 3: Non-sheathed cables for fixed wiring*

IEC 60227-7, *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V – Part 7: Flexible cables screened and unscreened with two or more conductors*

IEC 60245-3, *Rubber insulated cables – Rated voltages up to and including 450/750 V – Part 3: Heat resistant silicone insulated cables*

IEC 60245-7, *Rubber insulated cables – Rated voltages up to and including 450/750 V – Part 7: Heat resistant ethylene-vinyl acetate rubber insulated cables*

IEC 60335-2-29, *Household and similar electrical appliances – Safety – Part 2-29: Particular requirements for battery chargers*

IEC 60335-2-35, *Household and similar electrical appliances - Safety - Part 2-35: Particular requirements for instantaneous water heaters*

IEC 60335-2-41, *Household and similar electrical appliances - Safety - Part 2-41: Particular requirements for pumps*

IEC 60364 (all parts), *Low voltage electrical installations*

IEC 60598 (all parts), *Luminaires*

IEC 60601 (all parts), *Medical electrical equipment*

IEC 60695-2-11:2021, *Fire hazard testing - Part 2-11: Glowing/hot-wire based test methods - Glow-wire flammability test method for end products (GWEPT)*

IEC 60721-2-1, *Classification of environmental conditions – Part 2-1: Environmental conditions appearing in nature – Temperature and humidity*

IEC 60730 (all parts), *Automatic electrical controls*

IEC 60745 (all parts), *Hand-held motor-operated electric tools – Safety*

IEC 60825-1:2014, *Safety of laser products – Part 1: Equipment classification and requirements*

IEC 60950-1, *Information technology equipment – Safety – Part 1: General requirements*

IEC 61000-3-2, *Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current  $\leq 16$  A per phase)*

This is a preview of IEC 60335-2-105 Ed. 3.0 en:2026 EXV. [Click here to purchase the full version from the ANSI s](#)

*changes, voltage fluctuations and flicker in public low-voltage supply systems, for equipment with rated current  $\leq 16$  A per phase and not subject to conditional connection*

IEC 61029 (all parts), *Safety of transportable motor-operated electric tools*

IEC 61508-3:2010, *Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 3: Software requirements*

IEC 61508-7:2010, *Functional safety of electrical/electronic/programmable electronic safety-related systems – Part 7: Overview of techniques and measures*

IEC 62280, *Railway applications – Communication, signalling and processing systems – Safety related communication in transmission systems*

IEC 62368 (all parts), *Audio/video, information and communication technology equipment*

IEC 62368-1, *Audio/video, information and communication technology equipment – Part 1: Safety requirements*

IEC 62841 (all parts), *Electric motor-operated hand-held tools, transportable tools and lawn and garden machinery – Safety*

CISPR 11, *Industrial, scientific and medical equipment – Radio-frequency disturbance characteristics – Limits and methods of measurement*

CISPR 14-1, *Electromagnetic compatibility – Requirements for household appliances, electric tools and similar apparatus – Part 1: Emission*

CISPR 14-2, *Electromagnetic compatibility – Requirements for household appliances, electric tools and similar apparatus – Part 2: Immunity – Product family standard*

ISO 8124-1:2022, *Safety of toys – Part 1: Safety aspects related to mechanical and physical properties*

ISO/IEC 9796 (all parts), *Information technology – Security techniques – Digital signature scheme giving message recovery*

ISO/IEC 9797 (all parts), *Information technology – Security techniques – Message Authentication Codes (MACs)*

ISO/IEC 9798 (all parts), *IT Security techniques – Entity authentication*

ISO/IEC 10118 (all parts), *IT Security techniques – Hash-functions*

ISO/IEC 11770 (all parts), *IT Security techniques – Key management*

ISO/IEC 14888 (all parts), *IT Security techniques – Digital signatures with appendix*

ISO/IEC 15946 (all parts), *Information technology – Security techniques – Cryptographic techniques based on elliptic curves*

ISO/IEC 18033 (all parts), *Information technology – Security techniques – Encryption algorithms*

ISO/IEC 19772 (all parts), *Information technology – Security techniques – Authenticated encryption*

*cryptography*

IEC Guide 104, *The preparation of safety publications and the use of basic safety publications and group safety publications*

IEC Guide 108, *Guidelines for ensuring the coherence of IEC publications – Horizontal functions, horizontal publications and their application*

IEC Guide 110, *Home control systems – Guidelines relating to safety*

IEC Guide 117, *Electrotechnical equipment – Temperatures of touchable hot surfaces*

ISO/IEC Guide 14, *Products and related services – Information for consumers*

ISO/IEC Guide 50, *Safety aspects – Guidelines for child safety in standards and other specifications*

ISO/IEC Guide 51, *Safety aspects – Guidelines for their inclusion in standards*

ISO/IEC Guide 71, *Guide for addressing accessibility in standards*