

Edition 3.0 2008-02

INTERNATIONAL STANDARD

Household and similar electrical appliances – Safety – Part 2-91: Particular requirements for walk-behind and hand-held lawn trimmers and lawn edge trimmers

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE



CONTENTS

3 Definitions 8 4 General requirement 9 5 General conditions for the tests 9 6 Classification 9 7 Marking and instructions 10 8 Protection against access to live parts 11 9 Starting of motor-operated appliances 11 10 Power input and current 11 11 Heating 11 12 Void 11 13 Leakage current and electric strength at operating temperature 11 14 Transient overvoltages 11 15 Moisture resistance 11 16 Leakage current and electric strength 12 17 Overload protection of transformers and associated circuits 12 18 Endurance 12 19 Abnormal operation 12 20 Stability and mechanical hazards 12 21 Mechanical strength 14 22 Construction 15 3 Internal wiring 17 24 Components 17 25 Supply connection and external flexible cords 17 26 Terminals for external conductors 18 27 Provision for earthing 18 28	FΟ	REWORD	4
2 Normative references .7 3 Definitions .8 4 General requirement .9 5 General conditions for the tests .9 6 Classification .9 7 Marking and instructions .10 8 Protection against access to live parts .11 9 Starting of motor-operated appliances .11 10 Power input and current .11 11 Heating .11 12 Void .11 13 Leakage current and electric strength at operating temperature .11 14 Transient overvoltages .11 15 Moisture resistance .11 16 Leakage current and electric strength .12 17 Overload protection of transformers and associated circuits .12 18 Endurance .12 19 Abnormal operation .12 20 Stability and mechanical hazards .12 21 Mechanical strength .14 22 Construction .15 <	INT	RODUCTION	6
2 Normative references .7 3 Definitions .8 4 General requirement .9 5 General conditions for the tests .9 6 Classification .9 7 Marking and instructions .10 8 Protection against access to live parts .11 9 Starting of motor-operated appliances .11 10 Power input and current .11 11 Heating .11 12 Void .11 13 Leakage current and electric strength at operating temperature .11 14 Transient overvoltages .11 15 Moisture resistance .11 16 Leakage current and electric strength .12 17 Overload protection of transformers and associated circuits .12 18 Endurance .12 19 Abnormal operation .12 20 Stability and mechanical hazards .12 21 Mechanical strength .14 22 Construction .15 <			
3 Definitions 8 4 General requirement 9 5 General conditions for the tests 9 6 Classification 9 7 Marking and instructions 10 8 Protection against access to live parts 11 9 Starting of motor-operated appliances 11 10 Power input and current 11 11 Heating 11 12 Void 11 13 Leakage current and electric strength at operating temperature 11 14 Transient overvoltages 11 15 Moisture resistance 11 16 Leakage current and electric strength 12 17 Overload protection of transformers and associated circuits 12 18 Endurance 12 19 Abnormal operation 12 20 Stability and mechanical hazards 12 21 Mechanical strength 14 22 Construction 15 3 Internal wiring 17 24 Components 17 25 Supply connection and external flexible cords 17 26 Terminals for external conductors 18 27 Provision for earthing 18 28	1	Scope	7
4 General requirement. 9 5 General conditions for the tests 9 6 Classification 9 7 Marking and instructions 10 8 Protection against access to live parts 11 9 Starting of motor-operated appliances 11 10 Power input and current 11 11 Heating 11 12 Void 11 13 Leakage current and electric strength at operating temperature 11 14 Transient overvoltages 11 15 Moisture resistance 11 16 Leakage current and electric strength at operating temperature 12 17 Overload protection of transformers and associated circuits 12 18 Endurance 12 19 Abnormal operation 12 20 Stability and mechanical hazards 12 21 Mechanical strength 14 22 Construction 15 23 Internal wiring 17 24 Components 17	2	Normative references	7
5 General conditions for the tests 9 6 Classification 9 7 Marking and instructions 10 8 Protection against access to live parts 11 9 Starting of motor-operated appliances 11 10 Power input and current 11 11 Heating 11 12 Void 11 13 Leakage current and electric strength at operating temperature 11 14 Transient overvoltages 11 15 Moisture resistance 11 16 Leakage current and electric strength 12 17 Overload protection of transformers and associated circuits 12 18 Endurance 12 19 Abnormal operation 12 20 Stability and mechanical hazards 12 21 Mechanical strength 14 22 Stability and mechanical hazards 12 23 Internal wiring 15 24 Construction 15 25 Supply connection and external flexible cords 17	3	Definitions	8
6 Classification 9 7 Marking and instructions 10 8 Protection against access to live parts 11 9 Starting of motor-operated appliances 11 10 Power input and current 11 11 Heating 11 12 Void 11 13 Leakage current and electric strength at operating temperature 11 14 Transient overvoltages 11 15 Moisture resistance 11 16 Leakage current and electric strength 12 17 Overload protection of transformers and associated circuits 12 18 Endurance 12 19 Abnormal operation 12 20 Stability and mechanical hazards 12 21 Mechanical strength 14 22 Construction 15 23 Internal wiring 17 24 Components 17 25 Supply connection and external flexible cords 17 26 Terminals for external conductors 18	4	General requirement	9
7 Marking and instructions 10 8 Protection against access to live parts 11 9 Starting of motor-operated appliances 11 10 Power input and current 11 11 Heating 11 12 Void 11 13 Leakage current and electric strength at operating temperature 11 14 Transient overvoltages 11 15 Moisture resistance 11 16 Leakage current and electric strength 12 17 Overload protection of transformers and associated circuits 12 18 Endurance 12 19 Abnormal operation 12 20 Stability and mechanical hazards 12 21 Mechanical strength 14 22 Construction 15 23 Internal wiring 17 24 Components 17 25 Supply connection and external flexible cords 17 26 Terminals for external conductors 18 27 Provision for earthing 18 <td>5</td> <td>General conditions for the tests</td> <td>9</td>	5	General conditions for the tests	9
8 Protection against access to live parts 11 9 Starting of motor-operated appliances 11 10 Power input and current 11 11 Heating 11 11 Heating 11 12 Void 11 13 Leakage current and electric strength at operating temperature 11 14 Transient overvoltages 11 15 Moisture resistance 11 16 Leakage current and electric strength 12 17 Overload protection of transformers and associated circuits 12 18 Endurance 12 19 Abnormal operation 12 20 Stability and mechanical hazards 12 21 Mechanical strength 14 22 Construction 15 23 Internal wiring 17 24 Components 17 25 Supply connection and external flexible cords 17 26 Terminals for external conductors 18 27 Provision for earthing 18	6	Classification	9
9 Starting of motor-operated appliances 11 10 Power input and current 11 11 Heating 11 12 Void 11 13 Leakage current and electric strength at operating temperature 11 14 Transient overvoltages 11 15 Moisture resistance 11 16 Leakage current and electric strength 12 17 Overload protection of transformers and associated circuits 12 18 Endurance 12 19 Abnormal operation 12 20 Stability and mechanical hazards 12 21 Mechanical strength 14 22 Construction 15 23 Internal wiring 15 24 Components 17 25 Supply connection and external flexible cords 17 26 Terminals for external conductors 18 27 Provision for earthing 18 28 Screws and connections 18 29 Clearances, creepage distances and solid insulation 18 30 Resistance to heat and fire 18 31 Resistance to rusting 18 32 Radiation, toxicity and similar hazards 19 Annexes 24 </td <td>7</td> <td>Marking and instructions</td> <td>10</td>	7	Marking and instructions	10
10 Power input and current 11 11 Heating 11 12 Void 11 13 Leakage current and electric strength at operating temperature 11 14 Transient overvoltages 11 15 Moisture resistance 11 16 Leakage current and electric strength 12 17 Overload protection of transformers and associated circuits 12 18 Endurance 12 19 Abnormal operation 12 20 Stability and mechanical hazards 12 21 Mechanical strength 14 22 Construction 15 23 Internal wiring 15 24 Components 17 25 Supply connection and external flexible cords 17 26 Terminals for external conductors 18 27 Provision for earthing 18 28 Screws and connections 18 29 Clearances, creepage distances and solid insulation 18 30 Resistance to heat and fire 18 <	8	Protection against access to live parts	11
11 Heating 11 12 Void 11 13 Leakage current and electric strength at operating temperature 11 14 Transient overvoltages 11 15 Moisture resistance 11 16 Leakage current and electric strength 12 17 Overload protection of transformers and associated circuits 12 18 Endurance 12 19 Abnormal operation 12 20 Stability and mechanical hazards 12 21 Mechanical strength 14 22 Construction 15 23 Internal wiring 15 24 Components 17 25 Supply connection and external flexible cords 17 26 Terminals for external conductors 18 27 Provision for earthing 18 28 Screws and connections 18 29 Clearances, creepage distances and solid insulation 18 30 Resistance to heat and fire 18 31 Resistance to rusting 18 <td>9</td> <td>Starting of motor-operated appliances</td> <td>11</td>	9	Starting of motor-operated appliances	11
12 Void. 11 13 Leakage current and electric strength at operating temperature. 11 14 Transient overvoltages 11 15 Moisture resistance 11 16 Leakage current and electric strength 12 17 Overload protection of transformers and associated circuits 12 18 Endurance 12 19 Abnormal operation 12 20 Stability and mechanical hazards 12 21 Mechanical strength 14 22 Construction 15 23 Internal wiring 17 24 Components 17 25 Supply connection and external flexible cords 17 26 Terminals for external conductors 18 27 Provision for earthing 18 28 Screws and connections 18 29 Clearances, creepage distances and solid insulation 18 30 Resistance to heat and fire 18 31 Resistance to rusting 18 32 Radiation, toxicity and similar hazards 19 Annexes 24 Annex B (normative) Appliances powered by rechargeable batteries 24	10	Power input and current	11
13 Leakage current and electric strength at operating temperature. 11 14 Transient overvoltages. 11 15 Moisture resistance. 11 16 Leakage current and electric strength. 12 17 Overload protection of transformers and associated circuits. 12 18 Endurance. 12 19 Abnormal operation. 12 20 Stability and mechanical hazards. 12 21 Mechanical strength. 14 22 Construction. 15 23 Internal wiring. 17 24 Components. 17 25 Supply connection and external flexible cords. 17 26 Terminals for external conductors. 18 27 Provision for earthing. 18 28 Screws and connections. 18 29 Clearances, creepage distances and solid insulation. 18 30 Resistance to heat and fire. 18 31 Resistance to rusting. 18 32 Radiation, toxicity and similar hazards. 19 A	11	Heating	11
14 Transient overvoltages 11 15 Moisture resistance 11 16 Leakage current and electric strength 12 17 Overload protection of transformers and associated circuits 12 18 Endurance 12 19 Abnormal operation 12 20 Stability and mechanical hazards 12 21 Mechanical strength 14 22 Construction 15 23 Internal wiring 17 24 Components 17 25 Supply connection and external flexible cords 17 26 Terminals for external conductors 18 27 Provision for earthing 18 28 Screws and connections 18 29 Clearances, creepage distances and solid insulation 18 30 Resistance to heat and fire 18 31 Resistance to rusting 18 32 Radiation, toxicity and similar hazards 19 Annexes 24 Annex B (normative) Appliances powered by rechargeable batteries 24	12	Void	11
15 Moisture resistance 11 16 Leakage current and electric strength 12 17 Overload protection of transformers and associated circuits 12 18 Endurance 12 19 Abnormal operation 12 20 Stability and mechanical hazards 12 21 Mechanical strength 14 22 Construction 15 23 Internal wiring 17 24 Components 17 25 Supply connection and external flexible cords 17 26 Terminals for external conductors 18 27 Provision for earthing 18 28 Screws and connections 18 29 Clearances, creepage distances and solid insulation 18 30 Resistance to heat and fire 18 31 Resistance to rusting 18 32 Radiation, toxicity and similar hazards 19 Annexes 24 Annexes 24 Annexes 24 Annexes 24	13	Leakage current and electric strength at operating temperature	11
16 Leakage current and electric strength 12 17 Overload protection of transformers and associated circuits 12 18 Endurance 12 19 Abnormal operation 12 20 Stability and mechanical hazards 12 21 Mechanical strength 14 22 Construction 15 23 Internal wiring 17 24 Components 17 25 Supply connection and external flexible cords 17 26 Terminals for external conductors 18 27 Provision for earthing 18 28 Screws and connections 18 29 Clearances, creepage distances and solid insulation 18 30 Resistance to heat and fire 18 31 Resistance to rusting 18 32 Radiation, toxicity and similar hazards 19 Annexes 24 Annex B (normative) Appliances powered by rechargeable batteries 24	14	Transient overvoltages	11
17 Overload protection of transformers and associated circuits 12 18 Endurance 12 19 Abnormal operation 12 20 Stability and mechanical hazards 12 21 Mechanical strength 14 22 Construction 15 23 Internal wiring 17 24 Components 17 25 Supply connection and external flexible cords 17 26 Terminals for external conductors 18 27 Provision for earthing 18 28 Screws and connections 18 29 Clearances, creepage distances and solid insulation 18 30 Resistance to heat and fire 18 31 Resistance to rusting 18 32 Radiation, toxicity and similar hazards 19 Annexes 24 Annexes 24 Annex B (normative) Appliances powered by rechargeable batteries 24	15	Moisture resistance	11
18 Endurance 12 19 Abnormal operation 12 20 Stability and mechanical hazards 12 21 Mechanical strength 14 22 Construction 15 23 Internal wiring 17 24 Components 17 25 Supply connection and external flexible cords 17 26 Terminals for external conductors 18 27 Provision for earthing 18 28 Screws and connections 18 29 Clearances, creepage distances and solid insulation 18 30 Resistance to heat and fire 18 31 Resistance to rusting 18 32 Radiation, toxicity and similar hazards 19 Annexes 24 Annex B (normative) Appliances powered by rechargeable batteries 24	16	Leakage current and electric strength	12
19 Abnormal operation 12 20 Stability and mechanical hazards 12 21 Mechanical strength 14 22 Construction 15 23 Internal wiring 17 24 Components 17 25 Supply connection and external flexible cords 17 26 Terminals for external conductors 18 27 Provision for earthing 18 28 Screws and connections 18 29 Clearances, creepage distances and solid insulation 18 30 Resistance to heat and fire 18 31 Resistance to rusting 18 32 Radiation, toxicity and similar hazards 19 Annexes 24 Annex B (normative) Appliances powered by rechargeable batteries 24	17	Overload protection of transformers and associated circuits	12
20 Stability and mechanical hazards 12 21 Mechanical strength 14 22 Construction 15 23 Internal wiring 17 24 Components 17 25 Supply connection and external flexible cords 17 26 Terminals for external conductors 18 27 Provision for earthing 18 28 Screws and connections 18 29 Clearances, creepage distances and solid insulation 18 30 Resistance to heat and fire 18 31 Resistance to rusting 18 32 Radiation, toxicity and similar hazards 19 Annexes 24 Annex B (normative) Appliances powered by rechargeable batteries 24	18	Endurance	12
21 Mechanical strength 14 22 Construction 15 23 Internal wiring 17 24 Components 17 25 Supply connection and external flexible cords 17 26 Terminals for external conductors 18 27 Provision for earthing 18 28 Screws and connections 18 29 Clearances, creepage distances and solid insulation 18 30 Resistance to heat and fire 18 31 Resistance to rusting 18 32 Radiation, toxicity and similar hazards 19 Annexes 24 Annex B (normative) Appliances powered by rechargeable batteries 24	19	Abnormal operation	12
22 Construction 15 23 Internal wiring 17 24 Components 17 25 Supply connection and external flexible cords 17 26 Terminals for external conductors 18 27 Provision for earthing 18 28 Screws and connections 18 29 Clearances, creepage distances and solid insulation 18 30 Resistance to heat and fire 18 31 Resistance to rusting 18 32 Radiation, toxicity and similar hazards 19 Annexes 24 Annex B (normative) Appliances powered by rechargeable batteries 24	20	Stability and mechanical hazards	12
23 Internal wiring. 17 24 Components. 17 25 Supply connection and external flexible cords. 17 26 Terminals for external conductors. 18 27 Provision for earthing. 18 28 Screws and connections. 18 29 Clearances, creepage distances and solid insulation. 18 30 Resistance to heat and fire. 18 31 Resistance to rusting. 18 32 Radiation, toxicity and similar hazards. 19 Annexes. 24 Annex B (normative) Appliances powered by rechargeable batteries. 24	21	Mechanical strength	14
24 Components1725 Supply connection and external flexible cords1726 Terminals for external conductors1827 Provision for earthing1828 Screws and connections1829 Clearances, creepage distances and solid insulation1830 Resistance to heat and fire1831 Resistance to rusting1832 Radiation, toxicity and similar hazards19Annexes24Annex B (normative) Appliances powered by rechargeable batteries24	22	Construction	15
Supply connection and external flexible cords	23	Internal wiring	17
26 Terminals for external conductors1827 Provision for earthing1828 Screws and connections1829 Clearances, creepage distances and solid insulation1830 Resistance to heat and fire1831 Resistance to rusting1832 Radiation, toxicity and similar hazards19Annexes24Annex B (normative) Appliances powered by rechargeable batteries24	24	Components	17
27 Provision for earthing1828 Screws and connections1829 Clearances, creepage distances and solid insulation1830 Resistance to heat and fire1831 Resistance to rusting1832 Radiation, toxicity and similar hazards19Annexes24Annex B (normative) Appliances powered by rechargeable batteries24	25	Supply connection and external flexible cords	17
28 Screws and connections	26	Terminals for external conductors	18
29 Clearances, creepage distances and solid insulation	27	Provision for earthing	18
30 Resistance to heat and fire	28	Screws and connections	18
31 Resistance to rusting	29	Clearances, creepage distances and solid insulation	18
32 Radiation, toxicity and similar hazards	30	Resistance to heat and fire	18
Annexes	31	Resistance to rusting	18
Annex B (normative) Appliances powered by rechargeable batteries24	32	Radiation, toxicity and similar hazards	19
	Anr	nexes	24
Annex D (normative) Thermal motor protectors	Anr	nex B (normative) Appliances powered by rechargeable batteries	24
- (····································		nex D (normative) Thermal motor protectors	
Annex I (normative) Motors having basic insulation that is inadequate for the rated voltage of the appliance	Anr	nex I (normative) Motors having basic insulation that is inadequate for the rated	

	29
Annex BB (informative) Vibration	
Annex CC (informative) Noise test code – Engineering method (grade 2)	34
Annex DD (informative) Example of a material and construction fulfilling the requirements for an artificial surface	40
Annex EE (informative) Safety instructions	42
Bibliography	44
Figure 101 – Guard, lawn trimmer (see 20.101.1)	20
Figure 102 – Guard, lawn edge trimmer (see 20.101.2)	21
Figure 103 – Guard strength test (hand-held appliances)	22
Figure 104 – Cutting head strength test (see 21.102)	22
Figure 105 – Cutting means measurement (see 22.103)	23
Figure BB.1 – Examples of transducer location/orientation (hand-held trimmers)	32
Figure BB.2 – Examples of transducer location/orientation (walk-behind machines)	33
Figure CC.1 – Microphone positions on the hemisphere (see Table CC.1)	35
Figure DD.1 – Sketch of the measurement surface covered with an artificial surface (not to scale)	41
Table CC.1 – Co-ordinates of microphone positions	36
Table CC.2 – Absorption coefficients	

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-91: Particular requirements for walk-behind and hand-held lawn trimmers and lawn edge trimmers

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60335-2-91 has been prepared by IEC subcommittee 61F: Safety of hand-held motor-operated electric tools, of IEC technical committee 61: Safety of household and similar electrical appliances.

This third edition cancels and replaces the second edition published in 2002. It constitutes a technical revision. Main changes in this edition include the revised endurance test in Clause 18; Annex B, which allows for battery-powered trimmers; and addition of informative Annexes BB, CC and EE on vibration, noise and safety instructions.

The text of this standard is based on the following documents:

FDIS	Report on voting
61F/710/FDIS	61F/713/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments. It was established on the basis of the fourth edition (2001) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Safety requirements for walk-behind and handheld lawn trimmers and lawn edge trimmers.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements proper: in roman type;
- test specifications: in italic type;
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in bold.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- · withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

INTRODUCTION

It has been assumed in the drafting of this international standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules may differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features that impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-91: Particular requirements for walk-behind and hand-held lawn trimmers and lawn edge trimmers

1 Scope

This clause of Part 1 is replaced by the following.

This International Standard deals with the safety of electric powered walk-behind and hand-held lawn trimmers and lawn edge trimmers, with cutting element(s) of non-metallic filament line or freely pivoting non-metallic cutter(s), with a kinetic energy of not more than 10 J each, used by a standing operator for cutting grass, their rated voltage being not more than 250 V for a.c. or 50 V d.c..

In this standard, hand-held and walk-behind lawn trimmers and lawn edge trimmers are referred to collectively as trimmer(s).

So far as is practicable, this standard deals with the common hazards presented by trimmers which are encountered by all persons in the normal use and reasonably foreseeable misuse of the trimmers.

NOTE 101 Attention is drawn to the fact that in many countries additional requirements are specified by the national health authorities, the national authorities responsible for the protection of labour, the national water supply authorities and similar authorities.

This standard does not apply to

- scissor type or lawn trimmers and lawn edge trimmers with cutting means other than those described above;
- self-propelled lawn trimmers or lawn edge trimmers;
- lawn trimmers or lawn edge trimmers which do not have a distance of at least 600 mm between the cutting means control and the cutting head;
- battery-powered trimmers fitted with batteries that have to be removed for charging.

NOTE 102 Requirements for tools with this type of battery can be found in Annexes K and L of IEC 60745-1.

EMC and environmental aspects, except noise, have not been considered in this standard.

NOTE 103 The method of calculating the kinetic energy for the purposes of this standard is given in 22.103.

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60068-2-75, Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests

IEC 60320 (all parts), Appliance couplers for household and similar general purposes

IEC 60320-2-3, Appliance couplers for household and similar general purposes – Part 2-3: Appliance couplers with a degree of protection higher than IPX0

ISO 354:2003, Acoustics – Measurement of sound absorption in a reverberation room

ISO 3744:1994, Acoustics – Determination of sound power levels of noise sources using sound pressure – Engineering method in an essentially free field over a reflecting plane

ISO 3767-1:1998, Tractors, machinery for agriculture and forestry, powered lawn and garden equipment – Symbols for operator controls and other displays – Part 1: Common symbols

ISO 3767-3:1995, Tractors, machinery for agriculture and forestry, powered lawn and garden equipment – Symbols for operator controls and other displays – Part 3: Symbols for powered lawn and garden equipment

ISO 8662-1:1988, Hand-held portable power tools – Measurement of vibrations at the handle – Part 1: General

ISO 11201:1995, Acoustics – Noise emitted by machinery and equipment – Measurement of emission sound pressure levels at a work station and at other specified positions – Engineering method in an essentially free field over a reflecting plane

ISO 12100-1:2003, Safety of machinery – Basic concepts, general principles for design – Part 1: Basic terminology, methodology

ISO 11688-1:1995, Acoustics – Recommended practice for the design of low-noise machinery and equipment – Part 1: Planning

ISO 11684:1995, Tractors, machinery for agriculture and forestry, powered lawn and garden equipment – Safety signs and hazard pictorials – General principles