



IEC 60352-5

Edition 5.0 2020-07

INTERNATIONAL STANDARD

**Solderless connections –
Part 5: Press-in connections – General requirements, test methods and practical
guidance**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.220.10

ISBN 978-2-8322-8476-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	8
4 Requirements	10
4.1 General.....	10
4.2 Tools	10
4.2.1 General	10
4.2.2 Tools evaluation	10
4.3 Press-in terminations	10
4.3.1 Materials	10
4.3.2 Dimensions of the press-in zone	10
4.3.3 Surface finishes.....	10
4.4 Test boards.....	11
4.4.1 General	11
4.4.2 Materials	11
4.4.3 Thickness of test boards.....	11
4.4.4 Hole.....	11
4.4.5 Plated-through hole	12
4.5 Press-in connections.....	13
4.6 Manufacturer’s specification	14
5 Tests	15
5.1 General remarks	15
5.1.1 General	15
5.1.2 Standard conditions for testing	15
5.1.3 Mounting of specimens	15
5.2 Test and measuring methods	16
5.2.1 General examination.....	16
5.2.2 Mechanical tests.....	16
5.2.3 Contact resistance measurements	19
5.2.4 Climatic tests.....	20
5.3 Test schedules.....	21
5.3.1 General	21
5.3.2 Qualification test schedule.....	21
5.3.3 Flow chart.....	23
5.3.4 Application test schedule	24
5.4 Test report	25
5.4.1 Qualification test report	25
5.4.2 Application test report.....	26
Annex A (informative) Practical guidance.....	27
A.1 General.....	27
A.2 Current-carrying capacity	27
A.3 Tool information	27
A.3.1 Termination insertion tool	27
A.3.2 Support block	27

A.3.3	Termination removal tool	28
A.4	Information to press-in termination and press-in connections	28
A.4.1	General	28
A.4.2	Design features	28
A.4.3	Materials and surface finishes	29
A.4.4	Press-in terminations with connector contact elements	29
A.5	Printed board information	29
A.5.1	General	29
A.5.2	Plated-through hole	30
A.5.3	Dimensioning of the hole	30
A.5.4	Manufacturing of the hole, example with drilling for FR4	31
A.5.5	Manufacturing of the hole with materials other than FR4	31
A.6	Press-in connection information	31
A.6.1	General	31
A.6.2	Press-in connection	31
A.6.3	Repair of press-in connections	32
A.6.4	Combination of press-in connections and soldered connections	33
A.6.5	Bimetallic electrolytic corrosion effects	33
	Bibliography	34
	Figure 1 – Guide for hole ranges in a test board	12
	Figure 2 – Plated-through hole	13
	Figure 3 – Location and example of the transversal microsection for measuring the copper thickness	13
	Figure 4 – Test arrangement – push-out force	17
	Figure 5 – Transverse section of a press-in connection	18
	Figure 6 – Longitudinal section of a press-in connection	19
	Figure 7 – Test arrangement for contact resistance	20
	Figure 8 – Qualification test schedule	24
	Figure A.1 – Conceptual composition of a four-layer printed circuit board	30
	Figure A.2 – Example of a termination removal tool	33
	Table 1 – Plated-through hole requirements for test printed boards	12
	Table 2 – Vibration, preferred test severities	18
	Table 3 – Qualification test schedule – Test group AP	22
	Table 4 – Qualification test schedule – Test group BP	22
	Table 5 – Qualification test schedule – Test group CP	23
	Table 6 – Application test schedule – Test group DP	25
	Table A.1 – Example for dimensioning the printed circuit board hole	31

INTERNATIONAL ELECTROTECHNICAL COMMISSION

SOLDERLESS CONNECTIONS –

Part 5: Press-in connections – General requirements, test methods and practical guidance

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60352-5 has been prepared by subcommittee 48B: Electrical connectors, of IEC technical committee 48: Electrical connectors and mechanical structures for electrical and electronic equipment.

This fifth edition cancels and replaces the fourth edition published in 2012. This edition constitutes a technical revision.

This edition includes the following significant changes with respect to the previous edition:

- a) revising the scope by removing the wording "... telecommunication equipment and in electronic devices employing similar techniques" and replacing it by "... electrical and electronic equipment and components" in the first paragraph;
- b) adding terms and definitions for 'board', 'hole' and 'metal board' to recognize that press-in terminations are being used in many non-printed board materials;

- c) editorial changes to clarify the difference between the two test schedules for qualification and application;
- d) modification of upper limit of copper thickness of the plated-through-hole to reflect actual market trends and manufacturing practices;
- e) removal of bending test, as this test is very specific for applications of press-in technology no longer common;
- f) adding graphs to document the press-in and push-out force, since this is common testing practice and provides further insight into mechanical performance of the contact zone;
- g) reducing the number of test specimens required, since in previous testing scheme a lot of test samples were discarded;
- h) new wording in 4.5 for cracked and bent terminations;
- i) added Figure 7b to show V and A connection locations when the press-in termination does not protrude through the bottom side of the board.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
48B/2810/FDIS	48B/2822/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60352 series, published under the general title *Solderless connections*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

INTRODUCTION

This part of IEC 60352 includes requirements and relevant tests (normative) as well as a practical guidance in Annex A (informative) for press-in connections.

Two test schedules are provided.

- a) The qualification test schedule applies to individual press-in connections to demonstrate the suitability of the press-in zone.

These press-in connections are tested to the specification provided by the manufacturer of the press-in termination (see 4.6) taking into account the requirements of Clause 4.

The qualification is independent of the application of the press-in zone in a component.

- b) The application test schedule applies to press-in connections which are part of a component and are already qualified to the qualification test schedule.

Test sequences focus on the performance of the press-in connection which is affected by the implementation in a component.

The requirements and tests apply to all elements involved in the manufacturing of a press-in connection:

- the press-in termination, which may be part of a component (e.g. a multi-pole connector);
- the board, printed board or MID (moulded interconnect device) - (plated-through holes dimensions) for which the termination is suitable;
- the tool(s) required to produce the press-in connection.

As the manufacturer of the press-in termination has to provide the main part of the information needed for qualification, the word "manufacturer" is used throughout this document for simplicity to indicate the manufacturer of the press-in termination. The manufacturers of the other items playing a role in the qualification of press-in connections are specified, if needed, as the board manufacturer or the tool(s) manufacturer.

The practical guidance in Annex A (informative) serves as a guide for the workmanship required in 4.1. Attention is drawn to the fact that some industries (e.g. automotive, aircraft and aerospace, nuclear, military) may have specific workmanship standards and/or quality requirements, which are outside the scope of this document.

IEC Guide 109 advocates the need to minimize the impact of a product on the natural environment throughout the product life cycle.

SOLDERLESS CONNECTIONS –

Part 5: Press-in connections – General requirements, test methods and practical guidance

1 Scope

This part of IEC 60352 is applicable to solderless press-in connections for use in electrical and electronic equipment and components.

The press-in connection consists of a termination having a suitable press-in zone which is inserted into a hole of a board.

Information on materials and data from industrial experience is included in addition to the test procedures to provide electrically stable connections under specified environmental conditions.

The object of this document is to determine the suitability of press-in connections under mechanical, electrical and atmospheric conditions as specified by the manufacturer of the press-in termination and to provide a means of comparing test results when the tools used to make the connections are of different designs or manufacture.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-1, *Environmental testing – Part 1: General and guidance*

IEC 60512-1, *Connectors for electrical and electronic equipment – Tests and measurements – Part 1: Generic specification*

IEC 60512-1-1, *Connectors for electronic equipment – Tests and measurements – Part 1-1: General examination – Test 1a: Visual examination*

IEC 60512-1-2, *Connectors for electronic equipment – Tests and measurements – Part 1-2: General examination – Test 1b: Examination of dimension and mass*

IEC 60512-2-1, *Connectors for electronic equipment – Tests and measurements – Part 2-1: Electrical continuity and contact resistance tests – Test 2a: Contact resistance – Millivolt level method*

IEC 60512-2-5, *Connectors for electronic equipment – Tests and measurements – Part 2-5: Electrical continuity and contact resistance tests – Test 2e: Contact disturbance*

IEC 60512-6-4, *Connectors for electronic equipment – Tests and measurements – Part 6-4: Dynamic stress tests – Test 6d: Vibration (sinusoidal)*

IEC 60512-11-1, *Connectors for electrical and electronic equipment – Tests and measurements – Part 11-1: Climatic tests – Test 11a – Climatic sequence*

IEC 60512-11-4, *Connectors for electronic equipment – Tests and measurements – Part 11-4: Climatic tests – Test 11d: Rapid change of temperature*

IEC 60512-11-9, *Connectors for electronic equipment – Tests and measurements – Part 11-9: Climatic tests – Test 11i: Dry heat*

IEC 61188-5-1, *Printed boards and printed board assemblies – Design and use – Part 5-1: Attachment (land/joint) considerations – Generic requirements*

IEC 62326-4, *Printed boards – Part 4: Rigid multilayer printed boards with interlayer connections – Sectional specification*