



Edition 2.0 2020-08

# INTERNATIONAL STANDARD

Magnetic materials – Part 8-5: Specifications for individual materials – Electrical steel strip and sheet with specified mechanical properties and magnetic polarization

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 29.030; 17.220.20

ISBN 978-2-8322-8747-7

Warning! Make sure that you obtained this publication from an authorized distributor.

## CONTENTS

FOREWOF	RD	4	
INTRODUC	CTION	6	
1 Scope	,	7	
2 Norma	ative references	7	
3 Terms	and definitions	8	
4 Classi	fication	8	
5 Desigi	nation	8	
6 Gener	al requirements	9	
	Production process		
	Form of supply		
6.3 I	Delivery condition	9	
6.4	Surface condition	10	
6.5	Suitability for cutting	10	
6.6	Suitability for welding	10	
7 Techn	ical requirements	10	
7.1 I	Mechanical properties	10	
7.2 I	Magnetic polarization	10	
	Geometrical characteristics and tolerances		
7.3.1	Thickness		
7.3.2	Width		
7.3.3	Length		
7.3.4	Edge wave (wave factor)		
7.3.5	Residual curvature		
7.3.6 7.4	Edge camber Technological characteristics		
7.4	Density		
	ction and testing		
•	General		
	Selection of test samples		
	Preparation of test specimens		
8.3.1	Mechanical properties		
8.3.2	Magnetic polarization		
8.3.3	Geometrical characteristics and tolerances		
8.4	Test methods	18	
8.4.1	General	18	
8.4.2	Mechanical properties	18	
8.4.3	Magnetic polarization	18	
8.4.4	Geometrical characteristics and tolerances	18	
	Retests		
9 Markir	ng, labelling and packaging	19	
10 Comp	laints	19	
11 Information to be supplied by the purchaser1			
Table 1 – M	Mechanical and magnetic characteristics for hot-rolled grades	11	
Table 2 – N	Mechanical and magnetic characteristics for cold-rolled grades	12	

Table 3 – Tolerance on nominal thickness for hot-rolled grades	13
Table 4 – Tolerance on nominal thickness for cold-rolled grades	13
Table 5 – Maximum difference in thickness in a direction perpendicular to the direction     of rolling for hot-rolled grades	13
Table 6 – Maximum difference in thickness in a direction perpendicular to the direction     of rolling for cold-rolled grades	14
Table 7 – Tolerance on nominal width of products supplied with trimmed edges	14
Table 8 – Tolerance on nominal length of sheets	15
Table 9 – Maximum distance between the lower face of a test specimen and the flat   surface table for hot-rolled grades	15
Table 10 – Maximum distance between the lower face of a test specimen and the flat   surface table for cold-rolled grades	16
Table 11 – Minimum number of Epstein test strips	17

### INTERNATIONAL ELECTROTECHNICAL COMMISSION

## MAGNETIC MATERIALS -

## Part 8-5: Specifications for individual materials – Electrical steel strip and sheet with specified mechanical properties and magnetic polarization

## FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60404-8-5 has been prepared by IEC technical committee 68: Magnetic alloys and steels.

This second edition cancels and replaces the first edition published in 1989. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) extension of the range of products to include the improved grades;
- b) division of "flatness" into "edge wave (wave factor)" and "residual curvature" in consistent with IEC 60404-9;
- c) change length of test specimen for determinations of geometrical characters from 2 m to 1 m.

The text of this International Standard is based on the following documents:

CDV	Report on voting
68/648/CDV	68/662/RVC

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 60404 series, published under the general title *Magnetic materials*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

#### INTRODUCTION

The first edition of IEC 60404-8-5, "Magnetic materials – Part 8: Specifications for individual materials – Section Five – Specification for steel sheet and strip with specified mechanical properties and magnetic permeability", was published in April 1989 and has not been revised for more than 30 years. Since then, new grades of cold-rolled material of minimum proof strength  $R_{p0,2}$  greater than 400 MPa were developed and widely used. Thus, IEC TC 68 decided in 2017 at their meeting in Paris to revise this document. This revision also includes corrections to the first edition in order to improve consistency with the other parts of the IEC 60404-8 subseries.

## MAGNETIC MATERIALS –

## Part 8-5: Specifications for individual materials – Electrical steel strip and sheet with specified mechanical properties and magnetic polarization

#### 1 Scope

This part of IEC 60404 defines the grades of electrical steel strip and sheet with specified mechanical properties and magnetic polarization. In particular, it gives general requirements, mechanical properties, magnetic polarization, geometric characteristics, tolerances and technological characteristics, as well as inspection procedures.

This document applies to electrical steel strip and sheet intended for the construction of poles and rims of rotating electrical machines.

The grades are grouped into two classes according to their manufacturing process:

- hot-rolled grades;
- cold-rolled grades.

They correspond to Class D21 of IEC 60404-1.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-121, International Electrotechnical Vocabulary – Part 121: Electromagnetism

IEC 60050-221, International Electrotechnical Vocabulary – Chapter 221: Magnetic materials and components

IEC 60404-1, Magnetic materials – Part 1: Classification

IEC 60404-2, Magnetic materials – Part 2: Methods of measurement of the magnetic properties of electrical steel strip and sheet by means of an Epstein frame

IEC 60404-4, Magnetic materials – Part 4: Methods of measurement of d.c. magnetic properties of iron and steel

IEC 60404-9, Magnetic materials – Part 9: Methods of determination of the geometrical characteristics of electrical steel strip and sheet

ISO 404, Steel and steel products – General technical delivery requirements

ISO 2566-1, Steel – Conversion of elongation values – Part 1: Carbon and low alloy steels

ISO 6892-1, Metallic materials – Tensile testing – Part 1: Method of test at room temperature

ISO 10474, Steel and steel products – Inspection documents