



Edition 2.0 2026-03

INTERNATIONAL STANDARD

Test procedures for determining physical properties of brush materials

FOREWORD	7
1 Scope	9
2 Normative references	9
3 Terms, definitions and symbols	10
4 Symbols	15
5 Test specimen	17
5.1 General	17
5.2 Types of test specimen	18
5.2.1 General	18
5.2.2 Type A	18
5.2.3 Type B	18
5.2.4 Type C	19
5.2.5 Type D	19
5.3 Preparation of test specimens	19
5.3.1 General	19
5.3.2 Relation between dimensions and grain direction	20
5.3.3 Requirements on test specimens	22
6 Apparent density	23
6.1 General	23
6.2 Mass-and-dimensions method	23
6.2.1 General	23
6.2.2 Principle of measurement	23
6.2.3 Test equipment	23
6.2.4 Test specimen	24
6.2.5 Test condition	24
6.2.6 Test procedure	24
6.2.7 Calculation and report	24
6.3 Immersion method	24
6.3.1 General	24
6.3.2 Principle of measurement	25
6.3.3 Reagents	25
6.3.4 Test equipment	25
6.3.5 Test specimen	27
6.3.6 Test condition	27
6.3.7 Procedure of measurement	28
6.3.8 Calculation and report	30
7 Resistivity (specific resistance)	31
7.1 General	31
7.2 Voltmeter-ammeter method	31
7.2.1 Principle of measurement	31
7.2.2 Test equipment	32
7.2.3 Test specimen	33
7.2.4 Test conditions	33
7.2.5 Procedure of measurement	35
7.2.6 Calculation and report	35
7.3 Eddy current method	36

This is a preview of IEC 60413 Ed. 2.0 en:2026. [Click here to purchase the full version from the ANSI store.](#)

7.3.2	Principle of measurement	36
7.3.3	Test equipment.....	36
7.3.4	Test specimen	37
7.3.5	Test conditions	37
7.3.6	Procedure of measurement	37
7.3.7	Calculation and record.....	38
8	Flexural strength	38
8.1	General	38
8.2	Principle of measurement	39
8.3	Test equipment.....	39
8.3.1	Test machine.....	39
8.3.2	Supporting knives	39
8.3.3	Load knife	40
8.4	Test specimen.....	40
8.5	Test conditions	42
8.6	Procedure of measurement.....	42
8.7	Calculation and report.....	43
9	Hardness	44
9.1	Hardness by indentation	44
9.1.1	General.....	44
9.1.2	Principle	44
9.1.3	Test equipment.....	45
9.1.4	Test specimen	45
9.1.5	Test conditions	45
9.1.6	Test procedure	46
9.1.7	Calculation and report	48
9.2	Rebound hardness with scleroscope method	48
9.2.1	General.....	48
9.2.2	Principle of measurement	48
9.2.3	Test equipment.....	49
9.2.4	Test specimen	51
9.2.5	Test condition.....	51
9.2.6	Test procedure	52
9.2.7	Calculation and report	52
9.3	Rebound hardness with Leeb method	53
9.3.1	General.....	53
9.3.2	Principle of measurement	53
9.3.3	Test equipment.....	55
9.3.4	Test specimen	55
9.3.5	Test conditions	55
9.3.6	Test procedure	56
9.3.7	Calculation and report	56
9.3.8	Correlation with scleroscope hardness	56
10	Porosity	58
10.1	General	58
10.2	Impregnation-and-mass method	58
10.2.1	Principle of measurement	58
10.2.2	Test specimen	58

This is a preview of IEC 60413 Ed. 2.0 en:2026. [Click here to purchase the full version from the ANSI store.](#)

10.2.4	Impregnating liquid.....	59
10.2.5	Test equipment.....	59
10.2.6	Test procedure	60
10.2.7	Calculation	60
10.3	Mercury method.....	62
10.3.1	General.....	62
10.3.2	Principle	62
10.3.3	Test specimen	62
10.3.4	Test condition.....	62
10.3.5	Test equipment.....	63
10.3.6	Procedure of measurement	63
10.3.7	Calculation	63
11	Ash content.....	63
11.1	General	63
11.2	Principle	63
11.3	Test specimen.....	64
11.4	Test condition	64
11.5	Test equipment.....	64
11.6	Procedure of measurement.....	64
11.6.1	Preparing and weighing the specimen:	64
11.6.2	Ashing the specimen	64
11.6.3	Weighing the residues	65
11.7	Calculation.....	65
12	Test report	65
	Annex A (normative) Properties per category of test and datasheet	67
	Annex B (normative) Other mechanical properties.....	69
B.1	General	69
B.2	Charpy impact strength	69
B.2.1	General.....	69
B.2.2	Principle of measurement	69
B.2.3	Test equipment.....	70
B.2.4	Test specimen	71
B.2.5	Test conditions	72
B.2.6	Procedure of measurement	72
B.2.7	Calculation and report	72
B.3	Tensile strength – Young's modulus	72
B.3.1	General.....	72
B.3.2	Principle of measurement of tensile strength.....	73
B.3.3	Test equipment.....	73
B.3.4	Test specimen	73
B.3.5	Test conditions	74
B.3.6	Procedure of measurement	74
B.3.7	Calculation	74
B.3.8	Complementary characteristics.....	74
B.4	Compressive strength	75
B.4.1	General.....	75
B.4.2	Principle of measurement	75

This is a preview of IEC 60413 Ed. 2.0 en:2026. [Click here to purchase the full version from the ANSI store.](#)

B.4.4	Test conditions	76
B.4.5	Test specimen	76
B.4.6	Procedure of measurement	76
B.4.7	Calculation and report	76
Annex C (normative)	Thermal properties	77
C.1	General	77
C.2	Coefficient of linear expansion	77
C.2.1	General.....	77
C.2.2	Principle of measurement	77
C.2.3	Test equipment.....	78
C.2.4	Protective gas	78
C.2.5	Test specimen	79
C.2.6	Test conditions	79
C.2.7	Procedure of measurement	79
C.2.8	Calculation and report	79
C.3	Specific heat capacity	81
C.3.1	General.....	81
C.3.2	Principle of measurement with DSC	81
C.3.3	Test equipment.....	83
C.3.4	Test specimen	83
C.3.5	Test conditions	83
C.3.6	Procedure of measurement	83
C.3.7	Calculation and report	83
C.4	Thermal conductivity	83
C.4.1	General.....	83
C.4.2	Flash method.....	84
C.4.3	TPS method	88
C.4.4	Calculation and report	90
Annex D (informative)	Relation between apparent density, real density, porosity and pores	92
D.1	General	92
D.2	Pores	92
D.3	Apparent density	92
D.4	Real density	93
D.5	Porosity.....	93
Annex E (informative)	Methods for material analysis of sliding contact grades	94
Annex F (informative)	Relation between scleroscope hardness and vibration absorbing capability	95
F.1	General	95
F.2	Vibration equation and amplitude ratio	95
F.3	Experimental verification	96
Bibliography.....		99
Figure 1 – Dimensions of a test specimen.....		10
Figure 2 – Configuration of test specimen in relation to the direction of compression.....		20
Figure 3 – Configuration of test specimen in relation to the direction of extrusion.....		21

This is a preview of IEC 60413 Ed. 2.0 en:2026. Click here to purchase the full version from the ANSI store.

method A on big test specimen	26
Figure 5 – Test equipment for the measurement of apparent density by immersion method B on small test specimen	27
Figure 6 – Measurement of apparent density by immersion method A	29
Figure 7 – Measurement of apparent density by immersion method B	30
Figure 8 – Position of measuring electrodes onto the test specimen	32
Figure 9 – Test specimen mounting configuration for resistivity in case of one- directional compression	34
Figure 10 – Test specimen mounting configuration for resistivity in case of extrusion	34
Figure 11 – Principle of the test equipment of Eddy current method	36
Figure 12 – Positioning of the test specimen	38
Figure 13 – Test specimen mounting principle	39
Figure 14 – Mounting configuration for flexural strength test for a test specimen of type one-directional compressed	41
Figure 15 – Mounting configuration for flexural strength test for a test specimen of type extruded	41
Figure 16 – Steps for the measurement of indentation hardness	47
Figure 17 – Principle of scleroscope hardness measurement	49
Figure 18 – Scleroscope hardness instruments	50
Figure 19 – Principle of Leeb hardness measurement	54
Figure 20 – Example of correlation curve assessment between scleroscope hardness and Leeb hardness	57
Figure B.1 – Principle of Charpy impact test	70
Figure B.2 – Configuration of impact strength test for anisotropic materials	71
Figure B.3 – Example of tensile test specimen	73
Figure C.1 – Determination of coefficient of linear thermal expansion	80
Figure C.2 – Schematic drawing showing the DSC baselines	82
Figure C.3 – Determination of half-time from measurement data	85
Figure C.4 – Principle of test equipment for thermal pulse method	87
Figure C.5 – Basic layout of the apparatus	89
Figure F.1 – Relation between the scleroscope hardness and the amplitude resonance ratio	97
Table 1 – Dimensions of test specimen of type B	19
Table 2 – Configuration type according to the forming process of the item	21
Table 3 – Tolerances on test specimen dimensions for each category	22
Table 4 – Recommended values of supports span	42
Table 5 – Values of coefficient c_f	43
Table 6 – Calculation of indentation hardness for each combination of scales	44
Table 7 – Specification of hardness designation	45
Table 8 – Contents of a report	66

This is a preview of IEC 60413 Ed. 2.0 en:2026. [Click here to purchase the full version from the ANSI store.](#)

Table B.1 –Dimensions of test specimen for impact strength test.....	71
Table E.1 – Qualitative analysis	94
Table E.2 – Quantitative analysis	94
Table F.1 – Values of relative height, damping factor and resonance ratio for different values of scleroscope hardness	98

Test procedures for determining physical properties of brush materials

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60413 has been prepared by IEC technical committee 2: Rotating machinery. It is an International Standard.

This second edition cancels and replaces the first edition published in 1972. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Title modified.
- b) Addition of definitions in Clause 3.
- c) Clause 5 on test specimen: Nomenclature and addition of the different types of test specimen, specification on their dimensions, tolerances and preparation.
- d) Improvement of test procedures of the properties already disclosed in the previous edition (Clause 6 to Clause 11).

This is a preview of IEC 60413 Ed. 2.0 en:2026. Click here to purchase the full version from the ANSI store.

Clause 10).

- f) Resistivity (Clause 7): Addition of the eddy current method.
- g) Rebound hardness (Clause 9): Addition of a new model of scleroscope and addition of Leeb method, as a possible alternative to the traditional scleroscope method.
- h) Common elements of the test report in a dedicated Clause 12.
- i) Addition of Annex A (normative): introduction of tests categories (serial/type tests), list of properties to be tested for each test category of test according to their purpose.
- j) Addition of Annex B: test procedures for other mechanical properties than flexural strength and hardness: tensile, compressive and impact strength.
- k) Addition of Annex C: test procedures for thermal properties (coefficient of linear expansion, specific heat capacity and thermal conductivity).
- l) Addition of Annex D: supplement to density and porosity.
- m) Addition of Annex E: recommendations on methods for elements analysis.
- n) Addition of Annex F: supplement of information concerning scleroscope hardness.

The text of this International Standard is based on the following documents:

Draft	Report on voting
2/2286/FDIS	2/2298/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

This document concerns graphite-based grades that are used for sliding electrical contacts, such as carbon brushes or pantograph strips.

By extension, it is possible to apply the test procedures of this document to all electrical sliding contacts for electrical transmission appliances and to other appliances of graphite-based materials (heat exchangers, bearings, etc.).

This document specifies uniformized procedures for determining their following properties:

- density and porosity;
- resistivity;
- flexural strength;
- hardness;
- ash content.

In addition, it provides recommendations on test procedures for other properties:

- Mechanical properties: Charpy impact test, compressive strength, tensile strength (Annex B).
- Thermal properties: coefficient of thermal expansion, specific heat capacity, thermal conductivity (Annex C).

The properties determined by these tests are inherent to the graphite-based materials and it is therefore important to distinguish them from performance characteristics in operation on electrical equipment (carbon brush in an electrical rotating machine, contact strips on a pantograph, etc.).

Since these materials are generally brittle, porous materials, it is reasonable that their properties vary much more than the same properties in metals.

Some test methods are suitable for use in production quality control (routine tests), others only for more thorough investigations, using precise laboratory techniques (see Annex A).

WARNING — The use of this document can involve hazardous substances, operations and equipment. It does not purport to address all of the safety or environmental problems associated with its use. It is the responsibility of the user of this document to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60276, *Carbon brushes, brush holders, commutators and slip-rings - Definitions and nomenclature*

ISO 148-1, *Metallic materials - Charpy pendulum impact test - Part 1: Test method*

ISO 179-1:2023, *Plastics - Determination of Charpy impact properties - Part 1: Non-instrumented impact test*

ISO 6508-2, *Metallic materials - Rockwell hardness test - Part 2: Verification and calibration of testing machines and indenters*

IEC 60050-826:2022, *International Electrotechnical Vocabulary (IEV) - Part 826: Electrical installations*

IEC 60773, *Rotating electrical machines - Test methods and apparatus for the measurement of the operational characteristics of brushes*

ISO 868, *Plastics and ebonite - Determination of indentation hardness by means of a durometer (Shore hardness)*

ISO 2739:2012, *Sintered metal bushings - Determination of radial crushing strength*

ISO 2859-1, *Sampling procedures for inspection by attributes - Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*

ISO 3448:1992, *Industrial liquid lubricants - ISO viscosity classification*

ISO 3611:2010, *Geometrical product specifications (GPS) - Dimensional measuring equipment: Micrometers for external measurements - Design and metrological characteristics*

ISO 4287:1997/Cor 2:2002, *Geometrical Product Specifications (GPS) - Surface texture: Profile method - Terms, definitions and surface texture parameters*

ISO 5022:1979, *Shaped refractory products - Sampling and acceptance testing*

ISO 6508-1:2023, *Metallic materials - Rockwell hardness test - Part 1: Test method*

ISO 6892-1:2009, *Metallic materials - Tensile testing - Part 1: Method of test at room temperature*

ISO 7500-1, *Metallic materials - Verification of static uniaxial testing machines - Part 1: Tension/compression testing machines - Verification and calibration of the force-measuring system*

ISO 11357-1:2023, *Plastics - Differential scanning calorimetry (DSC) - Part 1: General principles*

ISO 11357-4, *Plastics - Differential scanning calorimetry (DSC) - Part 4: Determination of specific heat capacity*

ISO 11713:2000, *Carbonaceous materials used in the production of aluminium - Cathode blocks and baked anodes - Determination of electrical resistivity at ambient temperature*

ISO 12985-1:2018, *Carbonaceous materials used in the production of aluminium - Baked anodes and cathode blocks - Part 1: Determination of apparent density using a dimensions method*

ISO 12985-2:2018, *Carbonaceous materials used in the production of aluminium - Baked anodes and cathode blocks - Part 2: Determination of apparent density and porosity using hydrostatic method*

ISO 13102:2012, *Geometrical product specifications (GPS) - Dimensional measuring equipment: Electronic digital-indicator gauge - Design and metrological characteristics*

This is a preview of IEC 60413 Ed. 2.0 en:2026. [Click here to purchase the full version from the ANSI store.](#)

equipment - Part 1: Design and metrological characteristics of callipers

ISO 14420:2020, *Carbonaceous products for the production of aluminium - Baked anodes and shaped carbon products - Determination of the coefficient of linear thermal expansion*

ISO 15901-1:2016, *Evaluation of pore size distribution and porosity of solid materials by mercury porosimetry and gas adsorption - Part 1: Mercury porosimetry*

ISO 16859-1:2015, *Metallic materials - Leeb hardness test - Part 1: Test method*

ISO 16859-3, *Metallic materials - Leeb hardness test - Part 3: Calibration of reference test blocks*

ISO 18142:2014, *Carbonaceous materials for the production of primary aluminium - Baked carbon bodies - Determination of the dynamic elasticity modulus by the resonance method*

ISO 18265:2013, *Metallic materials - Conversion of hardness values*

ISO 18515:2014, *Carbonaceous materials for the production of aluminium - Cathode blocks and baked anodes - Determination of compressive strength*

ISO 18755:2022, *Fine ceramics (advanced ceramics, advanced technical ceramics) - Determination of thermal diffusivity of monolithic ceramics by laser flash method*

ISO 19628:2024, *Fine ceramics (advanced ceramics, advanced technical ceramics) - Thermophysical properties of ceramic composites - Determination of specific heat capacity*

ISO 21920-2:2021, *Geometrical product specifications (GPS) - Surface texture: Profile - Part 2: Terms, definitions and surface texture parameters*

ISO 22007-4:2024, *Plastics - Determination of thermal conductivity and thermal diffusivity – Part 4: Light flash method*

ASTM A956:2012, *Standard Test Method for Leeb Hardness Testing of Steel Products*

ASTM C559:2016(reapproved 2020), *Standard Test Method for Bulk Density by Physical Measurements of Manufactured Carbon and Graphite*

ASTM C561:2016, *Standard Test Methods for Ash in a Graphite Sample*

ASTM C611:1998, *Standard Test Method for Electrical Resistivity of Manufactured Carbon and Graphite Articles at Room Temperature*

ASTM C714:2000, *Standard test method for thermal diffusivity of carbon and graphite by a thermal pulse method*

ASTM C749:2015, *Standard test method for tensile stress-strain of carbon and graphite*

ASTM C769:2015, *Standard test method for sonic velocity in manufactured carbon and graphite materials for use in obtaining an approximate Young's modulus*

ASTM C886, *Standard Test Method for Scleroscope Hardness Testing of Carbon and Graphite Materials*

This is a preview of IEC 60413 Ed. 2.0 en:2026. [Click here to purchase the full version from the ANSI store.](#)

Poisson's Ratio for Advanced Ceramics by Impulse Excitation or Vibration

ASTM E18:2015, *Standard Test Methods for Rockwell Hardness of Metallic Materials*

ASTM E289, *Standard Test Method for Linear Thermal Expansion of Rigid Solids with Interferometry*

ASTM E448-82:2008¹⁰, *Standard Practice for Scleroscope Hardness Testing of Metallic Materials (Withdrawn)*

ASTM E831, *Standard Test Method for Linear Thermal Expansion of Solid Materials by Thermomechanical Analysis*

DIN 51200, *Design and application of test piece holding devices in hardness testing machines*

JIS B 7727, *Shore hardness test - Verification of testing machines*

SAE J300, *Engine Oil Viscosity Classification* (published by Society of Automotive Engineers International)

¹⁰ This document has been withdrawn.