

IEC TR 60601-4-2

Edition 1.0 2016-05

TECHNICAL REPORT



Medical electrical equipment -

Part 4-2: Guidance and interpretation – Electromagnetic immunity: performance of medical electrical equipment and medical electrical systems

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ICS 11.040.01; 33.100.20

ISBN 978-2-8322-3414-3

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

F	DREWO	PRD	5
IN	TRODU	JCTION	8
	0.1	* General	8
	0.2	Purpose of this document	8
	0.3	How to use this document	8
	0.4	IMMUNITY TEST LEVELS	9
1	Scop	e and object	10
	1.1	Scope	10
	1.2	Object	10
2	Norm	native references	10
3	Term	ns and definitions	11
4		eral recommendations	
	4.1	Concurrent and sequential testing	15
	4.2	General test conditions	
	4.2.1		
	4.2.2	· ·	
	4.2.3		
5	MEE	QUIPMENT and ME SYSTEMS identification, marking and documents	
	5.1	Marking on the outside of ME EQUIPMENT or ME EQUIPMENT parts for which the	
		connector testing exemption specified in 8.13.2 c) is used	17
	5.2	ACCOMPANYING DOCUMENTS	
	5.2.1	General	17
	5.2.2		17
	5.2.3		47
	5.0.4	the connector testing exemption specified in 8.13.2 c) is used	
^	5.2.4	The state of the s	
6		Imentation of the tests	
	6.1	Test plan	
_	6.2	Test report	
7		SSIONS	
8	Імми	NITY recommendations	19
	8.1	General	19
	8.2	Patient physiological simulation	20
	8.3	Termination of PATIENT-COUPLED parts	
	8.4	HAND-HELD ME EQUIPMENT and parts intended to be HAND-HELD	
	8.5	Subsystems	
	8.6	PERMANENTLY INSTALLED LARGE ME EQUIPMENT and LARGE ME SYSTEMS	
	8.7	Operating modes	
	8.8	Non-ME EQUIPMENT	
	8.9	* Environments of INTENDED USE	
	8.10	* Performance criteria	
	8.11	* IMMUNITY TEST LEVELS	
	8.12	* IMMUNITY to proximity fields from RF wireless communications equipment	
	8.13	* ESD testing of connectors	
	8.13.	• • • • • • • • • • • • • • • • • • • •	
	8.13.	2 Exclusions	32

9 Test report	33				
Annex A (informative) General guidance and rationale	35				
Annex B (informative) Guide to labelling recommendations	40				
B.1 ACCOMPANYING DOCUMENTS, instructions for use	40				
B.2 ACCOMPANYING DOCUMENTS, technical description					
Annex C (informative) Determination of IMMUNITY TEST LEVELS for SPECIAL					
ENVIRONMENTS	41				
C.1 General					
C.2 EM DISTURBANCE level determination					
C.3 Assessment of EM DISTURBANCE sources					
C.4 Test methods					
C.5 Test plan					
C.6 Examples of mitigations and special conditions					
Annex D (informative) Identification of specific IMMUNITY performance criteria					
D.1 General					
D.2 IMMUNITY performance criteria principles					
D.2.1 General	44				
D.2.2 IMMUNITY performance criteria for non-ME EQUIPMENT used in an ME SYSTEM	44				
D.2.3 IMMUNITY performance criteria determination					
D.3 IMMUNITY performance criteria examples					
D.3.1 General examples					
D.3.2 Example of immunity performance criteria for a radiological table					
system	46				
D.3.3 Example of immunity performance criteria for ultrasonic diagnostic					
equipment	46				
Annex E (informative) Performance criteria specified by IEC 61000-6-x generic EMC standards	48				
Annex F (informative) Mapping between this document and the elements of					
IEC 60601-1-2:2014	49				
Bibliography					
Index of defined terms used in this technical report					
mack of defined terms ased in this technical report					
Figure 1 - BC element of the artificial hand	16				
Figure 1 – RC element of the artificial hand					
Figure 2 – * Ports of ME EQUIPMENT and ME SYSTEMS					
Figure 3 – Examples of environments (locations) of INTENDED USE	25				
Table 1 – Recommended minimum test plan (1 of 2)	10				
Table 2 – * ENCLOSURE PORT					
Table 3 – * Input AC power PORT (1 of 2)					
Table 4 – Input DC power PORT					
Table 5 – * Patient coupling port					
Table 6 – Signal input/output parts port	30				
Table 7 – Test specifications for ENCLOSURE PORT IMMUNITY to RF wireless communications equipment	31				
Table 8 – Parts of connectors to be tested for ESD, based on the connector shell and					
cover material	32				
Table 9 – * Testing of connectors and pins while connected and disconnected	32				

Table 7 (1 of 2)		
gantry system	Table 10 – Test report minimum contents (1 of 2)	.33
Table B.2 – ACCOMPANYING DOCUMENTS, technical description		.38
Table C.1 – Examples of adjusted IMMUNITY TEST LEVELS due to mitigations or special conditions	Table B.1 – ACCOMPANYING DOCUMENTS, instructions for use	.40
Conditions	Table B.2 – ACCOMPANYING DOCUMENTS, technical description	.40
Table D.1 – Example of IMMUNITY performance criteria for a radiological table and gantry system		.43
EQUIPMENT		.46
		.47
		.49

INTERNATIONAL ELECTROTECHNICAL COMMISSION

MEDICAL ELECTRICAL EQUIPMENT -

Part 4-2: Guidance and interpretation – Electromagnetic immunity: performance of medical electrical equipment and medical electrical systems

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. However, a technical committee may propose the publication of a technical report when it has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

IEC 60601-4-2, which is a technical report, has been prepared by IEC subcommittee 62A: Common aspects of electrical equipment used in medical practice, of IEC technical committee 62: Electrical equipment in medical practice.

- 6 **-**

The text of this technical report is based on the following documents:

Enquiry draft	Report on voting
62A/1068/DTR	62A/1073A/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

In this technical report, the following print types are used:

- Recommendations and definitions: roman type.
- Test instructions: italic type.
- Informative material appearing outside of tables, such as notes, examples and references: in smaller type.
 Normative text of tables is also in a smaller type.
- TERMS DEFINED IN CLAUSE 3 OF THIS TECHNICAL REPORT OR AS NOTED: SMALL CAPITALS.

In referring to the structure of this technical report, the term

- "clause" means one of the numbered divisions within the table of contents, inclusive of all subdivisions (e.g. Clause 1 includes 1.1, 1.2, etc.);
- "subclause" means a numbered subdivision of a clause (e.g. 1.1, 1.2 and 1.3.1 are all subclauses of Clause 1).

References to clauses within this technical report are preceded by the term "Clause" followed by the clause number. References to subclauses within this technical report are by number only.

In this technical report, the conjunctive "or" is used as an "inclusive or" so a statement is true if any combination of the conditions is true.

The verbal forms used in this technical report conform to usage described in Annex H of the ISO/IEC Directives, Part 2. For the purposes of this technical report, the auxiliary verb:

- "shall" means that compliance with a requirement or a test is mandatory for compliance with this technical report; however, we chose to use it in this technical report only as described in 0.3:
- "should" means that compliance with a requirement or a test is recommended but is not mandatory for compliance with this technical report;
- "may" is used to describe a permissible way to achieve compliance with a requirement or test.

An asterisk (*) as the first character of a title or at the beginning of a paragraph or table title indicates that there is guidance or rationale related to that item in Annex A.

A list of all parts of the IEC 60601 series, published under the general title *Medical electrical equipment*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or

• amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

0.1 * General

MEDICAL ELECTRICAL EQUIPMENT and MEDICAL ELECTRICAL SYSTEMS are used in the practice of medicine because they provide needed functions that are associated with the INTENDED USE. If MEDICAL ELECTRICAL EQUIPMENT or a MEDICAL ELECTRICAL SYSTEM does not provide these needed functions because of a lack of IMMUNITY to ELECTROMAGNETIC DISTURBANCES that are expected to occur in the environment(s) of INTENDED USE, this can interfere with the practice of medicine.

This document provides guidance on assessing IMMUNITY, with regard to the INTENDED USE. Based on the INTENDED USE, MEDICAL ELECTRICAL EQUIPMENT and MEDICAL ELECTRICAL SYSTEMS should have adequate IMMUNITY to provide the performance specified by the MANUFACTURER in the presence of ELECTROMAGNETIC DISTURBANCES. See Annex A for more information regarding performance.

Guidance for IMMUNITY with regard to INTENDED USE can be useful for MEDICAL ELECTRICAL EQUIPMENT and MEDICAL ELECTRICAL SYSTEMS for which the BASIC SAFETY AND ESSENTIAL PERFORMANCE do not include the purpose(s) for which the ME EQUIPMENT OR ME SYSTEM was purchased. It is important to the OPERATOR OR RESPONSIBLE ORGANIZATION and to the delivery of healthcare that these functions operate as intended in the EM ENVIRONMENTS OF INTENDED USE.

Examples of performance that might not be BASIC SAFETY or ESSENTIAL PERFORMANCE but that might be INTENDED USE include the following:

- the ability to print an ultrasound image remotely;
- the ability of a scale to accurately measure PATIENT weight;
- accuracy of X-RAY TUBE VOLTAGE in X-ray equipment for radiography and radioscopy, e.g. the error is less than 5 %.

In general in IEC 60601-1-2:2014, the IMMUNITY TEST LEVELS for BASIC SAFETY and ESSENTIAL PERFORMANCE are based on reasonably foreseeable maximum levels of EM DISTURBANCES. In this document, IMMUNITY TEST LEVELS for performance are based on typical levels of EM DISTURBANCES. Rationales concerning test methodology can be found in Annex A of this document and in Annex A of IEC 60601-1-2:2014.

NOTE In general, typical IMMUNITY TEST LEVELS are equal to or lower than reasonably foreseeable maximum levels.

0.2 Purpose of this document

The purpose of this document is to provide a consistent method for evaluating the ability of MEDICAL ELECTRICAL EQUIPMENT or a MEDICAL ELECTRICAL SYSTEM to perform without degradation of performance in the presence of ELECTROMAGNETIC DISTURBANCES.

0.3 How to use this document

This document can be used in conjunction with IEC 60601-1-2 and testing for conformity to both documents can be done at the same time. This allows IMMUNITY testing of BASIC SAFETY, ESSENTIAL PERFORMANCE and performance of the MEDICAL ELECTRICAL EQUIPMENT or MEDICAL ELECTRICAL SYSTEM during one test, concurrently or sequentially. The main difference is the use of performance criteria instead of pass/fail criteria, and differences can also include modes and configurations. For BASIC SAFETY and ESSENTIAL PERFORMANCE, the pass/fail criteria are determined as specified by IEC 60601-1-2. For performance, the criteria are determined by the specifications, instructions and information provided by the MANUFACTURER.

This document uses "recommend" and "should" in place of "shall" in most cases. "Shall" is used where an action is required by other standards or something needs to be done in a

prescribed way in order to be effective. Also, this document has "normative" references. They are "normative" because if you choose to follow the recommendations of this document, they are indispensable for that use. An example of this would be testing for radiated RF IMMUNITY. The test methods of IEC 61000-4-3 would be indispensable for this testing.

0.4 IMMUNITY TEST LEVELS

The IMMUNITY TEST LEVELS specified in this document are typical for the locations of INTENDED USE of MEDICAL ELECTRICAL EQUIPMENT and MEDICAL ELECTRICAL SYSTEMS. However, Annex C provides a method for modifying the specified typical IMMUNITY TEST LEVELS for performance if necessary or for particular environments (e.g. SPECIAL ENVIRONMENTS) for which this document does not specify IMMUNITY TEST LEVELS.

MEDICAL ELECTRICAL EQUIPMENT -

Part 4-2: Guidance and interpretation – Electromagnetic immunity: performance of medical electrical equipment and medical electrical systems

1 Scope and object

1.1 Scope

This part of IEC 60601 applies to the performance of MEDICAL ELECTRICAL EQUIPMENT or a MEDICAL ELECTRICAL SYSTEM in the presence of ELECTROMAGNETIC DISTURBANCES. Hereafter, MEDICAL ELECTRICAL EQUIPMENT or a MEDICAL ELECTRICAL SYSTEM are referred to as ME EQUIPMENT or an ME SYSTEM.

1.2 Object

The object of this document is to provide guidance on the assessment of the performance of ME EQUIPMENT or an ME SYSTEM in the presence of ELECTROMAGNETIC DISTURBANCES.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE The way in which these referenced documents are cited in normative requirements determines the extent (in whole or in part) to which they apply.

IEC 60417:2002, *Graphical symbols for use on equipment* (available from: http://www.graphical-symbols.info/equipment)

IEC 60601-1:2005, Medical electrical equipment – Part 1: General requirements for basic safety and essential performance IEC 60601-1:2005/AMD1:2012 1)

IEC 60601-1-2:2014, Medical electrical equipment – Part 1-2: General requirements for basic safety and essential performance – Collateral standard: Electromagnetic disturbances – Requirements and tests

IEC 60601-1-8:2006, Medical electrical equipment – Part 1-8: General requirements for basic safety and essential performance – Collateral Standard: General requirements tests and guidance for alarm systems in medical electrical equipment and medical electrical systems IEC 60601-1-8:2006/AMD1:2012

IEC 60601-1-11:2015, Medical electrical equipment – Part 1-11: General requirements for basic safety and essential performance – Collateral Standard: Requirements for medical electrical equipment and medical electrical systems used in the home healthcare environment

¹⁾ There exists a consolidated edition 3.1, including IEC 60601-1:2005 and its Amendment 1:2012.

IEC 60601-1-12:2014, Medical electrical equipment – Part 1-12: General requirements for basic safety and essential performance – Collateral Standard: Requirements for medical electrical equipment and medical electrical systems intended for use in the emergency medical services environment

IEC 61000-4-2:2008, Electromagnetic compatibility (EMC) – Part 4-2: Testing and measurement techniques – Electrostatic discharge immunity test

IEC 61000-4-3:2006, Electromagnetic compatibility (EMC) – Part 4-3: Testing and measurement techniques – Radiated, radio-frequency, electromagnetic field immunity test IEC 61000-4-3:2006/AMD1:2007 IEC 61000-4-3:2006/AMD2:2010²⁾

IEC 61000-4-4:2012, Electromagnetic compatibility (EMC) – Part 4-4: Testing and measurement techniques – Electrical fast transient/burst immunity test

IEC 61000-4-5:2014, Electromagnetic compatibility (EMC) – Part 4-5: Testing and measurement techniques – Surge immunity test

IEC 61000-4-6:2013, Electromagnetic compatibility (EMC) – Part 4-6: Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields

IEC 61000-4-8:2009, Electromagnetic compatibility (EMC) – Part 4-8: Testing and measurement techniques – Power frequency magnetic field immunity test

IEC 61000-4-11:2004, Electromagnetic compatibility (EMC) – Part 4-11: Testing and measurement techniques –Voltage dips, short interruptions and voltage variations immunity tests

CISPR 16-1-2:2014, Specification for radio disturbance and immunity measuring apparatus and methods – Part 1-2: Radio disturbance and immunity measuring apparatus – Coupling devices for conducted disturbance measurements

ISO 7637-2:2011, Road vehicles – Electrical disturbances from conduction and coupling – Part 2: Electrical transient conduction along supply lines only

²⁾ There exists a consolidated edition 3.2, including IEC 61000-4-3:2006 and its Amendment 1:2007 and Amendment 2:2010.