



Edition 5.0 2026-08

INTERNATIONAL STANDARD

**Winding wires - Test methods -
Part 5: Electrical properties**

FOREWORD	3
INTRODUCTION	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
4 Test 5: Electrical resistance	6
5 Test 13: Breakdown voltage	7
5.1 Principle	7
5.2 Equipment	7
5.3 Enamelled round wire	8
5.3.1 Grade 1 to grade 3 with a nominal diameter up to and including 0,500 mm	8
5.3.2 Grade of FIW 3 to FIW 9 with a nominal conductor diameter up to and including 1,600 mm	9
5.4 Enamelled round wire with a nominal conductor diameter over 0,100 mm up to and including 2,500 mm, grade 1 to grade 3	10
5.4.1 Test at room temperature	10
5.4.2 Test at elevated temperature	11
5.5 Round wire with a nominal conductor diameter over 2,500 mm	12
5.5.1 Test at room temperature	12
5.5.2 Test at elevated temperature	13
5.6 Fibre wound round wire	14
5.6.1 Test at room temperature	14
5.6.2 Test at elevated temperature	15
5.7 Rectangular wire	16
5.7.1 Test at room temperature	16
5.7.2 Test at elevated temperature	16
5.8 Overview of breakdown voltage specimen preparation	16
6 Test 14: Continuity of insulation (applicable to enamelled round and tape wrapped round wire)	17
6.1 General	17
6.2 Low-voltage continuity (nominal conductor diameter up to and including 0,050 mm, grade 1 to grade 3)	17
6.3 High-voltage continuity (nominal conductor diameter over 0,050 mm up to and including 1,600 mm, grade 1 to grade 3, and over 0,035 mm, up to and including 1,600 mm, grade 3 of FIW 3 to FIW 9)	18
6.3.1 Principle	18
6.3.2 Equipment	18
6.3.3 Procedure	22
6.3.4 Result	24
6.4 Inline high-voltage continuity (wires in accordance with grade of FIW 3 to FIW 9 with nominal conductor diameter over 0,035 mm up to and including 1,600 mm)	24
6.4.1 Principle	24
6.4.2 Equipment	24
6.4.3 Procedure	24
6.4.4 Result	25
6.5 Inline high-voltage continuity (enamelled rectangular wire)	25

This is a preview of IEC 60851-5 Ed. 5.0 en:2026. Click here to purchase the full version from the ANSI store.

wire)	25
7.1 Principle	25
7.2 Equipment	26
7.3 Specimen	26
7.3.1 Specimen for a metal bath electrode	26
7.3.2 Specimen for a conductive suspension electrode	27
7.4 Procedure	27
7.5 Result	27
8 Test 23: Pin hole test	27
Annex A (informative) Dissipation factor methods	29
A.1 Tangent delta – Intersection point	29
A.2 Test methods	29
A.2.1 Method A	29
A.2.2 Method B – Wire coated with a conductive film	30
A.3 Interpretation of results	30
A.3.1 General	30
A.3.2 Linear method	30
A.3.3 Logarithmic method	31
Bibliography	32
Figure 1 – Arrangement of cylinder and specimen for the breakdown voltage test	9
Figure 2 – Device for twisting the specimen for breakdown voltage test	11
Figure 3 – U-bend specimen for the breakdown voltage test (specimen placed in shot bath)	13
Figure 4 – Coil-wound specimen for the breakdown voltage test	15
Figure 5 – Apparatus for testing the low-voltage continuity of covering	18
Figure 6 – High-voltage DC continuity – Pulleys for wire size 0,050 mm to 0,250 mm	19
Figure 7 – Pulley dimensions and spacing for wire size 0,250 mm to 1,600 mm	20
Figure 8 – Graphite fibre single brush electrode assembly	21
Figure 9 – Graphite fibre dual brush electrode assembly	22
Figure 10 – Suitable electrode arrangement for testing the dielectric dissipation factor	26
Figure A.1 – Example of linear method for sole coating	31
Figure A.2 – Example of logarithmic method for sole coating	31
Table 1 – Rates of test voltage increase	7
Table 2 – Loads applied to enamelled wire	8
Table 3 – Loads and diameters of test cylinders applied to wire	10
Table 4 – Loads applied to the wire and number of twists	11
Table 5 – Breakdown voltage specimen preparation methods	17
Table 6 – Fault current	19
Table 7 – Off-line HVC test voltages for grades 1 to 3	23
Table 8 – Off-line HVC test voltages for grade of FIW 3 to FIW 9	23
Table 9 – In-line HVC test voltages	25

Winding wires - Test methods - Part 5: Electrical properties

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60851-5 has been prepared by IEC technical committee 55: Winding wires. It is an International Standard.

This fifth edition cancels and replaces the fourth edition published in 2008, Amendment 1:2011 and Amendment 2:2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) Subclauses 5.3.1 and 5.3.2 modified to expand the conductor size range for the loads applied during cylinder method testing for dielectric breakdown voltage of enameled wires and for fully insulated wires.
- b) Addition of subclause 6.5 for inline continuity testing of rectangular wire (under consideration).

This is a preview of IEC 60851-5 Ed. 5.0 en:2026. Click here to purchase the full version from the ANSI store.

Draft	Report on voting
55/2089/FDIS	55/2117/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all the parts in the IEC 60851 series, under the general title *Winding wires - Test methods*, can be found on the website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

This is a preview of IEC 60851-5 Ed. 5.0 en:2026. [Click here to purchase the full version from the ANSI store.](#)

This part of IEC 60851 forms an element of a series of standards which deals with insulated wires used for windings in electrical equipment. The series has three groups describing:

- a) winding wires – test methods (IEC 60851);
- b) specifications for particular types of winding wires (IEC 60317);
- c) packaging of winding wires (IEC 60264).

This is a preview of IEC 60851-5 Ed. 5.0 en:2026. [Click here to purchase the full version from the ANSI store.](#)

This part of IEC 60851 specifies the following tests:

- Test 5: Electrical resistance;
- Test 13: Breakdown voltage;
- Test 14: Continuity of insulation;
- Test 19: Dielectric dissipation factor;
- Test 23: Pin hole.

For definitions and general notes on methods of test, Clause 3 of IEC 60851-1:2021 applies.

This part of IEC 60851 also specifies methods for determining the dissipation factor of enamelled winding wire, provided in Annex A.

2 Normative references

There are no normative references in this document.

This is a preview of IEC 60851-5 Ed. 5.0 en:2026. [Click here to purchase the full version from the ANSI store.](#)

IEC 60296, *Fluids for electrotechnical applications - Mineral insulating oils for electrical equipment*

IEC 60851-1:2021, *Winding wires – Test methods – Part 1: General*

IEC 60851-6:2012, *Winding wires - Test methods - Part 6: Thermal properties*
