

INTERNATIONAL STANDARD

IEC 60958-4

Second edition
2003-05

Digital audio interface –

Part 4: Professional applications

Interface audionumérique –

*Partie 4:
Applications professionnelles*

© IEC 2003 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

S

For price, see current catalogue

CONTENTS

FOREWORD	3
INTRODUCTION	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
4 Interface format	6
4.1 General	6
4.2 Validity bit	6
5 Channel status	7
5.1 General	7
5.2 Professional linear PCM application	7
6 User data	15
6.1 General	15
6.2 Application	15
7 Implementation	15
7.1 General	15
7.2 Transmitter	15
7.3 Receivers	16
8 Electrical requirements	16
8.1 General	16
8.2 Balanced line	16
Bibliography	21
Figure 1 – Simplified example of the configuration of the circuit (balanced)	17
Figure 2 – Intrinsic jitter measurement filter	18
Figure 3 – Jitter attenuation mask (optional)	18
Figure 4 – Eye diagram	19
Figure 5 – A suggested equalizing characteristic for the receiver operating at a frame rate of 48 kHz	19
Figure 6 – Receiver jitter tolerance template	20
Table 1 – Channel status data format for professional linear PCM application	8

INTERNATIONAL ELECTROTECHNICAL COMMISSION

DIGITAL AUDIO INTERFACE –

Part 4: Professional applications

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60958-4 has been prepared by IEC technical committee 100: Audio, video and multimedia systems and equipment.

This second edition of IEC 60958-4 cancels and replaces the first edition published in 1999 and constitutes a technical revision.

The text of this standard is based on the following documents:

FDIS	Report on voting
100/643/FDIS	100/669/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The main changes with respect to the previous edition (1999) are listed below.

- The scope specifies the professional application of IEC 60958-1 (generalities have been removed to an introduction).
- A clause on terms and definitions has been added.
- In Table 1, expanded channel status assignments have been added and channel status definitions expanded to accommodate extended sampling frequencies, indication of alignment level and multi-channel options.

This is a preview of "IEC 60958-4 Ed. 2.0 ...". [Click here to purchase the full version from the ANSI store.](#)

- Figure 1 and associated text has been revised to be more generalized. Three notes on cable performance factors have been added.
- The impedance specification is now dependent on maximum frame rate.
- The common-mode balance specification is now dependent on maximum frame rate
- The impedance specification is now dependent on maximum frame rate.

IEC 60958 consists of the following parts under the generic title *Digital audio interface*:

Part 1: General

Part 3: Consumer applications

Part 4: Professional applications

The committee has decided that this publication remains valid until September 2005. At this date, in accordance with the committee's decision, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

INTRODUCTION

The interface specified in this standard is primarily intended to carry monophonic or stereophonic programmes at a 48 kHz sampling frequency and with a resolution of up to 24 bits per sample. It may alternatively be used to carry signals sampled at other rates such as 32 kHz, 44,1 kHz, or 96 kHz. Note that conformity to this interface specification does not require equipment to utilize these rates and also that the capability of the interface to indicate other sample rates does not imply that it is recommended that equipment supports these rates. To eliminate doubt, equipment specifications should define the supported sampling frequencies.

The format is intended for use with shielded twisted-pair cables over distances of up to 100 m without transmission equalization or any special equalization at the receiver and at frame rates of up to 50 kHz. Longer cable lengths and higher frame rates may be used with cables better matched for data transmission, or with receiver equalization, or both.

In both cases, the clock references and auxiliary information are transmitted along with the audio data. Provision is also made to allow the interface to carry non-audio data.

DIGITAL AUDIO INTERFACE –

Part 4: Professional applications

1 Scope

This International Standard specifies the professional application of the interface for the interconnection of digital audio equipment defined in IEC 60958-1.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60268-12:1987, *Sound system equipment – Part 12: Application of connectors for broadcast and similar use*

IEC 60958-1, *Digital audio interface – Part 1: General*

IEC 60958-3, *Digital audio interface – Part 3: Consumer applications*

ISO/IEC 646:1991, *Information technology – ISO 7-bit coded character set for information interchange*

ITU-T Recommendation J.17:1988, *Pre-emphasis used on sound-programme circuits*

ITU-T Recommendation V.11:1996, *Electrical characteristics for balanced double-current interchange circuits operating at data signalling rates up to 10 Mbit/s*