Edition 1.0 2010-01

INTERNATIONAL STANDARD

Arc welding equipment – Part 9: Installation and use

R

INTERNATIONAL ELECTROTECHNICAL COMMISSION

PRICE CODE

ICS 25.160.30

ISBN 978-2-88910-363-8

CONTENTS

FC	REW	ORD	4	
1	Scop	e	6	
2	Norm	native references	6	
3	Terms and definitions			
4	Installation			
4	4.1			
	4.1 4.2	General		
	4.2	Supply circuit 4.2.1 Selection of supply cables		
	4.3	4.2.3 Emergency stopping device Welding circuit		
	4.5	4.3.1 Isolation from the input supply		
		4.3.2 Summation of no-load voltages		
		4.3.2 Summation of no-load voltages		
		4.3.4 Connection between the welding power source and the workpiece		
		4.3.5 Earthing of the workpiece		
		4.3.6 Location of gas cylinders		
5	Flect	tromagnetic compatibility (EMC)		
0	5.1	General		
	5.1 5.2	Assessment of area		
	5.2 5.3	Methods of reducing emissions		
	5.5	5.3.1 Public supply system		
		5.3.2 Maintenance of arc welding equipment		
		5.3.3 Welding cables		
		5.3.4 Equipotential bonding		
		5.3.5 Earthing of the workpiece		
		5.3.6 Screening and shielding		
6	Flact	tromagnetic fields (EMF)		
-		5 ()		
7				
	7.1	General requirements		
	7.2	Connection between several welding power sources		
	7.3	Inspection and maintenance of the welding installation		
		7.3.1 Periodical inspection		
		7.3.2 Routine inspection		
	7.4	Disconnection of welding power sources and/or welding circuits		
	7.5	Guards		
	7.6	Information for operators		
	7.7	Protective measures		
		7.7.1 Extraneous conductive parts in the welding area		
	7.0	7.7.2 Protection against electric shock		
	7.8	Isolation of the welding circuit from the workpiece and earth when not in use		
	7.9	Voltage between electrode holders or torches		
	7.10	Welding in an environment with increased hazard of electric shock		
	7.11	Use of shoulder slings		
	1.12	Welding at elevated positions	1ŏ	

7.13 Welding with suspended welding equipment1	8
Annex A (informative) Hazards associated with arc welding1	
Annex B (informative) Voltage drops in the welding circuit	25
Bibliography2	27
Figure 1 – Example of d.c. voltage between electrode holders or torches	5
Figure 2 – Example of a.c. voltage between electrode holders or torches – Single-phase supply from the same pair of lines of a three-phase mains supply1	6
Figure 3 – Example of a.c. voltage between electrode holders or torches – Single-phase supply from different pairs of lines of a three-phase mains supply1	6
Figure 4 – Example of a.c. voltage between electrode holders connected between different lines of output	17
Figure A.1 – Steps for the control of welding fume	22
Figure A.2 – Steps of operation for work in confined spaces	24
Figure B.1 – Example of MIG/MAG equipment2	25
Table 1 – Current ratings for copper welding cables	.9
Table B.1 – Voltage drop in copper and aluminium welding cables at normal and elevated temperatures 2	26

INTERNATIONAL ELECTROTECHNICAL COMMISSION

ARC WELDING EQUIPMENT -

Part 9: Installation and use

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and nongovernmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60974-9 has been prepared by IEC technical committee 26: Electric welding.

This standard cancels and replaces IEC/TS 62081, published in 1999. This first edition constitutes a technical revision. The following major differences with respect to IEC/TS 62081:1999 are to be noted:

- 4.3.3 Welding cables: Now dimensions are recommended.
- 5 Electromagnetic compatibility (EMC): this is completely new.
- 6 Electromagnetic fields (EMF) : this is completely new.

• 7.3 Inspection and maintenance of the welding installation: There is now a differentiation between periodical and routine inspection.

The text of this part of IEC 60974 is based on the following documents:

FDIS	Report on voting
26/404/FDIS	26/405/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all the parts of the IEC 60974 series, under the general title *Arc welding equipment*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this standard may be issued at a later date.

ARC WELDING EQUIPMENT –

Part 9: Installation and use

1 Scope

This part of IEC 60974 is applicable to the installation and use of equipment for arc welding and allied processes designed in accordance with safety requirements of IEC 60974-1, IEC 60974-6 or equivalent.

This part of IEC 60974 is applicable for the guidance of instructors, operators, welders, managers, and supervisors in the safe installation and use of equipment for arc welding and allied processes and the safe performance of welding and cutting operations.

National and local regulations take precedence over this part of IEC 60974.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60245-6, *Rubber insulated cables – Rated voltages up to and including 450/750 V – Part 6: Arc welding electrode cables*

IEC/TR 60755, General requirements for residual current operated protective devices

IEC 60974-1:2005, Arc welding equipment – Part 1: Welding power sources

IEC 60974-4, Arc welding equipment – Part 4: In-service inspection and testing

IEC 60974-6, Arc welding equipment – Part 6: Limited duty manual metal arc welding power sources

IEC 60974-10, Arc welding equipment – Part 10: Electromagnetic compatibility (EMC) requirements

IEC 60974-11, Arc welding equipment – Part 11: Electrode holders

IEC 60974-12, Arc welding equipment – Part 12: Coupling devices for welding cables

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

welding circuit

circuit that includes all conductive material through which the welding current is intended to flow