INTERNATIONAL STANDARD

IEC 61051-1

QC 420000

Second edition 2007-04

Varistors for use in electronic equipment -

Part 1: Generic specification



CONTENTS

FO	FOREWORD5					
1	Gene	eral		7		
	1.1	Scope		7		
	1.2	•				
	1.3	-	itive references			
2	_		ata			
	2.1		symbols and terminology			
	2.2		and definitions			
	2.3		red values and characteristics			
	2.4		ng			
		2.4.1	General			
		2.4.2	Coding			
3	Qual	itv asse	essment procedures			
	3.1	•	cation approval/quality assessment systems			
	3.2		ry stage of manufacture			
	3.3		urally similar components			
	3.4		ication approval procedures			
	3.5		y conformance inspection			
		3.5.1	Certified records of released lots			
		3.5.2	Delayed delivery			
		3.5.3	Release for delivery before the completion of Group B tests			
	3.6	Alterna	ative test methods	16		
	3.7	Unche	cked parameters	16		
4	Test	and me	easurement procedures	16		
	4.1	Gener	al	16		
	4.2	Standa	ard atmospheric conditions	16		
		4.2.1	Standard atmospheric conditions for testing	16		
		4.2.2	Recovery conditions	17		
		4.2.3	Referee conditions	17		
		4.2.4	Reference conditions	17		
	4.3	Drying	and recovery	17		
	4.4	Visual	examination and check of dimensions	18		
		4.4.1	Visual examination	18		
		4.4.2	Marking	18		
		4.4.3	Dimensions (gauging)	18		
		4.4.4	Dimensions (detail)	18		
	4.5		al varistor voltage or leakage current (not applicable to pulse rements)	18		
		4.5.1	Test procedure	18		
		4.5.2	Measurement and requirements	18		
	4.6	Pulse	current	18		
		4.6.1	Standard pulse currents	19		
		4.6.2	Tolerances	19		
		4.6.3	Measurement of the pulse current	19		
	4.7	•	e under pulse condition			
	4.8	Capac	itance	20		

4.9	Voltage proof (for insulated varistors only)	20
	4.9.1 V-block method	20
	4.9.2 Metal ball method	20
	4.9.3 Foil method	21
4.10	Insulation resistance (for insulated varistors only)	21
	4.10.1 Test procedure	21
	4.10.2 Measurement and requirements	21
4.11	Robustness of terminations	22
	4.11.1 General	22
	4.11.2 Test Ua ₁ – Tensile	22
	4.11.3 Test Ub – Bending (half of the number of terminations)	22
	4.11.4 Test Uc – Torsion (other half of the number of terminations)	
	4.11.5 Test Ud – Torque (for terminations with threaded studs or screws and for integral mounting devices)	
	4.11.6 Visual examination	
	4.11.7 Final measurement	
4.12	Resistance to soldering heat	
	4.12.1 Preconditioning	
	4.12.2 Test procedure	
	4.12.3 Recovery	
	4.12.4 Final inspection, measurement and requirements	
4 13	Solderability	
0	4.13.1 Test procedure	
	4.13.2 Final inspection, measurements and requirements	
4.14	Rapid change of temperature	
	4.14.1 Initial measurement	
	4.14.2 Test procedure	
	4.14.3 Final inspection, measurement and requirements	
4.15	Bump	
	4.15.1 Initial measurement	
	4.15.2 Test procedure	
	4.15.3 Final inspection, measurement and requirements	
4.16	Shock	
	4.16.1 Initial measurement	
	4.16.2 Test procedure	25
	4.16.3 Final inspection, measurement and requirements	
4.17	Vibration	
	4.17.1 Initial measurement	25
	4.17.2 Test procedure	26
	4.17.3 Final inspection, measurement and requirements	26
4.18	Climatic sequence	26
	4.18.1 Initial measurement	
	4.18.2 Dry heat	26
	4.18.3 Damp heat, cyclic, Test Db, first cycle	
	4.18.4 Cold	
	4.18.5 Low air pressure	
	4.18.6 Damp heat, cyclic, Test Db, remaining cycles	
	4.18.7 Final inspection, measurement and requirements	
4 19	Damp heat steady state	27

	4.19.1 Initial measurement	27
	4.19.2 Test procedure	27
	4.19.3 Final inspection, measurement and requirements	27
4.20	Fire hazard	28
4.21	Endurance at upper category temperature	28
4.22	Solvent resistance of marking	29
	4.22.1 Test procedure	29
	4.22.2 Requirements	29
4.23	Component solvent resistance	29
	4.23.1 Initial measurements	29
	4.23.2 Test procedure	29
	4.23.3 Measurement and requirements	30
4.24	Mounting (for surface mount varistors only)	30
Annex A	(normative) Mounting for measurements of varistors	32
	(normative) Interpretation of sampling plans and procedures as described in 0 for use within the IEC quality assessment system for electronic components	34
	(normative) Rules for the preparation of detail specifications for capacitors tors for electronic equipment	35
	• •	
Figure 1 -	- Shape of pulse current type 1	11
Figure 2 -	- Shape of pulse current type 2	12
Figure A.	1 – Mounting methods for measurements	32
	2 – Mounting method for measurements of surface mount varistors	
		• •
Table 1 –	Standard atmospheric conditions	17
Table 2 –	Accepted differences between specified and recorded pulse current values	19
	Force for wire terminations	
	Torque	
	Number of codes	0.7
Table 5 –	Numper of cycles	21

INTERNATIONAL ELECTROTECHNICAL COMMISSION

VARISTORS FOR USE IN ELECTRONIC EQUIPMENT –

Part 1: Generic specification

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international
 consensus of opinion on the relevant subjects since each technical committee has representation from all
 interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61051-1 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment.

This second edition cancels and replaces the first edition published in 1991 and constitutes a minor revision related to tables, figures and references.

The text of this standard is based on the following documents:

CDV	Report on voting
40/1775/CDV	40/1841/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

The QC number that appears on the front cover of this publication is the specification number in the IEC Quality Assessment System for Electronic Components (IECQ).

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The list of all the parts of the IEC 61051 series, under the general title *Varistors for use in electronic equipment*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- · reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- · amended.

A bilingual version of this publication may be issued at a later date.

VARISTORS FOR USE IN ELECTRONIC EQUIPMENT -

Part 1: Generic specification

1 General

1.1 Scope

This part of IEC 61051 is applicable to varistors with symmetrical voltage-current characteristics for use in electronic equipment.

1.2 Object

The object of this standard is to establish standard terms, inspection procedures and methods of test for use in sectional and detail specifications for Qualification Approval and for Quality Assessment Systems for electronic components.

1.3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60027 (all parts), Letter symbols to be used in electrical technology

IEC 60050 (all parts), International Electrotechnical Vocabulary (IEV)

IEC 60060-2:1994, High-voltage test techniques – Part 2: Measuring systems

IEC 60062:2004, Marking codes for resistors and capacitors.

IEC 60068-1:1988, Environmental testing – Part 1: General and guidance Amendment 1 (1992)

IEC 60068-2-1:2007, Environmental testing – Part 2: Tests – Test A: Cold

IEC 60068-2-2:1974, Environmental testing – Part 2: Tests – Tests B: Dry heat Amendment 1 (1993) Amendment 2 (1994)

IEC 60068-2-6:1995, Environmental testing – Part 2: Tests – Test Fc and guidance: Vibration (Sinusoidal)

IEC 60068-2-13:1983, Environmental testing - Part 2: Tests - Test M: Low air pressure

IEC 60068-2-14:1984, Environmental testing – Part 2: Tests – Test N: Change of temperature Amendment 1 (1986)

IEC 60068-2-20:1979, Environmental testing – Part 2: Tests – Test T: Soldering Amendment 2 (1987)

IEC 60068-2-21:2006, Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices

IEC 60068-2-27:1987, Environmental testing – Part 2: Tests – Test Ea and guidance: Shock

IEC 60068-2-29:1987, Environmental testing – Part 2: Tests – Test Eb and guidance: Bump

IEC 60068-2-30:2005, Environmental testing – Part 2-30: Tests – Test Db and guidance: Damp heat, cyclic (12 h + 12-hour cycle)

IEC 60068-2-45:1980, Environmental testing – Part 2: Tests – Test XA and guidance – Immersion in cleaning solvents

IEC 60068-2-54:2005, Environmental testing – Part 2-54: Tests – Test Ta: Solderability testing of electronic components by the wetting balance method

IEC 60068-2-58:2004, Environmental testing – Part 2-58: Tests – Test Td: Test methods for solderability, resistance to dissolution of metallization and to soldering heat of surface mounting devices (SMD)

IEC 60068-2-69:1995, Environmental testing – Part 2: Tests – Test Te: Solderability testing of electronic components for surface mount technology by the wetting balance method

IEC 60068-2-78:2001, Environmental testing – Part 2-78: Tests – Test Cab: Damp heat, steady state

IEC 60294:1969, Measurement of the dimensions of a cylindrical component having two axial terminations

IEC 60410:1973, Sampling plans and procedures for inspection by attributes

IEC 60617:2007, Graphical symbols for diagrams

IEC 60695-11-5:2004, Fire hazard testing – Part 11-5: Test flames – Needle-flame test method – Apparatus, confirmatory test arrangement and guidance

IEC 60717:1981, Method for the determination of the space required by capacitors and resistors with unidirectional terminations

IEC 61249-2-7:2002, Materials for printed boards and other interconnecting structures – Part 2-7: Reinforced base materials clad and unclad – Epoxide woven E-glass laminated sheet of defined flammability (vertical burning test) copper-clad

IEC QC 001002-3, see http://www.iecq.org

ISO 1000:1992, SI units and recommendations for the use of their multiples and of certain other units

Amendment 1 (1998)

2 Technical data

2.1 Units, symbols and terminology

Units, graphical symbols, letter symbols and terminology shall, whenever possible be taken from the following publications:

IEC 60027

IEC 60050

IEC 60617

ISO 1000