TECHNICAL REPORT – TYPE 3

IEC 61366-5

First edition 1998-03

Hydraulic turbines, storage pumps and pump-turbines – Tendering Documents

Part 5: Guidelines for technical specifications for tubular turbines

Turbines hydrauliques, pompes d'accumulation et pompes-turbines – Document d'appel d'offres –

Partie 5: Guide des spécifications techniques pour les turbines tubulaires

© IEC 1998 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission Telefax: +41 22 919 0300 e-m

sion 3, e-mail: inmail@iec.ch

3, rue de Varembé Geneva, Switzerland ch IEC web site http://www.iec.ch



Commission Electrotechnique Internationale International Electrotechnical Commission Международная Электротехническая Комиссия

PRICE CODE



For price, see current catalogue

CONTENTS

			Page	
FO	REWO	DRD	4	
Cla				
0		duction to technical specifications		
1	-	De	9	
2		rence documents	9	
3		nnical requirements	9	
	3.1	Scope of work	9	
	3.2	Limits of the contract	10	
	3.3	Supply by Employer	10	
	3.4	Design conditions	11	
	3.5	Technical performance and other guarantees	13	
	3.6	Mechanical design criteria	16	
	3.7	Design documentation	17	
	3.8	Materials and construction	18	
	3.9	Shop inspection and testing	19	
4	Tech	Technical specifications for fixed/embedded components		
	4.1	Bulb structure and hatch cover	20	
	4.2	Stay ring (if employed in design)	21	
	4.3	Discharge ring	21	
	4.4	Draft tube and draft tube liner	22	
	4.5	Upstream and downstream pressure taps and pipes	22	
5	Technical specifications for stationary/removable components			
	5.1	Inner and outer rings	22	
	5.2	Guide vanes	22	
6	Technical specifications for guide vane regulating apparatus			
	6.1	Servomotors	23	
	6.2	Connecting rods	23	
	6.3	Regulating ring	23	
	6.4	Guide vane linkage	23	
	6.5	Guide vane overload protection	23	
	6.6	Locking devices	24	
	6.7	Counter weight	24	
7	Technical specifications for rotating parts, bearings, seals and gear box (if used)			
	7.1	Runner	24	
	7.2	Runner blade regulating apparatus	24	
	7.3	Main shaft	25	

	7.4	Turbine guide bearing	26
	7.5	Main shaft seal	26
	7.6	Standstill (maintenance) seal	26
	7.7	Gearbox (if used)	26
8	Tech	nical specifications for thrust and counter-thurst bearing	27
	8.1	Design data	27
	8.2	Bearing support	27
	8.3	Bearing assembly	27
9	Tech	nical specifications for miscellaneous components	27
	9.1	Walkways, access platforms and stairs	27
	9.2	Lifting fixtures	28
	9.3	Special tools	28
	9.4	Standard tools	28
	9.5	Nameplate	28
10	Tech	nical specifications for auxiliary systems	28
	10.1	Bearing lubrication system	28
	10.2	Turbine drainage	28
	10.3	Lubrication – guide vane regulating system	28
11	Tech	nical specifications for instrumentation	29
	11.1	Controls	29
	11.2	Indication	29
	11.3	Protection	29
12	Spar	e parts	29
13	Mode	el acceptance tests	29
14	Site i	nstallation and commissioning tests	30
	14.1	General	30
	14.2	Installation procedures	30
	14.3	Tests during installation	31
	14.4	Commissioning tests	31
15	Field	acceptance tests	31
	15.1	Scope and reports	31
	15.2	Inspection of cavitating pitting	31

INTERNATIONAL ELECTROTECHNICAL COMMISSION

HYDRAULIC TURBINES, STORAGE PUMPS AND PUMP-TURBINES – TENDERING DOCUMENTS –

Part 5: Guidelines for technical specifications for tubular turbines

FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
- 6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical report of one of the following types:

- type 1, when the required support cannot be obtained for the publication of an International Standard, despite repeated efforts;
- type 2, when the subject is still under technical development or where for any other reason there is the future but no immediate possibility of an agreement on an International Standard;
- type 3, when a technical committee has collected data of a different kind from that which is normally published as an International Standard, for example "state of the art".

Technical reports of types 1 and 2 are subject to review within three years of publication to decide whether they can be transformed into International Standards. Technical reports of type 3 do not necessarily have to be reviewed until the data they provide are considered to be no longer valid or useful.

IEC 61366-5, which is a technical report of type 3, has been prepared by IEC technical committee 4: Hydraulic turbines.

The text of this technical report is based on the following documents:

Committee draft	Report on voting
4/110/CDV	4/122/RVC

Full information on the voting for the approval of this technical report can be found in the report on voting indicated in the above table.

Technical Report IEC 61366-5 is one of a series which deals with Tendering documents for hydraulic turbines, storage pumps and pump-turbines. The series consists of seven parts:

Part 1: General and annexes (IEC 61366-1)

Part 2: Guidelines for technical specification for Francis turbines (IEC 61366-2)

Part 3: Guidelines for technical specification for Pelton turbines (IEC 61366-3)

Part 4: Guidelines for technical specification for Kaplan and propeller turbines (IEC 61366-4)

Part 5: Guidelines for technical specification for tubular turbines (IEC 61366-5)

Part 6: Guidelines for technical specification for pump-turbines (IEC 61366-6)

Part 7: Guidelines for technical specification for storage pumps (IEC 61366-7)

Parts 2 to 7 are "stand-alone" publications which when used with Part 1 contain guidelines for a specific machine type (i.e. Parts 1 and 4 represent the combined guide for Kaplan and propeller turbines). A summary of the proposed contents for a typical set of Tendering documents is given in the following table 1 and annex A. Table 1 summarizes the arrangement of each part of this guide and serves as a reference for the various chapters and sections of the Tendering documents (see 3.2 of this part).

	CONTENTS OF GUIDE IEC 61366-1 TO IEC 61366-7	SAMPLE TABLE OF CONTENTS OF TENDERING DOCUMENTS (TD) (Example for the Francis turbines; see 61366-1, annex A)
Part Clause	Title	Chapter Title
B Comme C Check I D Exampl E Technic F Exampl G Check I	General and annexes Object and scope of this guide Reference documents and definitions Arrangement of Tendering documents Guidelines for tendering requirements Guidelines for project information Guidelines for general conditions, special conditions and general requirements Annexes table of contents of Tendering documents for Francis turbines nts on factors for evaluation of tenders ist for tender form es of technical data sheets al performance guarantees e of cavitation pitting guarantees ist for model test specifications Technical specifications Francis turbines Pelton turbines Kaplan and propeller turbines Tubular turbines Pump-turbines Storage pumps	1Tendering requirements2Project information3General conditions4Special conditions5General requirements6Technical specifications6.1Technical requirements6.1.1Scope of work6.1.2Limits of the contract6.1.3Supply by Employer6.1.4Design conditions6.1.5Performance and other guarantees6.1.6Mechanical design criteria6.1.7Design documentation6.1.8Materials and construction6.19Shop inspection and testing6.2Technical specifications for fixed/embedded components6.3Technical specifications for stationary/removable components6.4Technical specifications for thrust bearings6.5Technical specifications for thrust bearings6.6Technical specifications for inscellaneous components6.8Technical specifications for auxiliary systems6.9Technical specifications for instrumentation6.10Spare parts6.11Model tests6.12Installation and commissioning6.13Field acceptance tests

Table 1 – Summary of guide for the preparation of Tendering documents for hydraulic turbines, storage pumps and pump-turbines

HYDRAULIC TURBINES, STORAGE PUMPS AND PUMP-TURBINES – TENDERING DOCUMENTS –

Part 2: Guidelines for technical specifications for tubular turbines

0 Introduction to technical specifications

The main purpose of the technical specifications is to describe the specific technical requirements for the hydraulic machine for which the Tendering documents (TD) are being issued. To achieve clarity and to avoid confusion in contract administration, the Employer should not specify anything in the technical specifications which is of importance only to the preparation of the tender. Such information and instructions should be given only in the instructions to Tenderers (ITT). Accordingly, the ITT may refer to other chapters and sections of the Tendering documents but not vice versa. As a general rule the word "Tenderer" should be confined in use only to TD Chapter 1 "Tendering requirements"; elsewhere the term "Contractor" should be used.

Special attention should be given to items of a project specific nature such as materials, protective coating systems, mechanical piping systems, electrical systems and instrumentation. It is common for the Employer to use technical standards for such items which would apply to all contracts for a particular project or projects. In this event, detailed technical standards should be specified in TD Chapter 5 "General requirements".

Technical specifications for the various types of hydraulic machines included in this guide are provided in the following parts:

- Francis turbines (Part 2);
- Pelton turbines (Part 3);
- Propeller and Kaplan turbines (Part 4);
- Tubular turbines (Part 5);
- Pump-turbines (Part 6);
- Storage pumps (Part 7).

The guidelines for preparation of tubular turbine specifications include technical specifications for the following:

- Design conditions: Project arrangement, hydraulic conditions, mode of operation, generator characteristics, transient behaviour data, stability of the system, noise, vibration, pressure fluctuations and safety requirements.
- Technical performance and other guarantees:
 - power;
 - discharge;
 - efficiency;
 - maximum momentary pressure;
 - minimum momentary pressure;
 - maximum momentary overspeed;
 - maximum steady-state runaway speed;

- cavitation pitting;
- hydraulic thrust;
- maximum weights and dimensions for transportation, erection and maintenance.
- Mechanical design criteria: design standards, stresses and deflections and special design considerations.
- Design documentation: Contractor's input needed for the Employer's design, the Contractor's drawings and data, Contractor's review of the Employer's design and technical reports by Contractor.
- Materials and construction: material selection and standards, quality assurance procedures, shop methods and personnel, corrosion protection and painting.
- Shop inspection and testing: general requirements and reports, material tests and certificates, dimensional checks, shop assembly and tests.
- Fixed/embedded components: generator hatch cover or pit, stay ring, discharge ring (if any), draft tube, draft tube liner foundations anchorage, upstream and downstream pressure taps and pipes.
- Stationary/removable components: bulb nose, generator access shaft inner and outer guide rings and guide vanes.
- Regulating apparatus: servomotor, counterweight, connecting rods, regulating ring, guide vane linkage, system, guide vane overload protection and locking devices.
- Rotating parts, bearings and seals: runner, main shaft, guide bearing, main shaft seal, oil head and runner blade regulation system with servomotor assembly with oil supply, linkage system, crosshead and oilhead.
- Thrust and counter-thrust bearing: bearing support, thrust collar and counter-thrust bearing pads and rings, oil sump and instrumentation.
- Gear box: gear box and related components.
- Miscellaneous components: walkways, platforms, lifting fixtures, special tools, standard tools and nameplate.
- Auxiliary systems: water supply to main shaft seal, turbine drainage, lubrication-guide vane regulating system, and oil supply to bearings.
- Instrumentation: controls, indication and protection.
- Spare parts: basic spare parts.
- Model acceptance tests: test requirements.
- Site installation and commissioning test: installation procedures and commissioning.
- Field acceptance tests: scope of field test scope and reports and inspection of cavitation pitting.

An example of the proposed table of contents for Tendering documents for a Francis turbine is given in annex A of IEC 61366-1. The example does not include technical specifications for the control system, relief valves, or high and low pressure slide valves or gates which, at the Employer's option, may be included in the Tendering documents for the turbine or may be specified in separate documents.

Chapter 6 (technical specifications) of the Tendering documents should be arranged as follows:

- 6.1 Technical requirements;
- 6.2 Technical specifications for fixed/embedded components;
- 6.3 Technical specifications for stationary/removable components;
- 6.4 Technical specifications for guide vane regulating apparatus;
- 6.5 Technical specifications for rotating parts, guide bearings and seals;
- 6.6 Technical specifications for thrust bearing;
- 6.7 Technical specifications for gear box;

61366-5 © IEC:1998(E)

- 6.8 Technical specifications for miscellaneous components;
- 6.9 Technical specifications for auxiliary systems;
- 6.10 Technical specifications for instrumentation;
- 6.11 Spare parts;
- 6.12 Model acceptance tests
- 6.13 Site installation and commissioning
- 6.14 Field acceptance tests

1 Scope

This technical report, referred to herein as the Guide, is intended to assist in the preparation of Tendering documents and tendering proposals and in the evaluation of tenders for hydraulic machines. This part of IEC 61366 provides guidelines for tubular turbines.

2 Reference documents

IEC 60041:1992, Field acceptance tests to determine the hydraulic performance of hydraulic turbines, storage pumps and pump-turbines

IEC 60193:1965, International code for model acceptance tests of hydraulic turbines

IEC 60308:1970, International code for testing of speed governing systems for hydraulic turbines

IEC 60545:1976, Guide for commissioning, operation and maintenance of hydraulic turbines

IEC 60609:1978, *Cavitation pitting evaluation in hydraulic turbines, storage pumps and pump-turbines*

IEC 60994:1991, Guide for field measurement of vibrations and pulsations in hydraulic machines (turbines, storage pumps and pump turbines)

IEC 61362,— Guide to specification of hydro-turbine control systems 1)

ISO 3740:1980, Acoustics – Determination of sound power levels of noise sources – Guidelines for the use of basic standards and for the preparation of noise test codes

¹⁾ To be published.