

INTERNATIONAL STANDARD



**Liquid crystal display devices –
Part 40-5: Mechanical testing of display cover glass for mobile devices –
Strength against dynamic impact by a sharp object with the specimen rigidly
supported**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.120

ISBN 978-2-8322-5402-8

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	6
4 General	7
5 Apparatus.....	8
5.1 Testing environment and pre-conditioning.....	8
5.2 Apparatus overview	8
5.3 Height adjustment beam	8
5.4 Base (granite).....	9
5.5 Coated abrasives.....	9
5.6 Armature.....	9
5.7 Ball release mechanism	9
5.8 Height adjustment clamp.....	9
5.9 Ball release controller	9
5.10 Ball.....	9
5.11 Base	9
6 Procedure.....	10
6.1 Safety	10
6.1.1 Hazard - Broken glass	10
6.1.2 Hazard – Compression due to moving ball.....	10
6.2 Sample	10
6.3 Individual specimen	10
6.4 Complete the report	11
7 Calculations.....	11
7.1 Breaking energy.....	11
7.2 Statistical calculations	11
8 Reporting.....	13
8.1 Information to be reported for each test	13
8.2 Information to be made available upon request.....	13
9 Specifications	13
Figure 1 – Apparatus overview.....	8
Figure 2 – Typical Weibull plot.....	12

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LIQUID CRYSTAL DISPLAY DEVICES –

**Part 40-5: Mechanical testing of display cover glass for mobile devices –
Strength against dynamic impact by a sharp object
with the specimen rigidly supported**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61747-40-5 has been prepared by technical committee 110: Electronic display devices.

The text of this International Standard is based on the following documents:

FDIS	Report on voting
110/936/FDIS	110/958/RVD

Full information on the voting for the approval of this International Standard can be found in the report on voting indicated in the above table.

This document has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts in the IEC 61747 series, published under the general title *Liquid crystal display devices*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under "<http://webstore.iec.ch>" in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

Mobile electronic devices have become increasingly sophisticated and often incorporate displays for the purposes of user interface and viewing. Such displays commonly incorporate a transparent cover glass, which aids in protecting the display against the introduction of damage through routine device transport and use, as well as occasional or accidental misuse.

The purpose of this document is to provide mechanical testing procedures for cover glasses utilized in such applications. Such glasses can be strengthened, for example via an ion-exchange process, which acts to increase mechanical strength through the introduction of a surface compressive layer.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent.

IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the IEC that he/she is willing to negotiate licences either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with IEC. Information may be obtained from:

Asahi Glass Co., Ltd.

1-5-1Marunouch,Chiyoda-ku, Tokyo, 10-8405 Japan

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

ISO (www.iso.org/patents) and IEC (<http://patents.iec.ch>) maintain on-line database of patents relevant to their standards. Users are encouraged to consult the databases for the most up to date information concerning patents.

LIQUID CRYSTAL DISPLAY DEVICES –

Part 40-5: Mechanical testing of display cover glass for mobile devices – Strength against dynamic impact by a sharp object with the specimen rigidly supported

1 Scope

This part of IEC 61747 is a mechanical performance testing procedure for cover glass used in electronic displays in mobile devices. This document focuses on the measurement of surface impact energy required to fracture a specimen due to the collision of sharp particles onto the surface of a cover glass. This is achieved by dropping a ball on a sheet of coated abrasives placed on the cover glass, which is rigidly supported. The failure mode is associated with damage introduction via sharp contact. Crack propagation is enhanced by central tension in the case of strengthened glass. This failure mode represents one of several field failure modes observed in mobile devices.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61649:2008, *Weibull analysis*

IEC 61747-40-1, *Liquid crystal display devices – Part 40-1: Mechanical testing of display cover glass for mobile devices – Guidelines*

ISO 6344-1, *Coated abrasives – Grain size analysis – Part 1: Grain size distribution test*

ISO 8512-2, *Surface plates – Part 2: Granite*

JIS R6111, *Artificial abrasives*