



Edition 1.0 2026-06

INTERNATIONAL STANDARD

**Electric vehicle conductive charging system -
Part 23-1: DC electric vehicle supply equipment - Automated connection device**

FOREWORD	5
INTRODUCTION	7
1 Scope	8
2 Normative references	9
3 Terms and definitions	10
4 General requirements	13
5 Classification	13
6 Charging modes and functions	14
7 Communications	17
8 Protection against electric shock	18
9 Conductive electrical interface requirements	27
10 Requirements for adaptors	28
11 Cable assembly requirements	28
12 EV supply equipment constructional requirements and tests	28
13 Overload and short circuit protection	31
14 Automatic reclosing of protective devices	31
15 Emergency switching or disconnect (optional)	31
16 Marking and instructions	31
Annex AA (normative) EV supply equipment of system A	37
Annex BB (normative) EV supply equipment of system B	38
Annex CC (normative) EV supply equipment of system C	54
Annex DD (informative) Bidirectional power transfer control	91
Annex EE (normative) Test load impedance verification	92
Annex FF (normative) Multi-side B separated EV supply equipment	93
Annex GG (informative) Communication and energy transfer process between the EV supply equipment and the EV	94
Annex HH (informative) Touch current and touch impulse current	95
Annex AAA (informative) Consideration when road vehicle is interconnected with an off-board charger	98
Annex BBB (normative) DC EV supply equipment based on system C with 3 contacts automatic coupler	100
Bibliography	141
Figure 201 – Case D connection	11
Figure 202 – Case E connection	11
Figure 203 – Measurement of the touch leakage current	20
Figure 204 – Minimum clearances to accessible live parts	22
Figure 205 – Protection by obstacles	22
Figure 206 – Protection by obstacles test method with the jointed test finger mounted on a straight stick	23
Figure 207 – Jointed test finger mounted on a straight stick	23
Figure 208 – Protection by electro-sensitive equipment	24

This is a preview of IEC 61851-23-1 Ed. 1.0 en:2026. Click here to purchase the full version from the ANSI store.

between side B live conductors (DC+/DC-) and protective conductor.....	30
Figure 210 – Hazardous voltage symbol according to ISO 7010-W012:2011-05	32
Figure 211 – General test setup for system C with an automated connection device.....	34
Figure BB.201 – Circuit diagram of a system B EV supply equipment with automatic coupler.....	39
Figure BB.202 – Control pilot.....	40
Figure BB.203 – U_{cp} state diagram for typical control pilot	42
Figure BB.204 – FPT control sequence.....	44
Figure BB.205 – EVSE terminates energy transfer sequence	50
Figure BB.206 – EV terminates energy transfer sequence	51
Figure CC.201 – Recommended control pilot circuit for case D ACD.....	55
Figure CC.202 – Circuit diagram of a system C EV supply equipment with automatic coupler.....	56
Figure CC.203 – Example of a sequence diagram.....	59
Figure CC.204 – Sequence diagram for normal start up.....	60
Figure CC.205 – Sequence diagram for normal shutdown	64
Figure CC.206 – Sequence diagram for emergency shutdown executed by the EV – case D	68
Figure CC.207 – Sequence diagram for emergency shutdown executed by the EV supply equipment	70
Figure HH.201 – Leakage current and impulse current in relation to limits in IEC 60479 series.....	97
Figure AAA.1 – Hazardous voltage logo according to ISO 7010-W012:2011-05.....	99
Figure BBB.1 – Vehicle/infrastructure communication.....	101
Figure BBB.2 – Power distribution architecture	101
Figure BBB.3 – Power distribution architecture	102
Figure BBB.4 – Upstream radio signal modulation oscillograms.....	104
Figure BBB.5 – 12-bit frame after demodulation.....	105
Figure BBB.6 – CP radio signal modulation oscillograms	107
Figure BBB.7 – 8-bit frame after demodulation	107
Figure BBB.8 – Sequence diagram for normal start up	110
Figure BBB.9 – Sequence diagram for normal shutdown.....	113
Figure BBB.10 – Sequence diagram for emergency stop initiated by EVSE.....	116
Figure BBB.11 – Sequence diagram for emergency stop initiated by EVSE.....	118
Figure BBB.12 – Sequence diagram for emergency stop initiated by EV.....	120
Figure BBB.13 – 38 kHz radio signal emission.....	139
Table 103 – Voltage threshold for emergency shutdown reaction for system B and system C	15
Table 201 – Voltage threshold for emergency shutdown reaction for system B and system C	15
Table 112 – Safety provisions for protection against electric shock for EV supply equipment at side B.....	25
Table 202 – Safety provisions for protection against electric shock for EV supply equipment at side B.....	25

This is a preview of IEC 61851-23-1 Ed. 1.0 en:2026. [Click here to purchase the full version from the ANSI store.](#)

Table 203 – Current ripple limit of DC EV supply equipment	32
Table 120 – Recommended circuit parameters of the test load	35
Table 204 – Recommended circuit parameters of the test load	35
Table BB.201 – Definition of symbols of circuit diagram.....	39
Table BB.202 – Control pilot circuit values and parameters.....	41
Table BB.203 – U_{cp} states detected by the EV supply equipment.....	41
Table BB.204 – List of U_{cp} states transition sequence	42
Table BB.2 – Error shutdown times and criteria	45
Table BB.3 – Emergency shutdown times and criteria	46
Table BB.4 – Sequence description.....	52
Table CC.201 – Component values and tolerances for automatic coupler	57
Table CC.202 – Message code mapping for sequence diagram.....	58
Table CC.203 – Example of a sequence description.....	59
Table CC.204 – Sequence description for normal start up.....	61
Table CC.205 – Sequence description for normal shutdown.....	65
Table CC.206 – Overview of error and emergency shutdown cases	66
Table CC.207 – Sequence description for emergency shutdown executed by the EV – case D	69
Table CC.208 – Sequence description for emergency shutdown executed by the EV supply equipment	71
Table CC.18 – Insulation states and DC EV supply equipment reaction based on the measured insulation resistance.....	74
Table CC.209 – Insulation states and DC EV supply equipment reaction based on the measured insulation resistance.....	74
Table CC.210 – Emergency shutdown timing parameters	75
Table CC.23 – Component valued for the inrush current limit test.....	83
Table CC.211 – Component valued for the inrush current limit test	83
Table HH.1 – Key(s) and exemplary values for design verification	95
Table HH.201 –Exemplary determination if touch current limit is fulfilled by design.....	95
Table BBB.1 – Definition and symbols/terms	102
Table BBB.2 – ACD counterpart to ACD signal modulation description.....	104
Table BBB.3 – Radio signal data bits allocation	104
Table BBB.4 – CP signal modulation description.....	107
Table BBB.5 – Message mapping for sequence diagram.....	108
Table BBB.6 – Example of a sequence description.....	109
Table BBB.7 – Sequence description for normal start up	111
Table BBB.8 – Sequence description for normal shutdown.....	114
Table BBB.9 – Overview of error and emergency shutdown cases	115
Table BBB.10 – Sequence description for emergency stop initiated by EVSE	117
Table BBB.11 – Sequence description for emergency stop initiated by EVSE	119
Table BBB.12 – Sequence description for emergency stop initiated by EV.....	121
Table CC.18 – Insulation states and DC EV supply equipment reaction based on the measured insulation resistance.....	123

This is a preview of IEC 61851-23-1 Ed. 1.0 en:2026. [Click here to purchase the full version from the ANSI store.](#)

measured insulation resistance	123
Table BBB.14 – Emergency shutdown timing parameters	124
Table CC.23 – Component valued for the inrush current limit test.....	132

Electric vehicle conductive charging system - Part 23-1: DC electric vehicle supply equipment - Automated connection device

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61851-23-1 has been prepared by IEC technical committee 69: Electric power/energy transfer systems for electrically propelled road vehicles and industrial trucks. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
69/1127/FDIS	69/1133/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This is a preview of IEC 61851-23-1 Ed. 1.0 en:2026. Click here to purchase the full version from the ANSI store.

accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

This document is to be read in conjunction with IEC 61851-23:2023 and IEC 61851-1:2017.

The clauses of particular requirements in this document supplement or modify the corresponding clauses in IEC 61851-23:2023 and IEC 61851-1:2017. Where the text of subsequent clauses indicates an "addition", an "amendment" to or a "replacement" of the relevant requirement, test specification or explanation of IEC 61851-23:2023 or IEC 61851-1:2017, these changes are made to the relevant text of IEC 61851-23:2023 or IEC 61851-1:2017, which then becomes part of this document. Where no change is necessary, the words " IEC 61851-23:2023, [clause], is applicable " are used. The new clauses which are not included in IEC 61851-23:2023 have a clause number starting from 201, for example 3.201, 201.2, etc. Replaced tables and figures are numbered starting from 201. The new annexes of this document are numbered using triple-alphabet, for example Annex AAA to avoid confusion with the annexes of IEC 61851-23:2023. If the text in this document is to be read with IEC 61851-23:2023 and IEC 61851-1:2017, the following terms are replaced:

- "vehicle coupler", as defined by IEC 61851-1:2017, with "automatic coupler" as defined in Clause 3,
- "vehicle connector", as defined by IEC 61851-1:2017, with "part of the automatic coupler mounted on the EV supply equipment", and
- "vehicle inlet", as defined by IEC 61851-1:2017, with "part of the automatic coupler mounted on the EV".

In this document, the following print types are used:

- *test specifications: italic type.*
- notes: smaller roman type.

A list of all parts in the IEC 61851 series, published under the general title *Electric vehicle conductive charging system*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under <https://webstore.iec.ch/?ref=menu> in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

The introduction and commercialisation of electric vehicles have been accelerated in the global market, responding to the global concerns on CO₂ reduction and energy security. Concurrently, the development of charging infrastructure for electric vehicles has also been expanding. As a complement to the DC EV supply equipment with a vehicle connector, DC supply equipment using an automated connection device is recognized as an alternative solution for electric vehicles, for example buses and trucks.

The international standardization of charging infrastructure with an automated connection device is indispensable for the diffusion of electric vehicles, and this document is developed for the manufacturers' convenience by providing general and basic requirements for DC EV supply equipment using an automatic conductive connection to the vehicle.

This part of IEC 61851 provides the requirements for DC EV supply equipment with an automated connection device (ACD) for conductive connection to the vehicle, with a rated maximum voltage at side A of up to 1 000 V AC or up to 1 500 V DC and a rated maximum voltage at side B up to 1 500 V DC.

NOTE 1 This document includes information on EV for conductive connection but limited to the necessary content for describing the power and signalling interface.

This document specifies the DC EV supply equipment with an automated connection device based on

- system B described in IEC 61851-23:2023, Annex BB, and
- system C described in IEC 61851-23:2023, Annex CC.

The requirements for reverse power transfer (RPT) and bidirectional power transfer (BPT) are under consideration and are not specified in this document.

EMC requirements for DC EV supply equipment are defined in IEC 61851-21-2:2018.

This document provides the general requirements for the control communication between a DC EV supply equipment and an EV.

The requirements for digital communication between DC EV supply equipment and electric vehicle for control of DC energy transfer are defined in ISO 15118-20:2022 and IEC 61851-24:2023.

This document only applies to automatic couplers of category 2, i.e. using an electro-mechanical interface: automatic coupler for an automated charging system according to IEC 63407.

This document does not apply to automatic coupler of category 1 as described in IEC TS 61851-27.

This document does not apply to automatic coupler of category 3 as described in IEC TS 61851-26.

This document does not cover all safety aspects related to maintenance.

Requirements for systems not providing simple separation or protective separation between side A and side B are under consideration.

Requirements for EV supply equipment without control of current, voltage or power are under consideration.

EV supply equipment in compliance with this document are not intended to provide energy transfer to a single EV with

- multiple vehicle connectors of the same EV supply equipment, or
- multiple EV supply equipment.

NOTE 2 Requirements for EVs mated to an EV supply equipment are specified in the ISO 5474 series.

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60364-4-41:2005, *Low-voltage electrical installations - Part 4-41: Protection for safety - Protection against electric shock*
IEC 60364-4-41:2005/AMD1:2017

IEC 60364-5-53:2019, *Low-voltage electrical installations - Part 5-53: Selection and erection of electrical equipment - Devices for protection for safety, isolation, switching, control and monitoring*
IEC 60364-5-53:2019/AMD2:2024

IEC 60479-1:2018, *Effects of current on human beings and livestock - Part 1: General aspects*

IEC 60479-2:2019, *Effects of current on human beings and livestock - Part 2: Special aspects*

IEC 60529, *Degrees of protection provided by enclosures (IP Code)*

IEC 61496 (all parts), *Safety of machinery - Electro-sensitive protective equipment*

IEC 61643 (all parts), *Low-voltage surge protective devices*

IEC 61643-11, *Low-voltage surge protective devices - Part 11: Surge protective devices connected to low-voltage power systems - Requirements and test methods*

IEC 61643-21, *Low voltage surge protective devices - Part 21: Surge protective devices connected to telecommunications and signalling networks - Requirements and testing methods*

IEC 61851-1:2017, *Electric vehicle conductive charging system - Part 1: General requirements*

IEC 61851-23:2023, *Electric vehicle conductive charging system - Part 23: DC electric vehicle supply equipment*

IEC 61851-24:2023, *Electric vehicle conductive charging system - Part 24: Digital communication between a DC EV supply equipment and an electric vehicle for control of DC charging*

IEC 62368-1:2023, *Audio/video, information and communication technology equipment - Part 1: Safety requirements* IEC 63407:—, *Conductive charging of electric vehicles - Contact interface for automated connection device (ACD)*¹

ISO 5474-3:2024, *Electrically propelled road vehicles - Functional and safety requirements for power transfer between vehicle and external electric circuit - Part 3 DC power transfer*

ISO 6469-3:2021, *Electrically propelled road vehicles - Safety specifications - Part 3: Electrical safety*

¹ Under preparation. Stage at the time of publication: IEC/ACDV 63407:2025.

IEC 60050-826, *International Electrotechnical Vocabulary (IEV) - Part 826: Electrical installations*, available at www.electropedia.org

IEC 60479 (all parts), *Effects of current on human beings and livestock*

IEC 61140:2016, *Protection against electric shock - Common aspects for installation and equipment*

IEC 61496-1:2020, *Safety of machinery - Electro-sensitive protective equipment - Part 1: General requirements and tests*

IEC 61643-41:2025, *Low-voltage surge protective devices - Part 41: Surge protective devices connected to DC low-voltage power systems - Requirements and test methods*

IEC 61851-21-2:2018, *Electric vehicle conductive charging system - Part 21-2: Electric vehicle requirements for conductive connection to an AC/DC supply - EMC requirements for off board electric vehicle charging systems*

IEC TS 61851-26, *Electric vehicle conductive charging system - Part 26: EV supply equipment with automated docking of a vehicle coupler located at the underbody of an electric vehicle*

IEC TS 61851-27, *Electric vehicle conductive charging system - Part 27: EV supply equipment with automated docking of a vehicle coupler according to IEC 62196-2, IEC 62196-3 or IEC TS 62196-3-1*

IEC 62128-1:2013, *Railway applications - Fixed installations - Electrical safety, earthing and the return circuit - Part 1: Protective provisions against electric shock*

IEC 62196-2, *Plugs, socket-outlets, vehicle connectors and vehicle inlets - Conductive charging of electric vehicles - Part 2: Dimensional compatibility requirements for AC pin and contact-tube accessories*

IEC 62196-3:2022, *Plugs, socket-outlets, vehicle connectors and vehicle inlets - Conductive charging of electric vehicles - Part 3: Dimensional compatibility requirements for DC and AC/DC pin and contact-tube vehicle couplers*

IEC 62305 (all parts), *Protection against lightning*

IEC 62305-4, *Protection against lightning - Part 4: Electrical and electronic systems within structures*

IEC TS 63379, *Vehicle connector, vehicle inlet and cable assembly for megawatt DC charging*⁴

ISO 17409:2015, *Electrically propelled road vehicles - Connection to an external electric power supply - Safety requirements*⁵

ISO 5474 (all parts), *Electrically propelled road vehicles - Functional requirements and safety requirements for power transfer between vehicle and external electric circuit*

⁴ Under preparation. Stage at the time of publication: IEC TS/BPUB 63379:2025.

⁵ This publication has been withdrawn.

This is a preview of IEC 61851-23-1 Ed. 1.0 en:2026. [Click here to purchase the full version from the ANSI store.](#)

(EVS)

SAE J1772:2024, *SAE electric vehicle and plug in hybrid electric vehicle conductive charge coupler*

SAE J3105:2023, *Electric vehicle power transfer system using conductive automated connection devices*
