



INTERNATIONAL STANDARD

**Photovoltaic (PV) module performance testing and energy rating -
Part 2: Spectral responsivity, incidence angle and nominal module operating
temperature measurements**

FOREWORD	5
INTRODUCTION	7
1 Scope	8
2 Normative references	8
3 Terms and definitions	9
4 Sampling	11
4.1 General	11
4.2 Representative samples	11
5 Testing	12
5.1 General	12
5.2 Initial stabilization	12
5.3 Test flow	12
6 Procedure for spectral responsivity measurement	13
7 Procedure for the measurement of incidence angle effect	14
7.1 General	14
7.2 Purpose	15
7.3 Indoor test method 1: irradiation on full cell (or module) or on an optically equivalent device	16
7.3.1 General	16
7.3.2 Test sample preparation	16
7.3.3 Apparatus	16
7.3.4 Set-up procedure	18
7.3.5 Measurement procedure	19
7.3.6 Data evaluation	20
7.3.7 Uncertainty contributions	21
7.4 Indoor test method 2: irradiation on a partially shaded cell in a module	21
7.4.1 General	21
7.4.2 Test sample preparation	21
7.4.3 Apparatus	21
7.4.4 Set-up procedure	21
7.4.5 Measurement procedure for c-Si PV modules with series-connected cells	21
7.4.6 Measurement procedure for c-Si PV modules with series-parallel connection	23
7.4.7 Measurement procedure for monolithically integrated thin-film PV modules	23
7.4.8 Data evaluation	24
7.4.9 Uncertainty contributions	24
7.5 Indoor test method 3: partial irradiation (on cells or modules)	24
7.5.1 General	24
7.5.2 Test sample preparation	24
7.5.3 Apparatus	25
7.5.4 Set-up procedure	26
7.5.5 Measurement procedure for cells (indoor method 3a)	27
7.5.6 Measurement procedure for modules (indoor method 3b)	27
7.5.7 Data evaluation	27
7.5.8 Uncertainty contributions	28

This is a preview of IEC 61853-2 Ed. 2.0 en:2026. Click here to purchase the full version from the ANSI store.

7.6.1	General.....	28
7.6.2	Test sample preparation	28
7.6.3	Apparatus	28
7.6.4	Set-up procedure	29
7.6.5	Measurement procedure for cells (indoor method 4a) and module (indoor method 4b).....	30
7.6.6	Data evaluation.....	30
7.6.7	Uncertainty contributions	31
7.7	Outdoor test method 1: absolute method	31
7.7.1	General.....	31
7.7.2	Apparatus	31
7.7.3	Set-up procedure	32
7.7.4	Measurement procedure	33
7.7.5	Tabulation of the relative internal angular transmittance $\tau_{\text{rel}}(\theta)$	35
7.7.6	Uncertainty contributions	35
7.8	Outdoor test method 2: relative method.....	36
7.8.1	General.....	36
7.8.2	Apparatus	36
7.8.3	Set-up procedure	36
7.8.4	Measurement procedure	37
7.8.5	Uncertainty contributions	38
7.9	Interpolation of the relative internal angular transmittance $\tau_{\text{rel}}(\theta)$	38
8	Methodology for determining coefficients for calculating the Nominal Module Operating Temperature (NMOT).....	39
8.1	General	39
8.2	PV module temperature model	39
8.3	Apparatus	40
8.4	Test module mounting.....	41
8.5	Procedure.....	41
8.5.1	General.....	41
8.5.2	Data recording.....	41
8.5.3	Data filtering.....	42
8.5.4	Determination of u_0	42
8.5.5	Determination of u_1	43
8.5.6	Calculation of NMOT	43
8.6	Uncertainty sources	44
9	Report.....	44
9.1	General	44
9.2	Specific requirements for measurements of SR.....	44
9.3	Specific requirements for measurements of the incidence angle effect	45
9.4	Specific requirements for measurements of NMOT	47
Annex A	(informative) Specific exceptions for photovoltaic modules installed on buildings.....	48
A.1	General	48
A.2	Spectral responsivity of coloured modules.....	48
A.2.1	General.....	48

irradiation modes	48
A.2.3 Spectral responsivity measurements of polychrome samples with repeated pattern	50
A.2.4 Spectral responsivity measurements of polychrome samples with non-repeated pattern	50
A.2.5 Spectral responsivity of gradient-coloured samples	51
A.3 Incidence angle effect of modules with modified surfaces, antiglare treatments or colouration.....	51
A.4 Specific thermal conditions of modules installed on buildings	51
Annex B (normative) Stray light effects in indoor methods for measurements of the angle of incidence effects and correction procedure.....	53
B.1 Origin of possible stray light effects	53
B.2 Correction procedure	54
B.2.1 General.....	54
B.2.2 Apparatus	55
B.2.3 Set-up procedure	56
B.2.4 Measurement procedure	56
B.2.5 Correction procedure.....	56
B.2.6 An example for calculation of the size of the shading paddle (informative).....	57
Annex C (informative) Diagrams illustrating the evaluation of raw data and the determination of u_0 and u_1 parameters in NMOT measurements	58
Bibliography.....	62
Figure 1 – Definitions of angle of incidence (3.1) and field of view (3.2) for measurements with indoor solar simulators (7.3 and 7.4).....	10
Figure 2 – Overview of the testing cycle to be carried out in IEC 61853-2 (with reference to Module Quality Tests (MQT) in IEC 61215-2)	12
Figure 3 – Minimum size of a 1-cell minimodule.....	13
Figure 4 – Optical alignment method (see 7.3.4.b.3): the red dots indicate the 4 correctly aligned points; the crosses indicate conditions of misalignment.....	19
Figure 5 – Examples of the function $\tau_{\text{rel}}(\theta)$ of a typical PV module	20
Figure 6 – Indoor test method 2: cell masking with an opaque adhesive tape and axis of rotation.....	22
Figure 7 – Determination of the points of intersection of the "non-shaded" ($N - 1$) cells curves and the "shaded" I-V curves	23
Figure 8 – Example block diagram of a measuring instrument for the incidence angle effect using the partial-irradiation method on a module (indoor test method 3b)	25
Figure 9 – Recommended positions for measuring the temperature of the test module behind the cells.....	31
Figure 10 – Examples of dimensions of the light source.....	45
Figure 11 – Distances to be reported for measurements of the incidence angle effect with indoor test method 1 and 2	46
Figure A.1 – Possible sizes of the monochromatic beam in SR measurements of PV modules (see IEC 60904-8)	49
Figure A.2 – Example of SR measurements on a blue-white coloured module (shown in the boxes) in under-irradiation mode	49
Figure A.3 – Examples of different coloured PV modules spectral responsivity measurements of monochrome samples	50

This is a preview of IEC 61853-2 Ed. 2.0 en:2026. Click here to purchase the full version from the ANSI store.

with anti-glare treatment with inadequate best fit	51
Figure B.1 – Example of possible stray light from the surfaces of walls, ceiling or floors of the darkroom.....	54
Figure B.2 – A scheme of the apparatus for stray light correction in indoor test methods 1 and 2 for the measurement of the incidence angle effect	55
Figure B.3 – Scheme for the calculation of the shading paddle size X , for a solar simulator with lamp size L larger than the control cell size L'	57
Figure C.1 – Frequency distribution of irradiance data in bins of 100 W m^{-2}	58
Figure C.2 – Frequency distribution of wind speed data in bins of 1 m s^{-1}	58
Figure C.3 – Measured data ($T_M - T_{\text{amb}}$) plotted versus the irradiance in the plane-of-array G_{POA}	59
Figure C.4 – Measured data and filtered data, fulfilling the stability criteria for wind speed, irradiance and module temperature.....	59
Figure C.5 – Filtered data with N_{98} diagonal	60
Figure C.6 – Filtered data and modelled data $T_M - T_{\text{amb}} = \frac{G_{\text{POA}}}{u_0 + u_1 \times v_w}$	60
Figure C.7 – Residuals of filtered T_M data and modelled $T_{M,\text{modelled}}$ data: ($T_M - T_{M,\text{modelled}}$).....	61
Table 1 – Measurement methods for the incidence angle effect.....	14
Table 2 – Spectrally resolved method (indoor test method 4): correspondence between sample preparation and apparatus for measurements of the incidence angle effect and of SR according to IEC 60904-8.....	29

Photovoltaic (PV) module performance testing and energy rating - Part 2: Spectral responsivity, incidence angle and nominal module operating temperature measurements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 61853 has been prepared by IEC technical committee 82: Solar photovoltaic energy systems. It is an International Standard.

This second edition cancels and replaces the first edition published in 2016. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) New Clause 3 was added;
- b) New measurement methods are introduced in Clause 7;
- c) A new procedure for data filtering was added to Clause 8;
- d) Annex A (informative), Annex B (normative) and Annex C (informative) were added;
- e) The term "calibration" was removed;

This is a preview of IEC 61853-2 Ed. 2.0 en:2026. Click here to purchase the full version from the ANSI store.

- g) The tilt angle for NMOT measurements was harmonized to $(37 \pm 5)^\circ$ throughout the text;
- h) The distance of the bottom edge of the test module in NMOT measurements was raised to 1 m above the local horizontal plane or ground level;
- i) The tests have been modified to include methodologies for measuring bifacial PV modules.

The text of this International Standard is based on the following documents:

Draft	Report on voting
82/2626/FDIS	82/2660/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts in the IEC 61853-2 series, published under the general title *Photovoltaic (PV) module performance testing and energy rating*, can be found on the IEC website.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

Photovoltaic (PV) modules are typically rated at standard test conditions (STC) of 25 °C cell temperature, 1 000 W m⁻² total irradiance, normal incidence and air mass (AM) 1,5 spectrum. However, PV modules in the field operate over a range of temperatures, total and spectral irradiances, and incidence angles. Hence, PV modules can also be rated based on the calculated energy production under a standardized set of environmental and climatic conditions.

This series proposes a standard method for energy rating and consists of four parts:

- IEC 61853-1: Irradiance and temperature performance measurements and power rating, which describes requirements for evaluating PV module performance in terms of power rating over a range of irradiances and temperatures;
- IEC 61853-2: Spectral responsivity, incidence angle, and nominal module operating temperature measurements, which describes test procedures for measuring the effect of varying angle of incidence and sunlight spectra as well as the estimation of module temperature from irradiance, ambient temperature, and wind speed;
- IEC 61853-3: Energy rating of PV modules, which describes the calculations for PV module energy ratings; and
- IEC 61853-4: Standard reference climatic profiles, which describes the standard time periods and weather conditions that can be used for the energy rating calculations.

The IEC 61853 series establishes IEC requirements for evaluating PV module performance based on power (watts), energy (joule or watthours) and performance ratio. It is written to be applicable to all PV technologies, including bifacial PV modules, but can be unsuitable for any technology where the module performance changes with time (e.g. modules change their behaviour with light or thermal exposure), or which experience significant non-linearities in any of their characteristics used for the modelling.

The purpose of this second part of IEC 61853 is to define procedures for measuring the effects of angle of incidence of the irradiance on the output power of the device, to determine the operating temperature of a module for a specific set of ambient and mounting conditions and measure the spectral responsivity of the module.

NOTE 1 In the IEC 61853 series, spectral responsivity measurements are used for calculating spectral correction factors, in combination with standardized and location-specific spectral irradiance data from Part 4. Then they are applied in the energy rating calculation described in Part 3 to account for mismatches from the reference AM1.5 spectrum with respect to what can be detected by a reference irradiance detector (e.g. a pyranometer). It is important to note that without spectral responsivity data, the resulting deviations in the energy rating calculation can be significant; however, spectral responsivity alone does not provide information on energy gains or losses.

The described measurements are required as inputs into the module energy rating procedure described in IEC 61853-3 [28]¹. Results of the measurements described in this part, however, can also be used for other purposes, where relevant, e.g. yield prediction with commercially available simulation tools that require spectral responsivity or angle of incidence effect.

PV modules to be installed onto buildings (either as building integrated or as building applied photovoltaics, BIPV or BAPV, respectively) can exhibit very peculiar spectral, optical and thermal properties. This document can be applied for the energy rating of these modules and their specificity is illustrated in Annex A: however, it is important for the reader to be aware that in some of these circumstances the thermal performance of the module under test can be severely affected by the specific mounting configuration.

NOTE 2 IEC TS 63126 [1] presents an informative annex that can be used as a guidance to get information on operating module temperatures for several locations and mounting configurations. From the 98th percentile maps provided therein, the reader can infer a temperature offset that could be applied to evaluate the effect of mounting configurations to the operating temperatures to be used in the energy rating calculated in Part 3 of this series. The estimation of this offset, however, is outside the scope of this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60891, *Photovoltaic devices - Procedures for temperature and irradiance corrections to measured I-V characteristics*

IEC 60904-1, *Photovoltaic devices - Part 1: Measurement of photovoltaic current-voltage characteristics*

IEC TS 60904-1-2, *Photovoltaic devices - Part 1-2: Measurement of current-voltage characteristics of bifacial photovoltaic (PV) devices*

IEC 60904-2, *Photovoltaic devices - Part 2: Requirements for photovoltaic reference devices*

¹ Numbers in square brackets refer to the Bibliography.

This is a preview of IEC 61853-2 Ed. 2.0 en:2026. [Click here to purchase the full version from the ANSI store.](#)

or photovoltaic (PV) devices by the open-circuit voltage method

IEC 60904-8:2014, *Photovoltaic devices - Part 8: Measurement of spectral responsivity of a photovoltaic (PV) device*

IEC 60904-9, *Photovoltaic devices - Part 9: Classification of solar simulator characteristics*

IEC 60904-10, *Photovoltaic devices - Part 10: Methods of linear dependence and linearity measurements*

IEC 61215 (all parts), *Terrestrial photovoltaic (PV) modules - Design qualification and type approval*

IEC TS 61836, *Solar photovoltaic energy systems - Terms, definitions and symbols*

ISO 2859-1, *Sampling procedures for inspection by attributes - Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*

ISO 9059, *Solar energy - Calibration of field pyrheliometers by comparison to a reference pyrheliometer*

ISO 9060, *Solar energy - Specification and classification of instruments for measuring hemispherical solar and direct solar radiation*

- [1] IEC TS 63126, *Guidelines for qualifying PV modules, components and materials for operation at high temperatures*
- [2] M. Pravettoni, M. H. Saw, G. Bardizza, G. Bellenda, R. Couderc, G. Friesen, W. Herrmann, S. W. Leow, S. Riechelmann, A. van der Heide, F. Weinrich, and S. Winter "Incidence angle effect: validation of new measurement methods for IEC 61853-2", *Prog. Photovolt: Res. Appl.*, 33(12), 1311-1321, 2025, doi:10.1002/pip.3850
- [3] W. Herrmann, M. Schweiger, and L. Rimmelspacher, "Solar simulator measurement procedures for determination of the angular characteristic of PV modules", *Proceedings of the 29th European Photovoltaic Solar Energy Conference (EUPVSEC)*, 2403-2406, 2014, doi:10.4229/EUPVSEC20142014-5CO.16.2
- [4] W. Herrmann, S. Schaaf, L. Rimmelspacher, and J. Bonilla Castro, "Angular response measurement of thin-film PV modules with solar simulators", *Proceedings of the 34th European Photovoltaic Solar Energy Conference (EUPVSEC)*, 1192-1196, 2019, doi:10.4229/EUPVSEC20192019-4AV.2.27
- [5] M. H. Saw, H. L. Soh, A. Ng, K. E. Birgersson, S. E. R. Tay, and M. Pravettoni, "A spot-area method to evaluate the incidence angle modifier of photovoltaic devices – Part 1: Cells", *IEEE J. Photovolt.*, 13(2), 267-274, 2023, doi:10.1109/JPHOTOV.2023.3236187
- [6] M. Pravettoni, M. H. Saw, M. N. Bin Abdul Aziz, and S. E. R. Tay, "A Spot-area Method to Evaluate the Incidence Angle Modifier of Photovoltaic Devices – Part 2: Modules (Differential Method)", *IEEE J. Photovolt.*, 15(2), 280-289, 2025, doi:10.1109/JPHOTOV.2024.3521121
- [7] Y. Tsuno, Y. Hishikawa, and K. Kurokawa, "A method for spectral response measurement of various PV modules", *Proceedings of the 23rd European Photovoltaic Solar Energy Conference (EUPVSEC)*, Valencia, 2008
- [8] F. Plag, I. Kröger, T. Fey, F. Witt, and S. Winter, "Angular-dependent spectral responsivity—Traceable measurements on optical losses in PV devices", *Prog. Photovolt: Res. Appl.*, 26, 565–578, 2018, doi:10.1002/pip.2957
- [9] A. van der Heide, A. Tuomiranta, M. Daniels, N. Capiot, M. Daenen, S. Wendlandt, and L. Tous, "Accurate measurement of the angular dependence of the PV module performance using a dual axis solar tracker", *Proceedings of the World Conference for Photovoltaic Energy Conversion (WCPEC-8)*, 708-711, 2022, doi:10.4229/WCPEC-82022-3BV.3.36
- [10] N. Martin, and J.M. Ruiz, "Calculation of the PV modules angular losses under field conditions by means of an analytical model", *Sol. En. Mat. Sol. Cells*, 70, 25-38, 2001, doi:10.1016/S0927-0248(00)00408-6
- [11] N. Martin, and J.M. Ruiz, "Corrigendum to "Calculation of the PV modules angular losses under field conditions by means of an analytical model", *Sol. En. Mat. Sol. Cells*, 110, 154, 2013, doi:10.1016/j.solmat.2012.11.002
- [12] D. Faïman, "Assessing the outdoor operating temperature of photovoltaic modules", *Progr. Photovolt: Res. Appl.*, 16(4), 307-315, 2008, doi:10.1002/pip.813

This is a preview of IEC 61853-2 Ed. 2.0 en:2026. Click here to purchase the full version from the ANSI store.

- Equivalence and Parameter Translation," *Proceedings of the 49th IEEE Photovoltaics Specialists Conference (PVSC)*, 172-177, 2022, doi:10.1109/PVSC48317.2022.9938895
- [14] C. Deline, S. Ovaite, M. Gostein, J. Braid, J. Newmiller, and I. Suez, "Irradiance Monitoring for Bifacial PV Systems' Performance and Capacity Testing", *IEEE J. Photovolt.*, 14(5), 803-814 (2024), doi:10.1109/JPHOTOV.2024.3430551
- [15] C. Monokroussos, Q. Gao, X. Y. Zhang, E. Lee, Y. Wang, C. Zou, L. Rimmelspacher, J. Bonilla Castro, M. Schweiger, and W. Herrmann, "Rear-side spectral irradiance at 1 sun and application to bifacial module power rating", *Prog. Photovolt: Res. Appl.*, 28(8), 755-766 (2020), doi:10.1002/pip.3268
- [16] W. Herrmann, C. Monokroussos, and K. Lee, "Comparison of different approaches to determine the Nominal PV Module Operating Temperature (NMOT)", *Proceedings of the 36th European Photovoltaic Solar Energy Conference (EUPVSEC)*, 550-555, 2021, doi:10.4229/EUPVSEC20212021-4BO.2.2
- [17] N. Martín-Chivelet, K. Kapsis, H. R. Wilson, V. Delisle, R. Yang, L. Olivieri, J. Polo, J. Eisenlohr, B. Roy, L. Maturi, G. Otnes, M. Dallapiccola, and W. M. Pabasara Upalakshi Wijeratne, "Building-Integrated Photovoltaic (BIPV) products and systems: A review of energy-related behavior", *Energy and Buildings*, 262, 111998, 2022, doi:10.1016/j.enbuild.2022.111998
- [18] M. H. Saw, E. Birgersson, and M. Pravettoni, "Spectral mismatch correction for multi-coloured BIPV cells with spot-area spectral responsivity measurements", *AIP Conference Proceedings*, 2826, 030012, 2023, doi:10.1063/5.0141757
- [19] Y. B. Assoa, L. Mongibello, A. Carr, B. Kubicek, M. Machado, J. Merten, S. Misara, F. Roca, W. Sprenger, M. Wagner, S. Zamini, T. Baenas, and P. Malbranche, "Thermal analysis of a BIPV system by various modelling approaches", *Sol. En.* 155, 1289-1299, 2017, doi:10.1016/j.solener.2017.07.066
- [20] R. G. Ross, "Interface design considerations for terrestrial solar cell modules", *Proceedings of the 12th IEEE Photovoltaic Specialists Conference (PVSC)*, 801-806, 1976
- [21] J. A. Kratochvil, W. E. Boyson, and D. L. King, "Photovoltaic array performance model", Sandia Report, SAND2004-3535, 2004
- [22] E. Skoplaki, A. G. Boudouvis, and J. A. Palyvos, "A simple correlation for the operating temperature of photovoltaic modules of arbitrary mounting", *Sol. En. Mater. Sol. Cells*, 92(11), 1393-1402, 2008, doi:10.1016/j.solmat.2008.05.016
- [23] C. G. Wei, R. N. Pan, and D. Wang, "Research of Nominal Operating Temperature Testing Method of BIPV Module," *Key Eng. Mater.*, 726, 18-22, 2017, doi:10.4028/www.scientific.net/KEM.726.18
- [24] P. Sánchez-Palencia, N. Martín-Chivelet, and F. Chenlo, "Modeling temperature and thermal transmittance of building integrated photovoltaic modules", *Sol. En.*, 184, 153-161, 2019, doi:10.1016/j.solener.2019.03.096
- [25] IEC TS 61724-2, *Photovoltaic system performance - Part 2: Capacity evaluation method*
- [26] IEC 63092-1, *Photovoltaics in buildings - Part 1: Requirements for building-integrated photovoltaic modules*

This is a preview of IEC 61853-2 Ed. 2.0 en:2026. [Click here to purchase the full version from the ANSI store.](#)

photovoltaic (PV) solar devices with reference spectral irradiance data

- [28] IEC 61853-1, *Photovoltaic (PV) module performance testing and energy rating - Part 1: Irradiance and temperature performance measurements and power rating*
 - [29] IEC 61853-3, *Photovoltaic (PV) module performance testing and energy rating - Part 3: Energy rating of PV modules*
 - [30] IEC 61853-4, *Photovoltaic (PV) module performance testing and energy rating - Part 4: Standard reference climatic profiles*
-