



IEC 61966-2-2

Edition 1.0 2003-01

# INTERNATIONAL STANDARD

---

**Multimedia systems and equipment – Colour measurement and management –  
Part 2-2: Colour management – Extended RGB colour space – scRGB**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

---

ICS 33.160.60; 37.080

ISBN 978-2-8322-0631-7

**Warning! Make sure that you obtained this publication from an authorized distributor.**

## CONTENTS

FOREWORD .....	3
INTRODUCTION .....	5
1 Scope .....	6
2 Normative references .....	6
3 Definitions .....	6
4 Encoding characteristics .....	7
4.1 General .....	7
4.2 Transformation from CIE 1931 XYZ values to 16-bit scRGB values ( $R_{\text{scRGB}(16)}$ , $G_{\text{scRGB}(16)}$ , $B_{\text{scRGB}(16)}$ ) .....	7
4.3 Transformation from 16-bit scRGB values ( $R_{\text{scRGB}(16)}$ , $G_{\text{scRGB}(16)}$ , $B_{\text{scRGB}(16)}$ ) to CIE 1931 XYZ values .....	7
Annex A (informative) Simple transformation between 8-bit sRGB and 16-bit scRGB values .....	8
Annex B (informative) Non-linear encoding for scRGB: scRGB-nl and its YCC Transformation: scYCC-nl .....	10
Annex C (informative) scRGB background information .....	12
Bibliography .....	16
Figure C.1 – Example workflow using scRGB .....	15
Table B.1 – Quantization relationships using scRGB .....	11

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

**MULTIMEDIA SYSTEMS AND EQUIPMENT –  
COLOUR MEASUREMENT AND MANAGEMENT –**
**Part 2-2: Colour management –  
Extended RGB colour space – scRGB**

## FOREWORD

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning encoding of colour management given in Clause 4.

The IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the IEC that he is willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with IEC. Information may be obtained from:

Eastman Kodak Company  
343 State Street  
Rochester  
New York 14650  
USA

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61966 has been prepared by Technical Area 2: Colour measurement and management, of IEC technical committee 100: Audio, video and multimedia systems and equipment and ISO TC 42: Photography.

The text of this standard is based on the following documents:

FDIS	Report on voting
100/556A/FDIS	100/626/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 61966 consists of the following parts, under the general title *Multimedia systems and equipment – Colour measurement and management*:

Part 2-1: Colour management – Default RGB colour space – sRGB

Part 2-2: Colour management – Extended RGB colour space – scRGB

Part 3: Equipment using cathode ray tubes

Part 4: Equipment using liquid crystal display panels

Part 5: Equipment using plasma display panels

Part 7-1. Colour printers – Reflective prints – RGB inputs

Part 8: Multimedia colour scanners

Part 9: Digital cameras

It is published as a double logo standard.

In the ISO the Standard has been approved by 9 P-members out of 10 having cast the vote.

The committee has decided that the contents of this publication will remain unchanged until 2007. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

The contents of the corrigendum of August 2003 have been included in this copy.

## INTRODUCTION

The IEC 61966 standards are a series of methods and parameters for colour measurements and management for use in multimedia systems and equipment applicable to the assessment of colour reproduction.

The method of digitization in this part is designed to provide high bit precision, large colour gamut and extended dynamic range that is linear with respect to scene radiance. Based on IEC 61966-2-1 (sRGB), this colour space is well suited to meet the needs of the multimedia, gaming and computer graphics applications. This standard provides a robust solution to these needs. The white point and colour primaries of the scRGB solution are directly inherited from the IEC 61966-2-1 (sRGB) standard. The encoding transformations provide all of the necessary information to encode an image.

# MULTIMEDIA SYSTEMS AND EQUIPMENT – COLOUR MEASUREMENT AND MANAGEMENT –

## Part 2-2: Colour management – Extended RGB colour space – scRGB

### 1 Scope

This part of IEC 61966 is applicable to the encoding, editing and communication of relative scene radiance, wide dynamic range, extended colour gamut, and extended bit precision RGB colours as a colour space used in computer systems and similar applications by defining encoding transformations. Primaries and white point values of the colour space defined in this standard are identical to CIE chromaticities for ITU-R BT.709-5 reference primaries and CIE standard illuminant D65 as its white point. The scRGB colour space is an extension of sRGB and it is considered compatible with sRGB.

Additional transformations, such as white point adaptation methods, are beyond the scope of this standard. The appropriate CIE recommendations should be referred to for guidelines in this area.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050(845):1987, *International Electrotechnical Vocabulary (IEV) – Chapter 845: Lighting*