

# INTERNATIONAL STANDARD

# IEC 61966-7-1

Second edition  
2006-05

---

---

## Multimedia systems and equipment – Colour measurement and management –

### Part 7-1: Colour printers – Reflective prints – RGB inputs

© IEC 2006 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland  
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: [inmail@iec.ch](mailto:inmail@iec.ch) Web: [www.iec.ch](http://www.iec.ch)



Commission Electrotechnique Internationale  
International Electrotechnical Commission  
Международная Электротехническая Комиссия

PRICE CODE

X

*For price, see current catalogue*

## CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references.....	7
3 Terms and definitions.....	7
4 Letters and symbols.....	9
5 Conditions.....	9
5.1 Environmental conditions.....	9
5.2 Sampling conditions.....	10
5.3 Measurement conditions.....	11
5.4 Method of calculation.....	12
6 Spectral characteristics.....	14
6.1 Attributes to be measured.....	14
6.2 Method of measurement.....	14
6.3 Presentation of the result.....	14
7 Basic colorimetric characteristics.....	15
7.1 Attribute to be measured.....	15
7.2 Method of measurement.....	15
7.3 Presentation of the results.....	15
8 Tone reproduction characteristics.....	16
8.1 Attribute to be measured.....	16
8.2 Method of measurement.....	16
8.3 Presentation of the results.....	17
9 Spatial non-uniformity characteristics.....	18
9.1 Attribute to be measured.....	18
9.2 Method of measurement.....	18
9.3 Presentation of the result.....	18
10 Temporal instability characteristics.....	19
10.1 Short-term instability.....	19
10.2 Long-term instability.....	20
11 Dependency on illuminant characteristics.....	23
Annex A (normative) Values in the colour test-chart file.....	26
Annex B (normative) Specification of the measurement positions in the spatial non-uniformity test-chart file and the reporting form.....	32
Annex C (normative) Specification for the measurement of short-term instability characteristics.....	37
Annex D (informative) Estimation of effect for backing material change.....	38
Annex E (informative) Layout of the colour test-chart file reproduced as a reflective print.....	39
Annex F (informative) Layout of the spatial non-uniformity test-chart file reproduced as a reflective print.....	40
Annex G (informative) Layout of the short-term instability test-chart file reproduced as a reflective print.....	41
Bibliography.....	42

Figure 1 – Spectral reflectance of the primary and secondary saturated colours, and white, grey and black .....	15
Figure 2 – Example plots for gamut of colours in the CIE 1976 $L^*a^*b^*$ colour space.....	16
Figure 3 – An example of reporting tone reproduction characteristics.....	17
Table 1 – Reference to Table A.1 .....	14
Table 2 – Reference to Table A.3 .....	17
Table 3 – Conditions for sampling and measurements .....	19
Table 4 – Specification of data in the colour test chart file and the form for reporting the result in the long-term instability measurement .....	22
Table 5 – Specification of colour patches.....	23
Table 6 – Specification of data in the colour test chart file and the form of reporting the result of dependency on illuminants measurement – .....	24
Table 7 – Specification of data in the colour test chart file and the form of reporting the result of dependency on illuminants measurement – .....	25
Table A.1 – Specification of the colour test chart file and the form for reporting – Primary colours.....	26
Table A.2 – Specification of the colour test-chart file and the form for reporting – 6-by-6 cubic data .....	26
Table A.3 – Specification of the colour test-chart file and the form for reporting – Data and form for gradation .....	30
Table B.1 – Form of reporting with measurement positions .....	32
Table C.1 – Short-term instability characteristics .....	37

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

---

## MULTIMEDIA SYSTEMS AND EQUIPMENT – COLOUR MEASUREMENT AND MANAGEMENT –

### Part 7-1: Colour printers – Reflective prints – RGB inputs

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61966-7-1 has been prepared by Task Area 2: Colour measurement and management, of IEC technical committee 100: Audio, video and multimedia systems and equipment.

This second edition cancels and replaces the first edition published in 2001. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition.

- a) In addition to the default illuminant, D50, D65, F11 and illuminant A were added as optional illuminants.
- b) The numbering of the colour patches in the test-chart file was changed for easy understanding of the measurement location.

- c) Two test-chart files: short-term instability test chart and spatial non-uniformity test chart were added.

The text of this standard is based on the following documents:

FDIS	Report on voting
100/1061FDIS	100/1082/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 61966 consists of the following parts, under the general title *Multimedia systems and equipment – Colour measurement and management*:

- Part 1: General (proposed work item)
- Part 2-1: Colour management – Default RGB colour space – sRGB
- Part 2-2: Colour management – Extended RGB colour space – scRGB
- Part 2-4: Colour management – Extended-gamut YCC colour space for video applications – xvYC (to be published)
- Part 2-5: Colour management – Optional RGB colour space – opRGB (under consideration)
- Part 3: Equipment using cathode ray tubes
- Part 4: Equipment using liquid crystal display panels
- Part 5: Equipment using plasma display panels
- Part 6: Front projection displays
- Part 7-1: Colour printers – Reflective prints – RGB inputs
- Part 7-2: Colour printers – Reflective prints – CMYK inputs (proposed work item)
- Part 8: Multimedia colour scanners
- Part 9: Digital cameras
- Part 10: Quality assessment – Colour image in network systems (proposed work item)
- Part 11: Quality assessment – Impaired video in network systems (proposed work item)

The committee has decided that the contents of this publication will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

A bilingual version of this standard may be issued at a later date.

## INTRODUCTION

This part of IEC 61966 is applicable to characterization of colour printers that produce colour on opaque substrate corresponding to digital data files in which colour image information is expressed in a red–green–blue colour space. The characterization will be realized by objective measurements to be utilized for colour management in open systems. The measured and reported results are used to relate the equipment-dependent and undefined red–green–blue colour space to the default RGB colour space defined as the sRGB by IEC 61966-2-1. This standard is also applicable to assessment of colour image attributes on reflective prints reproduced from colour digital image files.

The recommended usage of the standard is for evaluation of the output of home and office RGB printers.

# MULTIMEDIA SYSTEMS AND EQUIPMENT – COLOUR MEASUREMENT AND MANAGEMENT –

## Part 7-1: Colour printers – Reflective prints – RGB inputs

### 1 Scope

This part of IEC 61966 specifies a set of data in colour test chart files for measurements, sampling of successive prints, measurement conditions and forms of reporting the results so as to make possible the characterization of the colour printer and comparison of the results of measurements. The sets of data for measurements are in colour test chart files expressed in a red–green–blue colour space, to which corresponding colour images are reproduced on reflective substrate. The methods of measurement in this standard are designed to be applicable to reflective colour prints for consumer use. The reflective colour prints may be produced by non-impact colour printers, incorporating such technologies as ink-jet, sublimation transfer, thermal transfer, electro-photography and other similar technologies.

This standard does not specify limiting values for various attributes.

### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050(845):1987, *International Electrotechnical Vocabulary (IEV) – Chapter 845: Lighting*

ISO 216:1975, *Writing paper and certain classes of printed matter – Trimmed sizes – A and B series*

ISO/CIE 10526:1999, *CIE standard illuminants for colorimetry*

ISO/CIE 10527:1991, *CIE standard colorimetric observers*

CIE 15, *Colorimetry*