# INTERNATIONAL STANDARD



First edition 2004-03

### Application integration at electric utilities – System interfaces for distribution management –

Part 3: Interface for network operations

© IEC 2004 — Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale International Electrotechnical Commission Международная Электротехническая Комиссия



For price, see current catalogue

W

CO	ΝТ	ΞN	эті
00			113

		ORD	4
IN	TROD	UCTION	6
1	Scop	e	7
2	Norn	native references	7
3	Refe	rence and information models	8
	3.1	General	8
	3.2	Interface reference model	8
	3.3	Network operations functions and components	8
	3.4	Message type terms	
	3.5	Static information model	
4		sage types – General	
	4.1	Message usage	
	4.2	Compliance	
	4.3	Message formats	
F	4.4	Common message type fields	
5		vork operations message types	
	5.1 5.2	Summary	
	5.2 5.3	Measurement list message types OperationalRestriction message types	
	5.3 5.4	OutageRecord message types	
	5.5	SafetyDocument message types	
	5.6	SwitchingSchedule Message message types	
	5.7	Message format	
		5	
An	nex A	(informative) Description of message type verbs	35
Fig	jure 1	- Simplified operational documents model	11
Fig	jure 1		11
Fig Fig	jure 1 jure 2	- Simplified operational documents model	11 15
Fig Fig Fig	jure 1 jure 2 jure 3	<ul> <li>Simplified operational documents model</li> <li>Generic pattern used for all message types</li> </ul>	11 15 15
Fig Fig Fig Fig	jure 1 jure 2 jure 3 jure 4	<ul> <li>Simplified operational documents model</li> <li>Generic pattern used for all message types</li> <li>Example (informative) of a control area used for all message types</li> </ul>	11 15 15 16
Fig Fig Fig Fig Fig	jure 1 jure 2 jure 3 jure 4 jure 5	<ul> <li>Simplified operational documents model</li> <li>Generic pattern used for all message types</li> <li>Example (informative) of a control area used for all message types</li> <li>Naming class</li></ul>	11 15 15 16 17
Fig Fig Fig Fig Fig	jure 1 jure 2 jure 3 jure 4 jure 5 jure 6	<ul> <li>Simplified operational documents model</li> <li>Generic pattern used for all message types</li> <li>Example (informative) of a control area used for all message types</li> <li>Naming class</li> <li>Document associations</li> </ul>	11 15 15 16 17 18
Fig Fig Fig Fig Fig Fig	jure 1 jure 2 jure 3 jure 4 jure 5 jure 6 jure 7	<ul> <li>Simplified operational documents model</li> <li>Generic pattern used for all message types</li> <li>Example (informative) of a control area used for all message types</li> <li>Naming class</li> <li>Document associations</li> <li>Document Class class details</li> </ul>	11 15 16 17 18 19
Fig Fig Fig Fig Fig Fig	jure 1 jure 2 jure 3 jure 4 jure 5 jure 6 jure 7 jure 8	<ul> <li>Simplified operational documents model</li> <li>Generic pattern used for all message types</li> <li>Example (informative) of a control area used for all message types</li> <li>Naming class</li> <li>Document associations</li> <li>Document Class class details</li> <li>Person and role played by person relative to a document</li> </ul>	11 15 15 16 17 18 19 20
Fig Fig Fig Fig Fig Fig Fig	jure 1 jure 2 jure 3 jure 4 jure 5 jure 6 jure 7 jure 8 jure 9	<ul> <li>Simplified operational documents model</li> <li>Generic pattern used for all message types</li> <li>Example (informative) of a control area used for all message types</li> <li>Naming class</li> <li>Document associations</li> <li>Document Class class details</li> <li>Person and role played by person relative to a document</li> <li>Person and role played by person relative to an organisation</li></ul>	11 15 16 17 18 19 20 21
Fig Fig Fig Fig Fig Fig Fig Fig	jure 1 jure 2 jure 3 jure 4 jure 5 jure 6 jure 7 jure 8 jure 9 jure 10	<ul> <li>Simplified operational documents model</li></ul>	11 15 15 16 17 18 19 20 21 22
Fig Fig Fig Fig Fig Fig Fig Fig Fig	jure 1 jure 2 jure 3 jure 4 jure 5 jure 5 jure 6 jure 7 jure 9 jure 1 jure 1	<ul> <li>Simplified operational documents model</li> <li>Generic pattern used for all message types</li> <li>Example (informative) of a control area used for all message types</li> <li>Naming class</li> <li>Document associations</li> <li>Document Class class details</li> <li>Person and role played by person relative to a document</li> <li>Person and role played by person relative to an organisation</li> <li>Measurement list message format</li></ul>	11 15 16 16 17 18 19 20 21 21 22 23
Fig Fig Fig Fig Fig Fig Fig Fig Fig	jure 1 jure 2 jure 3 jure 4 jure 5 jure 5 jure 7 jure 7 jure 1 jure 1	<ul> <li>Simplified operational documents model</li> <li>Generic pattern used for all message types</li> <li>Example (informative) of a control area used for all message types</li> <li>Naming class</li> <li>Document associations</li> <li>Document Class class details</li> <li>Person and role played by person relative to a document</li> <li>Person and role played by person relative to an organisation</li> <li>Measurement list message format</li></ul>	11 15 16 16 17 18 19 20 21 21 22 21 22 23 24
Fig Fig Fig Fig Fig Fig Fig Fig Fig Fig	jure 1 jure 2 jure 3 jure 4 jure 5 jure 5 jure 6 jure 7 jure 7 jure 1 jure 1 jure 1	<ul> <li>Simplified operational documents model</li></ul>	11 15 16 16 17 18 19 20 21 22 22 23 24 25
Fig Fig Fig Fig Fig Fig Fig Fig Fig Fig	jure 1 jure 2 jure 3 jure 4 jure 5 jure 5 jure 7 jure 7 jure 1 jure 1 jure 1 jure 1	<ul> <li>Simplified operational documents model</li></ul>	11 15 16 16 17 18 19 20 21 21 22 23 24 25 26
Fig Fig Fig Fig Fig Fig Fig Fig Fig Fig	jure 1 jure 2 jure 3 jure 3 jure 5 jure 5 jure 6 jure 7 jure 7 jure 1 jure 1 jure 1 jure 1	<ul> <li>Simplified operational documents model</li> <li>Generic pattern used for all message types</li> <li>Example (informative) of a control area used for all message types</li> <li>Naming class</li> <li>Document associations</li> <li>Document Class class details</li> <li>Person and role played by person relative to a document.</li> <li>Person and role played by person relative to an organisation</li> <li>Measurement list message format</li> <li>Continuation of measurement list message format</li> <li>Ameasurement list – Measurement details</li> <li>Continuation of Measurement list – Measurement details</li> <li>Ameasurement list – Control details</li> <li>Operational restriction message format</li> </ul>	11 15 16 16 17 18 19 20 21 21 22 23 24 25 26 29
Fig Fig Fig Fig Fig Fig Fig Fig Fig Fig	jure 1 jure 2 jure 3 jure 4 jure 5 jure 5 jure 6 jure 7 jure 7 jure 1 jure 1 jure 1 jure 1 jure 1	<ul> <li>Simplified operational documents model</li> <li>Generic pattern used for all message types.</li> <li>Example (informative) of a control area used for all message types</li> <li>Naming class</li> <li>Document associations</li> <li>Document Class class details.</li> <li>Person and role played by person relative to a document.</li> <li>Person and role played by person relative to an organisation.</li> <li>Measurement list message format.</li> <li>Continuation of measurement list message format</li> <li>Measurement list – Measurement details.</li> <li>Continuation of Measurement list – Measurement details.</li> <li>A measurement list – Control details.</li> <li>Operational restriction message format.</li> </ul>	11 15 16 16 17 18 19 20 21 21 22 23 24 25 26 29 31
Fig Fig Fig Fig Fig Fig Fig Fig Fig Fig	jure 1 jure 2 jure 3 jure 3 jure 5 jure 5 jure 7 jure 7 jure 7 jure 1 jure 1 jure 1 jure 1 jure 1	<ul> <li>Simplified operational documents model</li> <li>Generic pattern used for all message types</li> <li>Example (informative) of a control area used for all message types</li> <li>Naming class</li> <li>Document associations</li> <li>Document Class class details</li> <li>Person and role played by person relative to a document.</li> <li>Person and role played by person relative to an organisation</li> <li>Measurement list message format</li> <li>Continuation of measurement list message format</li> <li>Ameasurement list – Measurement details</li> <li>Continuation of Measurement list – Measurement details</li> <li>Ameasurement list – Control details</li> <li>Operational restriction message format</li> </ul>	11 15 16 16 17 18 19 20 21 21 22 21 22 23 24 25 26 26 29 31 32

Table 1 – Document overview for IEC 61968-3	6
Table 2 – Business functions for network operations	9
Table 3 – Classes for Network Operations	12
Table 4 – Classes related to network operations	13
Table 5 – Recommended measurement names	26
Table A.1 – Commonly used verbs	35

#### INTERNATIONAL ELECTROTECHNICAL COMMISSION

#### APPLICATION INTEGRATION AT ELECTRIC UTILITIES – SYSTEM INTERFACES FOR DISTRIBUTION MANAGEMENT –

#### Part 3: Interface for network operations

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61968-3 has been prepared by IEC technical committee 57: Power systems management and associated information exchange.

The text of this standard is based on the following documents:

FDIS	Report on voting
57/694/FDIS	57/714/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

IEC 61968 consists of the following parts under the general title *Application integration at electric utilities – System interfaces for distribution management:* 

Part 1: Interface architecture and general requirements

Part 2: Glossary

Part 3: Interface for network operations

Part 4: Interface for records and asset management<sup>1</sup>

The committee has decided that the contents of this publication will remain unchanged until 2006. At this date, the publication will be

- reconfirmed;
- withdrawn;
- · replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

<sup>&</sup>lt;sup>1</sup> Under consideration.

#### INTRODUCTION

The IEC 61968 series of standards is intended to facilitate *inter-application integration* as opposed to *intra-application integration*. Intra-application integration is aimed at programs in the same application system, usually communicating with each other using middleware that is embedded in their underlying runtime environment, and tends to be optimised for close, real-time, synchronous connections and interactive request/reply or conversation communication models. IEC 61968, in contrast, is intended to support the inter-application integration of a utility enterprise that needs to connect disparate applications that are already built or new (legacy or purchased applications), each supported by dissimilar runtime environments. Therefore, these interface standards are relevant to loosely coupled applications with more heterogeneity in languages, operating systems, protocols and management tools. This series of standards is intended to support applications that need to exchange data every few seconds, minutes, or hours rather than waiting for a nightly batch run. This series of standards, which are intended to be implemented with middleware services that exchange messages among applications, will complement, but not replace utility data warehouses, database gateways, and operational stores.

As used in IEC 61968, a Distribution Management System (DMS) consists of various distributed application components for the utility to manage electrical distribution networks. These capabilities include monitoring and control of equipment for power delivery, management processes to ensure system reliability, voltage management, demand-side management, outage management, work management, automated mapping and facilities management. Standard interfaces are defined for each class of applications identified in the Interface Reference Model (IRM), which is described in IEC 61968-1.

This Part of IEC 61968 contains the Clauses shown in Table 1.

Clause	Title	Purpose	
1	Scope	The scope and purpose of the document are described.	
2	Normative references	Documents that contain provisions which, through reference in this text, constitute provisions of this International Standard.	
3	Reference and information models	Description of the relevant parts of the interface reference model, static information model and message type naming convention.	
4	Message types – general	Requirements common to all message types described in Clause 5.	
5	Network operations message types	Message types related to the exchange of information for operational documents namely operation restrictions, outage, safety and switching schedule.	
Annex A	Message type verbs	Description of the verbs that are used for the message types.	

 Table 1 – Document overview for IEC 61968-3

#### APPLICATION INTEGRATION AT ELECTRIC UTILITIES – SYSTEM INTERFACES FOR DISTRIBUTION MANAGEMENT –

#### Part 3: Interface for network operations

#### 1 Scope

The IEC 61968 series, taken as a whole, defines interfaces for the major elements of an interface architecture for Distribution Management Systems (DMS). IEC 61968-1 identifies and establishes requirements for standard interfaces based on an Interface Reference Model (IRM). Parts 3 to 10 of the IEC 61968 series define interfaces relevant to each of the major business functions described by the Interface Reference Model.

As used in the IEC 61968 series, a DMS consists of various distributed application components for the utility to manage electrical distribution networks. These capabilities include monitoring and control of equipment for power delivery, management processes to ensure system reliability, voltage management, demand-side management, outage management, work management, automated mapping and facilities management.

The IEC 61968 series is limited to the definition of interfaces and is implementation independent. It provides for interoperability among different computer systems, platforms, and languages. Methods and technologies used to implement a functionality conforming to these interfaces are considered outside of the scope of the IEC 61968 series; only the interface itself is specified in these standards.

This part specifies the information content of a set of message types that can be used to support many of the business functions related to network operations. Typical uses of the message types defined in this part include data acquisition by external systems, fault isolation, fault restoration, trouble management, maintenance of the plant, and the commissioning of the plant.

An additional part of IEC 61968 will document integration scenarios or use cases, which are informative examples showing typical ways of using the message types defined in this document as well as message types to be defined in other parts of the IEC 61968 series.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 61850-7-4:2003, Communication networks and systems in substations – Part 7-4: Basic communication structure for substation and feeder equipment – Compatible logical node classes and data classes

IEC 61968-1, System interfaces for distribution management – Part 1: Interface architecture and general requirements